



Policy:	CDP-022201 (MRX 03/22)	Initial Effective Date: 03/27/2022
Code(s):	HCPCS J2356	Annual Review Date: 03/19/2024
SUBJECT:	Tezspire™ (tezepelumab-ekko)	Last Revised Date: 03/19/2024

⊠Subject to Site of Care

Prior approval is required for some or all procedure codes listed in this Corporate Drug Policy.

Initial and renewal requests for the medication(s) listed in this policy are subject to site of care management. When billed under the medical benefit, administration of the medication will be restricted to a non-hospital facility-based location (i.e., home infusion provider, provider's office, free-standing ambulatory infusion center) unless the member meets the site of care exception criteria. To view the exception criteria and a list of medications subject to site of care management please click here.

I. Length of Authorization

Coverage is provided for 6 months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Tezspire 210 mg single-dose prefilled pen: 1 pen every 4 weeks
- Tezspire 210 mg single-dose prefilled syringe: 1 syringe every 4 weeks
- Tezspire 210 mg single-dose vial: 1 vial every 4 weeks

B. Max Units (per dose and over time) [HCPCS Unit]:

• 210 billable units (210 mg) every 4 weeks

III. Initial Approval Criteria ¹

Coverage is provided in the following conditions:

• Patient is at least 12 years of age; **AND**

Universal Criteria 1

• Will not be used in combination with other anti-IgE, anti-IL4, or anti-IL5 monoclonal antibody agents (e.g., benralizumab, omalizumab, mepolizumab, reslizumab, dupilumab, etc.); **AND**

This document is subject to the disclaimer found at https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx and is subject to change. Always verify with the most current version at https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx or https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx



- Will not be administered concurrently with live vaccines; **AND**
- Will NOT be used for the relief of acute bronchospasm or status asthmaticus; AND

Severe Asthma † 1-5,8,9

- Patient must have severe* disease; AND
- Will be used for add-on maintenance treatment in patients <u>regularly</u> receiving BOTH of the following:
 - o Medium to high-dose inhaled corticosteroids; AND
 - o An additional controller medication (e.g., long-acting beta agonist, leukotriene modifiers, etc.); AND
- Patient must have had two or more exacerbations in the previous year requiring oral or injectable corticosteroid treatment (in addition to the regular maintenance therapy defined above) OR one exacerbation resulting in a hospitalization; **AND**
- Baseline measurement of at least one of the following for assessment of clinical status:
 - o Use of systemic corticosteroids
 - Use of inhaled corticosteroids
 - o Number of hospitalizations, ER visits, or unscheduled visits to healthcare provider due to condition
 - o Forced expiratory volume in 1 second (FEV₁)

*Components of severity for classifying asthma as severe may include any of the following (not all inclusive): 4,5

- Symptoms throughout the day
- Nighttime awakenings, often 7x/week
- SABA use for symptom control occurs several times per day
- Extremely limited normal activities
- Lung function (percent predicted FEV₁) <60%
- Exacerbations requiring oral systemic corticosteroids are generally more frequent and intense relative to moderate asthma

† FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); Ф Orphan Drug

IV. Renewal Criteria 1-3,8

Coverage may be renewed based upon the following criteria:

- Patient continues to meet the universal and other indication-specific relevant criteria identified in section III; AND
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: parasitic (helminth) infection, severe hypersensitivity reactions (e.g., rash and allergic conjunctivitis), etc.; **AND**

This document is subject to the disclaimer found at https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx and is subject to change. Always verify with the most current version at https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx or https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx



- Improvement in asthma symptoms or asthma exacerbations as evidenced by decrease in one or more of the following:
 - Use of systemic corticosteroids
 - Two-fold or greater decrease in inhaled corticosteroid use for at least 3 days
 - Hospitalizations
 - ER visits
 - Unscheduled visits to healthcare provider; OR
- o Improvement from baseline in forced expiratory volume in 1 second (FEV₁)

V. Dosage/Administration ¹

Dosage/Tullimstration		
Dose		
Administer 210 mg subcutaneously once every 4 weeks.		
NOTE:		
• Tezspire single-dose vial and pre-filled syringe are intended for administration by a healthcare provider.		
• Tezspire single-dose pre-filled pen can be administered by patients or caregivers after proper training in subcutaneous injection technique and after the healthcare provider determines it is appropriate.		

VI. Billing Code/Availability Information

HCPCS Code:

• J2356 – Injection, tezepelumab-ekko, 1 mg; 1 billable unit = 1 mg

NDC:

- Tezspire 210 mg/1.91 mL single-dose prefilled pen: 55513-0123-xx
- Tezspire 210 mg/1.91 mL single-dose prefilled syringe: 55513-0112-xx
- Tezspire 210 mg/1.91 mL single-dose vial: 55513-0100-xx

VII. References

- 1. Tezspire [package insert]. Sodertalje, Sweden; AstraZeneca AB; February 2023. Accessed February 2023.
- 2. Chung KF, Wenzel SE, Brozek JL, et al. International ERS/ATS Guidelines on Definition, Evaluation, and Treatment of Severe Asthma. Eur Respir J 2014; 43: 343-373.
- Holguin F, Cardet JC, Chung KF, et al. Management of severe asthma: a European Respiratory Society/American Thoracic Society guideline. Eur Respir J 2020; 55: 1900588 [https://doi.org/10.1183/13993003.00588-2019].

This document is subject to the disclaimer found at https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx and is subject to change. Always verify with the most current version at https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx or https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx



- 4. National Asthma Education and Prevention Program (NAEPP). Guidelines for the diagnosis and management of asthma. Expert Panel Report 3. Bethesda, MD: National Institutes of Health (NIH), National Heart, Lung, and Blood Institute (NHLBI); August 2007
- 5. National Asthma Education and Prevention Program (NAEPP). 2020 Focused Updates to the Asthma Management Guidelines: A Report from the National Asthma Education and Prevention Program Coordinating Committee Expert Panel Working Group. Bethesda, MD: National Institutes of Health (NIH), National Heart, Lung, and Blood Institute (NHLBI); December 2020.
- 6. Global Initiative for Asthma (GINA). Global Strategy for Asthma Management and Prevention. 2021 Update. Available from: http://www.ginasthma.org. Accessed December 2021.
- 7. Menzies-Gow A, Corren J, Bourdin A, et al. Tezepelumab in Adults and Adolescents with Severe, Uncontrolled Asthma. N Engl J Med. 2021 May 13;384(19):1800-1809. doi: 10.1056/NEJMoa2034975.
- 8. Menzies-Gow A, Colice G, Griffiths JM, et al. NAVIGATOR: a phase 3 multicentre, randomized, double-blind, placebo-controlled, parallel-group trial to evaluate the efficacy and safety of tezepelumab in adults and adolescents with severe, uncontrolled asthma. Respir Res. 2020 Oct 13;21(1):266. doi: 10.1186/s12931-020-01526-6.
- 9. Global Initiative for Asthma (GINA). Global Strategy for Asthma Management and Prevention. 2022 Update. Available from: http://www.ginasthma.org. Accessed September 2022.

10.

Documentation Requirements:

The Company reserves the right to request additional documentation as part of its coverage determination process. The Company may deny reimbursement when it has determined that the drug provided or services performed were not medically necessary, investigational or experimental, not within the scope of benefits afforded to the member and/or a pattern of billing or other practice has been found to be either inappropriate or excessive. Additional documentation supporting medical necessity for the services provided must be made available upon request to the Company. Documentation requested may include patient records, test results and/or credentials of the provider ordering or performing a service. The Company also reserves the right to modify, revise, change, apply and interpret this policy at its sole discretion, and the exercise of this discretion shall be final and binding.

Prior approval is required for HCPCS Codes J2356

[†]When J2356 is determined to be Tezspire

Edits and Denials:

This document is subject to the disclaimer found at https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx and is subject to change. Always verify with the most current version at https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx or https://www.medmutual.com/For-Providers/Policies-and-Standards/Prescription-Drug-Resources.aspx



Prior approval: Prior approval is required for Tezspire (HCPCS Code J2356). Requests for prior approval will be authorized by a nurse reviewer if submitted documentation meets criteria outlined within the Corporate Medical Policy.

Requests for prior approval will be forwarded to a qualified physician reviewer if submitted documentation does not meet criteria outlined within Corporate Medical Policy.

TOPPS: Claims received with **HCPCS Codes J2356** will pend with **Remark Code M3M or M4M** and will be adjudicated in accordance with the Corporate Medical Policy.

Liability: A participating provider will be required to write off charges denied as not medically necessary.

HCPCS	
Code(s):	
J2356	Injection, tezepelumab-ekko, 1 mg