

# 2020 Prescription Drug Formulary

MedMutual Advantage HMO and PPO Plans

List of Covered Drugs



## PLEASE READ:

This document contains information about the drugs we cover in this plan.

This formulary was updated on [REDACTED]. For more recent information or other questions, please contact Medical Mutual Member Services at 1-844-404-7947 or, for TTY users, 711, 24 hours a day, seven days a week, or visit [MedMutual.com/MAPlanInfo](http://MedMutual.com/MAPlanInfo).

HPMS Approved Formulary File Submission ID [REDACTED], Version Number [REDACTED]



## **Note to Existing Members**

This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us” or “our,” it means Medical Mutual. When it refers to “plan” or “our plan,” it means MedMutual Advantage.

This document includes a list of the drugs (formulary) for our plan, which is current as of . For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

# Introduction

## What Is the MedMutual Advantage Formulary?

A formulary is a list of covered drugs selected by MedMutual Advantage in consultation with a team of healthcare providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MedMutual Advantage will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MedMutual Advantage network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (Drug List) Change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the drug list during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

## Changes that can affect you this year

In the below cases, you will be affected by coverage changes during the year:

- **Drugs removed from the market**

If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

## ■ Other changes

We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the MedMutual Advantage Formulary?”

## **Changes that will not affect you if you are currently taking the drug.**

Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of [REDACTED]. To get updated information about the drugs covered by MedMutual Advantage, please contact us. Our contact information appears on the front and back cover pages. If there are additional changes made to the formulary that affect you and are not mentioned above, you will be notified in writing of these changes within a reasonable period of time from when the changes are made.

## **How Do I Use the Formulary?**

There are two ways to find your drug within the formulary:

### ■ Medical Condition

The formulary begins on page [REDACTED]. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular, Hypertension/Lipids.” If you know what your drug is used for, look for the category name in the list that begins on page [REDACTED]. Then look under the category name for your drug.

## ■ **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the index that begins on page . The index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the index. Look in the index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are Generic Drugs?**

MedMutual Advantage covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are There Any Restrictions on My Coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

### ■ **Prior Authorization**

MedMutual Advantage requires you or your physician to get prior authorization for certain drugs. This means you will need to get approval from MedMutual Advantage before you fill your prescriptions. If you don't get approval, MedMutual Advantage may not cover the drug.

### ■ **Quantity Limits**

For certain drugs, MedMutual Advantage limits the amount of the drug that MedMutual Advantage will cover. For example, MedMutual Advantage provides 30 capsules per prescription for Omeprazole DR 10mg. This may be in addition to a standard one-month or three-month supply.

### ■ **Step Therapy**

In some cases, MedMutual Advantage requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MedMutual Advantage may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MedMutual Advantage will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page \_\_\_\_\_. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MedMutual Advantage to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How Do I Request an Exception to the MedMutual Advantage’s Formulary?” on page \_\_\_\_\_ for information about how to request an exception.

## **What if My Drug Is Not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that MedMutual Advantage does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MedMutual Advantage. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MedMutual Advantage.
- You can ask MedMutual Advantage to make an exception and cover your drug. See below for information about how to request an exception.

## **How Do I Request an Exception to the MedMutual Advantage Formulary?**

You can ask MedMutual Advantage to make an exception to our coverage rules. There are several types of exceptions you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MedMutual Advantage limits the amount of the drug we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MedMutual Advantage will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What Do I Do before I Can Talk to My Doctor about Changing My Drugs or Requesting an Exception?**

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary, or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Other times when we will cover a temporary 31-day transition supply (or less, if you have a prescription written for fewer days) include:

- When you enter a long-term care facility
- When you leave a long-term care facility
- When you are discharged from a hospital
- When you leave a skilled nursing facility
- When you cancel hospice care
- When you are discharged from a psychiatric hospital with a medication regimen that is highly individualized

The plan will send you a letter within three business days of your filling a temporary transition supply, notifying you this was a temporary supply and explaining your options.

## For More Information

For more detailed information about your MedMutual Advantage prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MedMutual Advantage, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/seven days a week. TTY users should call 1-877-486-2048. Or, visit Medicare.gov.

## MedMutual Advantage's Formulary

The formulary that begins on page     provides coverage information about the drugs covered by MedMutual Advantage. If you have trouble finding your drug in the list, turn to the index that begins on page    .

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., NEXIUM®) and generic drugs are listed in lower-case italics (e.g., omeprazole). The information in the Requirements/Limits column tells you if MedMutual Advantage has any special requirements for coverage of your drug.

## Your Cost

The amount you pay for a covered drug will depend on:

- Your coverage stage. MedMutual Advantage has different stages of coverage. In each stage, the amount you pay for a drug may change.
- The drug tier for your drug. Each covered drug is in one of five drug tiers. Each tier may have a different copayment or coinsurance amount. The Drug Tiers chart on page     explains what types of drugs are included in each tier and shows how costs may change with each tier.

The Evidence of Coverage (EOC) has more information about the plan's coverage stages and lists the copayment and coinsurance amounts for each tier.

## If You Qualify for Extra Help

If you qualify for Extra Help for your prescription drugs, your copayments and coinsurance may be lower. Members who qualify for Extra Help will receive the "Evidence of Coverage Rider for People Who Get Extra Help Paying for Prescription Drugs (LIS Rider)." Please read it to find out what your costs are. You can also contact Member Services for more information.

## Drug Tiers

Tier	Includes	Helpful Tips
Tier 1 Preferred Generic	This tier includes many commonly prescribed low-cost drugs.	This tier includes commonly prescribed generic drugs. Use Tier 1 drugs for the lowest copayments.
Tier 2 Generic	This tier includes additional low-cost drugs.	This tier includes generic drugs. Use Tier 2 drugs to keep your copayments low.
Tier 3 Preferred Brand	This tier includes preferred brand-name drugs.	Drugs in this tier will generally have lower copayments than non-preferred drugs.
Tier 4 Non-Preferred Drug	This tier includes non-preferred brand-name and generic drugs.	Many non-preferred drugs have lower-cost alternatives in Tiers 1, 2 and 3. Ask your doctor if switching to a lower-cost generic or preferred brand may be right for you.
Tier 5 Specialty	This tier includes very high-cost brand-name and generic drugs.	To learn more about medications in this tier, you may contact a pharmacist at the numbers listed on the front and back covers of this document.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

## List of Abbreviations

**B/D PA:** This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

**MO:** Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**QL:** Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

**ST:** Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>ANTI - INFECTIVES</b>		
<b>ANTIFUNGAL AGENTS</b>		
ABELCET	5	B/D PA; MO
AMBISOME	5	B/D PA; MO
<i>amphotericin b</i>	4	B/D PA; MO
<i>caspofungin</i>	5	B/D PA
<i>clotrimazole mucous membrane</i>	2	MO
CRESEMBA INTRAVENOUS	5	PA
CRESEMBA ORAL	5	MO
<i>fluconazole</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	2	PA; MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	2	PA
<i>flucytosine</i>	5	MO
<i>griseofulvin microsize</i>	2	MO
<i>griseofulvin ultramicrosize</i>	2	MO
<i>itraconazole</i>	2	MO
<i>ketoconazole oral</i>	2	MO
<i>micafungin</i>	5	
MYCAMINE	5	MO
NOXAFIL ORAL	5	MO
<i>nystatin oral suspension</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nystatin oral tablet</i>	2	MO
<i>posaconazole oral tablet,delayed release (dr/ec)</i>	5	MO
<i>terbinafine hcl oral</i>	2	MO
<i>voriconazole intravenous</i>	2	PA; MO
<i>voriconazole oral</i>	5	MO
<b>ANTIVIRALS</b>		
<i>abacavir</i>	2	MO
<i>abacavir-lamivudine</i>	2	MO
<i>abacavir-lamivudine-zidovudine</i>	5	MO
<i>acyclovir oral capsule</i>	2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	4	B/D PA; MO
<i>adefovir</i>	5	MO
<i>amantadine hcl</i>	2	MO
<i>APTIVUS</i>	5	MO
<i>APTIVUS (WITH VITAMIN E)</i>	5	
<i>atazanavir oral capsule 150 mg, 200 mg</i>	2	MO
<i>atazanavir oral capsule 300 mg</i>	5	MO
<i>ATRIPLA</i>	5	MO
<i>BARACLUDE ORAL SOLUTION</i>	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
BIKTARVY	5	MO
<i>cidofovir</i>	5	B/D PA; MO
CIMDUO	5	MO
COMPLERA	5	MO
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	MO
DELSTRIGO	5	MO
DESCOVY	5	MO
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	MO
DOVATO	5	MO
EDURANT	5	MO
<i>efavirenz oral capsule 200 mg</i>	5	MO
<i>efavirenz oral capsule 50 mg</i>	2	MO
<i>efavirenz oral tablet</i>	5	MO
<i>efavirenz-emtricitabine-tenofovir</i>	5	MO
<i>efavirenz-lamivu-tenofovir disop</i>	5	MO
<i>emtricitabine</i>	2	MO
<i>emtricitabine-tenofovir (tdf)</i>	5	MO
EMTRIVA	3	MO
<i>entecavir</i>	2	MO
EPCLUSA ORAL TABLET 200-50 MG	5	PA; MO; QL (56 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	5	PA; MO; QL (28 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
EPIVIR HBV ORAL SOLUTION	3	MO
EVOTAZ	5	MO
<i>famciclovir</i>	2	MO
<i>fosamprenavir</i>	5	MO
FUZEON SUBCUTANEOUS RECON SOLN	5	MO
<i>ganciclovir sodium</i>	2	B/D PA; MO
GENVOYA	5	MO
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; MO; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; MO; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; MO; QL (56 per 28 days)
HARVONI ORAL TABLET 90-400 MG	5	PA; MO; QL (28 per 28 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	5	MO
INTELENCE ORAL TABLET 25 MG	3	MO
INVIRASE ORAL TABLET	5	MO
ISENTRESS HD	5	MO
ISENTRESS ORAL POWDER IN PACKET	5	MO
ISENTRESS ORAL TABLET	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
JULUCA	5	MO
KALETRA ORAL TABLET 100-25 MG	3	MO
KALETRA ORAL TABLET 200-50 MG	5	MO
<i>lamivudine</i>	2	MO
<i>lamivudine-zidovudine</i>	2	MO
LEXIVA ORAL SUSPENSION	3	MO
<i>lopinavir-ritonavir</i>	2	MO
<i>nevirapine oral suspension</i>	2	
<i>nevirapine oral tablet</i>	2	MO
<i>nevirapine oral tablet extended release 24 hr</i>	2	MO
NORVIR ORAL POWDER IN PACKET	3	MO
NORVIR ORAL SOLUTION	3	MO
ODEFSEY	5	MO
<i>oseltamivir</i>	2	MO
PIFELTRO	5	MO
PREVYMIS INTRAVENOUS	5	

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
PREVYMIS ORAL	5	MO; QL (30 per 30 days)
PREZCOBIX	5	MO
PREZISTA ORAL SUSPENSION	5	MO
PREZISTA ORAL TABLET 150 MG, 75 MG	3	MO
PREZISTA ORAL TABLET 600 MG, 800 MG	5	MO
RELENZA DISKHALER	3	MO
RETROVIR INTRAVENOUS	3	MO
REYATAZ ORAL POWDER IN PACKET	5	MO
<i>ribavirin oral capsule</i>	2	MO
<i>ribavirin oral tablet 200 mg</i>	2	MO
<i>rimantadine</i>	2	MO
<i>ritonavir</i>	2	MO
RUKOBIA	5	MO
SELZENTRY ORAL SOLUTION	3	MO
SELZENTRY ORAL TABLET 150 MG, 300 MG	5	MO
SELZENTRY ORAL TABLET 25 MG, 75 MG	3	MO
<i>stavudine oral capsule</i>	2	MO
STRIBILD	5	MO
SYMFI	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SYMFI LO	5	MO
SYMTUZA	5	MO
SYNAGIS	5	MO; LA
TEMIXYS	5	MO
<i>tenofovir disoproxil fumarate</i>	2	MO
TIVICAY ORAL TABLET 10 MG	3	MO
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO
TIVICAY PD	5	MO
TRIUMEQ	5	MO
TROGARZO	5	MO; LA
TRUVADA	5	MO
<i>valacyclovir oral tablet 1 gram</i>	2	MO; QL (120 per 30 days)
<i>valacyclovir oral tablet 500 mg</i>	2	MO; QL (60 per 30 days)
<i>valganciclovir</i>	5	MO
VEMLIDY	5	MO
VIRACEPT ORAL TABLET	5	MO
VIREAD ORAL POWDER	5	MO
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	MO
XOFLUZA	3	MO
<i>zidovudine</i>	2	MO
<b>CEPHALOSPORINS</b>		
<i>cefaclor oral capsule</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i>	2	MO
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr</i>	2	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>cefadroxil oral tablet</i>	2	MO
<i>cefazolin in dextrose (iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	2	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>	2	
<i>cefazolin intravenous</i>	2	
<i>cefdinir</i>	2	MO
<i>cefepime in dextrose, iso-osm intravenous piggyback 1 gram/50 ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>cefepime in dextrose,iso-osm intravenous piggyback 2 gram/100 ml</i>	2	MO
<i>cefepime injection</i>	2	MO
<i>cefixime</i>	2	MO
<i>cefotetan</i>	2	
<i>cefoxitin in dextrose, iso-osm</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	2	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	2	
<i>cefpodoxime</i>	2	MO
<i>cefprozil</i>	2	MO
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	2	MO
<i>ceftazidime injection recon soln 6 gram</i>	2	
<i>ceftriaxone in dextrose,iso-os</i>	2	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	2	MO
<i>ceftriaxone injection recon soln 10 gram</i>	2	
<i>ceftriaxone intravenous</i>	2	MO
<i>cefuroxime axetil oral tablet</i>	2	MO
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	2	
<i>cephalexin</i>	2	MO
<i>SUPRAX ORAL CAPSULE</i>	4	MO
<i>SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML</i>	4	
<i>SUPRAX ORAL TABLET,CHEWABLE</i>	4	MO
<i>tazicef injection recon soln 1 gram</i>	2	
<i>tazicef injection recon soln 2 gram, 6 gram</i>	2	MO
<i>tazicef intravenous</i>	2	
<i>TEFLARO</i>	5	MO
<b>ERYTHROMYCINS / OTHER MACROLIDES</b>		
<i>azithromycin</i>	2	MO
<i>clarithromycin</i>	2	MO
<i>e.e.s. 400 oral tablet</i>	2	MO
<i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg</i>	2	MO
<i>ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	MO
<b>ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG</b>	3	MO
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	2	MO
<i>erythromycin ethylsuccinate oral tablet</i>	2	MO
<i>erythromycin oral</i>	2	MO
<b>MISCELLANEOUS ANTIINFECTIVES</b>		
<i>albendazole</i>	5	MO
<b>ALINIA ORAL SUSPENSION FOR RECONSTITUTION N</b>	3	MO
<b>ALINIA ORAL TABLET</b>	5	MO
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	2	MO
<b>ARIKAYCE</b>	5	PA; MO; LA
<i>atovaquone</i>	5	MO
<i>atovaquone-proguanil</i>	2	MO
<i>aztreonam</i>	2	MO
<i>bacitracin intramuscular</i>	2	MO
<b>BENZNIDAZOLE</b>	3	MO
<b>BETHKIS</b>	5	B/D PA; MO; QL (224 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>CAPASTAT</b>	4	
<b>CAYSTON</b>	5	PA; MO; LA; QL (84 per 28 days)
<i>chloramphenicol sod succinate</i>	2	
<i>chloroquine phosphate</i>	2	MO
<i>clindamycin hcl</i>	2	MO
<i>clindamycin in 5 % dextrose</i>	2	MO
<i>clindamycin pediatric</i>	2	MO
<i>clindamycin phosphate injection</i>	2	MO
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	MO
<b>COARTEM</b>	3	MO
<i>colistin (colistimethate na)</i>	2	MO
<i>dapsone oral</i>	2	MO
<b>DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG</b>	3	MO
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO
<b>DARAPRIM</b>	5	PA; MO
<b>EMVERM</b>	5	MO
<i>ertapenem</i>	2	MO
<i>ethambutol</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml	2	MO
gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml	2	
gentamicin injection solution 40 mg/ml	2	MO
gentamicin sulfate (ped) (pf)	2	MO
hydroxychloroquine	2	MO
imipenem-cilastatin	2	MO
IMPAVIDO	5	PA; MO
isoniazid injection	2	
isoniazid oral	2	MO
ivermectin oral	2	MO
lincomycin	2	
linezolid in dextrose 5%	5	
linezolid oral suspension for reconstitution	5	MO
linezolid oral tablet	2	MO
linezolid-0.9% sodium chloride	5	
mefloquine	2	MO
meropenem	2	MO
metro i.v.	2	MO
metronidazole in nacl (iso-os)	2	MO
metronidazole oral	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
NEBUPENT	3	B/D PA; MO; QL (1 per 28 days)
neomycin	2	MO
paromomycin	4	MO
PASER	3	MO
PENTAM	4	MO
pentamidine inhalation	2	B/D PA; MO; QL (1 per 28 days)
pentamidine injection	2	MO
polymyxin b sulfate	2	MO
praziquantel	2	MO
PRIFTIN	3	MO
PRIMAQUINE	3	MO
pyrazinamide	2	MO
pyrimethamine	5	PA; MO
quinine sulfate	2	MO
rifabutin	2	MO
rifampin	2	MO
SIRTURO ORAL TABLET 100 MG	5	MO; LA
SIRTURO ORAL TABLET 20 MG	5	LA
STREPTOMYCIN	3	MO
SYNERCID	5	PA
tigecycline	5	
tinidazole	2	MO
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE	5	MO; QL (224 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>tobramycin in 0.225 % nacl</i>	5	B/D PA; MO; QL (280 per 28 days)
<i>tobramycin inhalation</i>	5	B/D PA; MO; QL (224 per 28 days)
<i>tobramycin sulfate injection recon soln</i>	2	
<i>tobramycin sulfate injection solution</i>	2	MO
TRECATOR	3	MO
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK	3	
VANCOMYCIN INJECTION	3	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	MO
VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM	3	
<i>vancomycin oral capsule 125 mg</i>	2	MO
<i>vancomycin oral capsule 250 mg</i>	5	MO
VIBATIV INTRAVENOUS RECON SOLN 750 MG	5	
XIFAXAN ORAL TABLET 200 MG	5	MO; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	MO; QL (90 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>PENICILLINS</b>		
<i>amoxicillin oral capsule</i>	2	MO
<i>amoxicillin oral suspension for reconstitution</i>	2	MO
<i>amoxicillin oral tablet</i>	2	MO
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate</i>	2	MO
<i>ampicillin oral capsule 500 mg</i>	2	MO
<i>ampicillin sodium injection</i>	2	MO
<i>ampicillin sodium intravenous</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram</i>	2	MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	2	
<i>ampicillin-sulbactam intravenous recon soln 1.5 gram</i>	2	
<i>ampicillin-sulbactam intravenous recon soln 3 gram</i>	2	MO
BICILLIN C-R	3	MO
BICILLIN L-A	3	MO
<i>dicloxacillin</i>	2	MO
<i>nafcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	2	MO
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	MO
<i>nafcillin injection recon soln 10 gram</i>	5	MO
<i>nafcillin intravenous</i>	2	MO
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml</i>	2	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml</i>	2	MO
<i>oxacillin injection recon soln 1 gram</i>	2	
<i>oxacillin injection recon soln 10 gram</i>	5	
<i>oxacillin injection recon soln 2 gram</i>	2	MO
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML, 2 MILLION UNIT/50 ML	3	
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 3 MILLION UNIT/50 ML	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>penicillin g potassium</i>	2	MO
<i>penicillin g procaine</i>	2	MO
<i>penicillin g sodium</i>	2	MO
<i>penicillin v potassium</i>	2	MO
<i>pfiberpen-g</i>	2	
<i>piperacillin-tazobactam</i>	2	MO
<b>QUINOLONES</b>		
<i>ciprofloxacin</i>	2	
<i>ciprofloxacin hcl oral</i>	2	MO
<i>ciprofloxacin in 5 % dextrose</i>	2	MO
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	2	MO
<i>levofloxacin intravenous</i>	2	MO
<i>levofloxacin oral</i>	2	MO
<i>moxifloxacin oral</i>	2	MO
<i>moxifloxacin-sod.chloride(iso)</i>	2	
<i>ofloxacin oral tablet 300 mg</i>	2	
<i>ofloxacin oral tablet 400 mg</i>	2	MO
<b>SULFA'S / RELATED AGENTS</b>		
<i>sulfadiazine</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
sulfamethoxazole-trimethoprim	2	MO
sulfatrim	2	MO
<b>TETRACYCLINES</b>		
demeclocycline	4	MO
doxy-100	2	MO
doxycycline hyclate intravenous	2	
doxycycline hyclate oral capsule	2	MO
doxycycline hyclate oral tablet	2	MO
doxycycline monohydrate oral capsule	2	MO
doxycycline monohydrate oral suspension for reconstitution	2	MO
doxycycline monohydrate oral tablet	2	MO
minocycline oral capsule	2	MO
minocycline oral tablet	2	MO
monodoxine nl oral capsule 100 mg, 75 mg	2	MO
morgidox	2	MO
tetracycline	2	MO
VIBRAMYCIN ORAL SYRUP	3	MO
<b>URINARY TRACT AGENTS</b>		
methenamine hippurate	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
methenamine mandelate	2	MO
nitrofurantoin	2	MO
nitrofurantoin macrocrystal	2	MO
nitrofurantoin monohyd/m-cryst	2	MO
trimethoprim	2	MO
<b>ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS</b>		
<b>ADJUNCTIVE AGENTS</b>		
dexrazoxane hcl intravenous recon soln 250 mg	5	B/D PA
dexrazoxane hcl intravenous recon soln 500 mg	5	B/D PA; MO
ELITEK	5	MO
KEPIVANCE	5	MO
KHAPZORY	5	B/D PA
leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg	2	B/D PA; MO
leucovorin calcium injection recon soln 500 mg	2	B/D PA
leucovorin calcium oral	2	MO
levoleucovorin calcium intravenous recon soln 50 mg	5	B/D PA
levoleucovorin calcium intravenous solution	5	B/D PA
mesna	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
MESNEX ORAL	5	MO
VISTOGARD	5	PA; MO
XGEVA	5	B/D PA; MO
<b>ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS</b>		
abiraterone	5	PA; MO; QL (120 per 30 days)
ABRAXANE	5	B/D PA; MO
ADCETRIS	5	B/D PA; MO
adriamycin intravenous recon soln 10 mg	2	B/D PA; MO
adriamycin intravenous solution	2	B/D PA
adrucil intravenous solution 2.5 gram/50 ml	2	B/D PA
AFINITOR	5	PA; MO; QL (30 per 30 days)
AFINITOR DISPERZ	5	PA; MO
ALECensa	5	PA; MO; QL (240 per 30 days)
ALIMTA	5	B/D PA; MO
ALIQOPA	5	B/D PA; MO; LA
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; MO; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA; MO; QL (60 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; MO; QL (30 per 30 days)
<i>anastrozole</i>	2	MO
ARRANON	5	B/D PA
ARSENIC TRIOXIDE INTRAVENOUS SOLUTION 1 MG/ML	5	B/D PA
<i>arsenic trioxide</i> <i>intravenous solution</i> 2 mg/ml	5	B/D PA; MO
ARZERRA	5	B/D PA; MO
AVASTIN	5	B/D PA; MO
AYVAKIT	5	PA; MO; LA
azacitidine	5	B/D PA; MO
azathioprine	2	B/D PA; MO
<i>azathioprine sodium</i>	2	B/D PA
BALVERSA	5	PA; MO; LA
BAVENCIO	5	B/D PA; MO; LA
BELEODAQ	5	B/D PA; MO
BENDEKA	5	B/D PA; MO
BESPONSA	5	B/D PA; MO; LA
<i>bexarotene</i>	5	PA; MO
<i>bicalutamide</i>	2	MO
BICNU	5	B/D PA; MO
BLENREP	5	PA; MO
<i>bleomycin</i>	2	B/D PA; MO
BLINCYTO INTRAVENOUS KIT	5	B/D PA; MO
BORTEZOMIB	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA; MO; LA; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; MO; LA; QL (180 per 30 days)
BRUKINSA	5	PA; MO; LA
<i>busulfan</i>	5	B/D PA
BYNFEZIA	5	MO
CABOMETYX	5	PA; MO; LA
CALQUENCE	5	PA; MO; LA; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA; LA; QL (30 per 30 days)
<i>carboplatin intravenous solution</i>	2	B/D PA; MO
<i>carmustine</i>	5	B/D PA; MO
<i>cisplatin intravenous solution</i>	2	B/D PA; MO
<i>cladribine</i>	5	B/D PA; MO
<i>clofarabine</i>	5	B/D PA
COMETRIQ	5	PA; MO
COPIKTRA	5	PA; MO; LA; QL (60 per 30 days)
COSMEGEN	5	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
COTELLIC	5	PA; MO; LA; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln</i>	2	B/D PA; MO
<i>cyclophosphamide oral capsule</i>	2	B/D PA; MO
<i>cyclosporine intravenous</i>	2	B/D PA
<i>cyclosporine modified</i>	2	B/D PA; MO
<i>cyclosporine oral capsule</i>	2	B/D PA; MO
CYRAMZA	5	B/D PA; MO
<i>cytarabine</i>	2	B/D PA; MO
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D PA
<i>dacarbazine</i>	2	B/D PA; MO
<i>dactinomycin</i>	2	B/D PA
DARZALEX	5	B/D PA; MO; LA
<i>daunorubicin intravenous solution</i>	2	B/D PA
DAURISMO ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days)
<i>decitabine</i>	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	5	B/D PA
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; MO
<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>doxorubicin intravenous solution</i>	2	B/D PA; MO
<i>doxorubicin, peg-liposomal</i>	5	B/D PA; MO
DROXIA	3	MO
ELZONRIS	5	PA; MO; LA
EMCYT	5	MO
EMPLICITI	5	B/D PA; MO
ENVARSUS XR	4	B/D PA; MO
<i>epirubicin intravenous solution</i>	2	B/D PA; MO
ERBITUX	5	B/D PA; MO
ERIVEDGE	5	PA; MO; QL (30 per 30 days)
ERLEADA	5	PA; MO
<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; MO; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA; MO; QL (60 per 30 days)
ERWINAZE	5	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ETOPOPHOS	4	B/D PA; MO
<i>etoposide intravenous</i>	2	B/D PA; MO
<i>everolimus (antineoplastic)</i>	5	PA; MO; QL (30 per 30 days)
<i>everolimus (immunosuppressive )</i>	5	B/D PA; MO
exemestane	2	MO
FARYDAK	5	PA; MO; QL (6 per 21 days)
FASLODEX	5	B/D PA; MO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	B/D PA; MO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	B/D PA; MO
<i>flouxuridine</i>	2	B/D PA
<i>fludarabine intravenous recon soln</i>	2	B/D PA; MO
<i>fludarabine intravenous solution</i>	2	B/D PA
<i>fluorouracil intravenous</i>	2	B/D PA; MO
<i>flutamide</i>	2	MO
FOLOTYN	5	B/D PA; MO
<i>fulvestrant</i>	5	B/D PA; MO
GAVRETO	5	PA; MO; LA
GAZYVA	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
gemcitabine <i>intravenous recon soln 1 gram, 200 mg</i>	2	B/D PA; MO
gemcitabine <i>intravenous recon soln 2 gram</i>	2	B/D PA
gemcitabine <i>intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	B/D PA; MO
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA
gemcitabine <i>intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	B/D PA
genograf oral capsule 100 mg, 25 mg	2	B/D PA; MO
genograf oral solution	2	B/D PA; MO
GILOTRIF	5	PA; MO; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG	3	MO
HALAVEN	5	B/D PA; MO
HERCEPTIN HYLECTA	5	B/D PA; MO
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	B/D PA; MO
hydroxyurea	2	MO
IBRANCE	5	PA; MO; QL (21 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ICLUSIG ORAL TABLET 15 MG	5	PA; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA; QL (30 per 30 days)
idarubicin	2	B/D PA; MO
IDHIFA	5	PA; MO; LA; QL (30 per 30 days)
ifosfamide <i>intravenous recon soln</i>	2	B/D PA; MO
ifosfamide <i>intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO
ifosfamide <i>intravenous solution 3 gram/60 ml</i>	2	B/D PA
imatinib oral tablet 100 mg	5	PA; MO; QL (180 per 30 days)
imatinib oral tablet 400 mg	5	PA; MO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; MO; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; MO; QL (30 per 30 days)
IMBRUVICA ORAL TABLET	5	PA; MO; QL (30 per 30 days)
IMFINZI	5	B/D PA; MO; LA
INFUGEM	5	B/D PA
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days)
INQOVI	5	PA; MO
INREBIC	5	PA; MO; LA; QL (120 per 30 days)
IRESSA	5	PA; MO; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO
<i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i>	5	B/D PA
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO
ISTODAX	5	B/D PA; MO
IXEMPRA	5	B/D PA; MO
JAKAFI	5	PA; MO; QL (60 per 30 days)
JEVTANA	5	B/D PA; MO
KADCYLA	5	PA; MO
KANJINTI	5	B/D PA; MO
KEYTRUDA INTRAVENOUS SOLUTION	5	PA; MO
KISQALI	5	PA; MO
KISQALI FEMARA CO-PACK	5	PA; MO
KYPROLIS	5	B/D PA; MO
<i>lapatinib</i>	5	PA; MO; QL (180 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
LENVIMA	5	PA; MO
<i>letrozole</i>	2	MO
LEUKERAN	3	MO
<i>leuprolide subcutaneous kit</i>	5	PA; MO
LIBTAYO	5	PA; MO; LA
LONSURF	5	PA; MO
LORBRENA ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA; MO; QL (90 per 30 days)
LUMOXITI	5	PA; MO; LA
LUPRON DEPOT	5	PA; MO
LUPRON DEPOT (3 MONTH)	5	PA; MO
LUPRON DEPOT (4 MONTH)	5	PA; MO
LUPRON DEPOT (6 MONTH)	5	PA; MO
LUPRON DEPOT-PED	5	PA; MO
LUPRON DEPOT-PED (3 MONTH)	5	PA; MO
LYNPARZA ORAL TABLET	5	PA; MO; QL (120 per 30 days)
LYSODREN	3	MO
MARQIBO	3	B/D PA; MO
MATULANE	5	MO
<i>megestrol oral suspension 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>megestrol oral tablet</i>	2	PA; MO
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days)
MEKTOVI	5	PA; MO; LA; QL (180 per 30 days)
<i>melphalan</i>	2	B/D PA; MO
<i>melphalan hcl</i>	5	B/D PA
<i>mercaptopurine</i>	2	MO
<i>methotrexate sodium</i>	2	B/D PA; MO
<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D PA
<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 20 mg, 5 mg</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 40 mg</i>	5	B/D PA; MO
<i>mitoxantrone</i>	2	B/D PA; MO
MONJUVI	5	PA; MO; LA
MVASI	5	B/D PA; MO
<i>mycophenolate mofetil (hcl)</i>	2	B/D PA
<i>mycophenolate mofetil oral capsule</i>	2	B/D PA; MO
<i>mycophenolate mofetil oral suspension for reconstitution</i>	5	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>mycophenolate mofetil oral tablet</i>	2	B/D PA; MO
<i>mycophenolate sodium</i>	2	B/D PA; MO
MYLOTARG	5	B/D PA; MO; LA
NERLYNX	5	PA; MO; LA
NEXAVAR	5	PA; MO; LA; QL (120 per 30 days)
<i>nilutamide</i>	5	MO
NINLARO	5	PA; MO; QL (3 per 28 days)
NUBEQA	5	PA; MO; LA
NULOJIX	5	B/D PA; MO
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	MO
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	2	MO
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	2	MO
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	MO
ODOMZO	5	PA; MO; LA; QL (30 per 30 days)
OGIVRI	5	B/D PA; MO
ONCASPAR	5	B/D PA; MO
ONIVYDE	5	B/D PA; MO
ONUREG	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
OPDIVO	5	PA; MO
<i>oxaliplatin</i> <i>intravenous recon</i> <i>soln 100 mg</i>	2	B/D PA; MO
<i>oxaliplatin</i> <i>intravenous recon</i> <i>soln 50 mg</i>	2	B/D PA
<i>oxaliplatin</i> <i>intravenous solution</i> <i>100 mg/20 ml, 50</i> <i>mg/10 ml (5 mg/ml)</i>	2	B/D PA; MO
<i>oxaliplatin</i> <i>intravenous solution</i> <i>200 mg/40 ml</i>	2	B/D PA
paclitaxel	2	B/D PA; MO
PADCEV	5	PA; MO
<i>paraplatin</i>	2	B/D PA
PEMAZYRE	5	PA; MO; LA
PERJETA	5	B/D PA; MO
PIQRAY	5	PA; MO
POLIVY	5	PA; MO
POMALYST	5	PA; MO; LA
PORTRAZZA	5	B/D PA; MO
POTELIGEO	5	PA; MO
PROGRAF INTRAVENOUS	3	B/D PA; MO
PROGRAF ORAL GRANULES IN PACKET	3	B/D PA; MO
PURIXAN	5	
QINLOCK	5	PA; MO; LA
RETEVMO	5	PA; MO; LA
REVLIMID	5	PA; MO; LA; QL (28 per 28 days)
RITUXAN	5	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
RITUXAN	5	PA; MO
HYCEL		
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; MO; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; MO; QL (90 per 30 days)
RUBRACA	5	PA; MO; LA; QL (120 per 30 days)
RUXIENCE	5	PA; MO
RYDAPT	5	PA; MO
SANDIMMUNE ORAL SOLUTION	3	B/D PA; MO
SANDOSTATIN LAR DEPOT INTRAMUSCULA R SUSPENSION,EXT ENDED REL RECON	5	MO
SARCLISA	5	PA; MO; LA
SIGNIFOR	5	MO
SIKLOS	5	MO
SIMULECT INTRAVENOUS RECON SOLN 10 MG	3	B/D PA
SIMULECT INTRAVENOUS RECON SOLN 20 MG	3	B/D PA; MO
<i>sirolimus oral</i> <i>solution</i>	5	B/D PA; MO
<i>sirolimus oral tablet</i> <i>0.5 mg, 1 mg</i>	2	B/D PA; MO
<i>sirolimus oral tablet</i> <i>2 mg</i>	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SOLTAMOX	3	MO	TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (112 per 28 days)
SOMATULINE DEPOT	5	MO	TASIGNA ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	5	PA; MO; QL (30 per 30 days)	TAZVERIK	5	PA; MO; LA
SPRYCEL ORAL TABLET 20 MG, 70 MG	5	PA; MO; QL (60 per 30 days)	TECENTRIQ	5	B/D PA; MO; LA
STIVARGA	5	PA; MO; QL (84 per 28 days)	TEMODAR INTRAVENOUS	5	B/D PA; MO
SUTENT	5	PA; MO; QL (30 per 30 days)	<i>temsirolimus</i>	5	B/D PA; MO
SYLVANT	5	B/D PA; MO	THALOMID	5	PA; MO
SYNRIBO	5	B/D PA; MO	<i>thiotepa injection recon soln 100 mg</i>	5	B/D PA
TABLOID	4	MO	<i>thiotepa injection recon soln 15 mg</i>	5	B/D PA; MO
TABRECTA	5	PA; MO	TIBSOVO	5	PA; MO
<i>tacrolimus oral</i>	2	B/D PA; MO	<i>toposar</i>	2	B/D PA; MO
TAFINLAR	5	PA; MO; QL (120 per 30 days)	<i>topotecan intravenous recon soln</i>	5	B/D PA
TAGRISSO	5	PA; MO; LA; QL (30 per 30 days)	<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	B/D PA; MO
TALZENNA ORAL CAPSULE 0.25 MG	5	PA; MO; QL (90 per 30 days)	<i>toremifene</i>	5	MO
TALZENNA ORAL CAPSULE 1 MG	5	PA; MO; QL (30 per 30 days)	TORISEL	5	B/D PA; MO
<i>tamoxifen</i>	2	MO	TRAZIMERA	5	B/D PA; MO
TARGETIN TOPICAL	5	PA; MO	TREANDA INTRAVENOUS RECON SOLN	5	B/D PA; MO
			TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
tretinoin (antineoplastic)	5	MO
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	5	B/D PA; MO
TRODELVY	5	PA; MO; LA
TRUXIMA	5	PA; MO
TUKYSA	5	PA; MO; LA
TYKERB	5	PA; MO; LA; QL (180 per 30 days)
UNITUXIN	5	B/D PA; MO
valrubicin	5	B/D PA; MO
VALSTAR	5	B/D PA; MO
VANTAS	4	PA; MO
VECTIBIX	5	B/D PA; MO
VELCADE	5	B/D PA; MO
VENCLEXTA ORAL TABLET 10 MG, 50 MG	3	PA; MO; LA
VENCLEXTA ORAL TABLET 100 MG	5	PA; MO; LA
VENCLEXTA STARTING PACK	5	PA; MO; LA; QL (42 per 30 days)
VERZENIO	5	PA; MO; LA; QL (60 per 30 days)
vinblastine intravenous solution	2	B/D PA; MO
vincasar pfs intravenous solution 1 mg/ml	2	B/D PA; MO
vincristine	2	B/D PA; MO
vinorelbine	2	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
VITRAKVI ORAL CAPSULE 100 MG	5	PA; MO; LA; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA; MO; LA; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION	5	PA; MO; LA; QL (300 per 30 days)
VIZIMPRO	5	PA; MO; QL (30 per 30 days)
VOTRIENT	5	PA; MO; QL (120 per 30 days)
VYXEOS	5	B/D PA; MO
XALKORI	5	PA; MO; QL (60 per 30 days)
XATMEP	4	B/D PA; MO
XERMELO	5	PA; MO; LA; QL (90 per 30 days)
XOSPATA	5	PA; MO; LA
XPOVIO	5	PA; MO; LA
XTANDI	5	PA; MO; QL (120 per 30 days)
YERVOY	5	B/D PA; MO
YONDELIS	5	B/D PA; MO
YONSA	5	PA; MO; QL (120 per 30 days)
ZALTRAP	5	B/D PA; MO
ZANOSAR	4	B/D PA; MO
ZEJULA	5	PA; MO; LA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ZELBORAF	5	PA; MO; QL (240 per 30 days)
ZEPZELCA	5	PA; MO
ZIRABEV	5	B/D PA; MO
ZOLADEX	4	PA; MO
ZOLINZA	5	MO
ZORTRESS	5	B/D PA; MO
ZYDELIG	5	PA; MO; QL (60 per 30 days)
ZYKADIA ORAL TABLET	5	PA; MO; QL (90 per 30 days)
ZYTIGA ORAL TABLET 500 MG	5	PA; MO; QL (60 per 30 days)

## AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH

### ANTICONVULSANTS

APTIOM ORAL TABLET 200 MG, 400 MG, 800 MG	4	MO
APTIOM ORAL TABLET 600 MG	5	MO
BANZEL	5	MO
BRIVIACT INTRAVENOUS	4	
BRIVIACT ORAL	5	MO
carbamazepine oral capsule, er multiphase 12 hr	2	MO
carbamazepine oral suspension 100 mg/5 ml	2	MO
carbamazepine oral tablet	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>carbamazepine oral tablet extended release 12 hr</i>	2	MO
<i>carbamazepine oral tablet, chewable</i>	1	MO
CELONTIN ORAL CAPSULE 300 MG	3	MO
<i>clobazam oral suspension</i>	2	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>clobazam oral tablet 20 mg</i>	5	PA; MO; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	MO; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	MO; QL (300 per 30 days)
DIASTAT	4	MO
DIASTAT ACUDIAL	4	MO
<i>diazepam rectal</i>	2	MO
DILANTIN 30 MG	3	MO
<i>divalproex oral capsule, delayed rel sprinkle</i>	2	MO
<i>divalproex oral tablet extended release 24 hr</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>divalproex oral tablet,delayed release (dr/ec)</i>	1	MO
<b>EPIDIOLEX</b>	5	PA; MO; LA
<i>epitol</i>	2	MO
<i>ethosuximide</i>	2	MO
<i>felbamate oral suspension</i>	5	MO
<i>felbamate oral tablet</i>	2	MO
<b>FINTEPLA</b>	5	PA; MO; LA
<i>fosphenytoin</i>	2	MO
<b>FYCOMPA ORAL SUSPENSION</b>	5	MO
<b>FYCOMPA ORAL TABLET</b>	3	MO
<i>gabapentin oral capsule 100 mg, 400 mg</i>	1	MO; QL (270 per 30 days)
<i>gabapentin oral capsule 300 mg</i>	1	MO; QL (360 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	2	MO; QL (2160 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	1	MO; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	1	MO; QL (120 per 30 days)
<b>GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG</b>	3	PA; MO; QL (30 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG</b>	3	PA; MO; QL (90 per 30 days)
<i>lamotrigine oral tablet</i>	1	MO
<i>lamotrigine oral tablet disintegrating, dose pk</i>	2	MO
<i>lamotrigine oral tablet extended release 24hr</i>	4	MO
<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO
<i>lamotrigine oral tablet,disintegrating</i>	4	MO
<i>lamotrigine oral tablets,dose pack</i>	2	MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml</i>	2	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	MO
<i>levetiracetam intravenous</i>	2	MO
<i>levetiracetam oral solution 100 mg/ml</i>	2	MO
<i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>	2	
<i>levetiracetam oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>levetiracetam oral tablet extended release 24 hr</i>	2	MO	<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	MO; QL (90 per 30 days)
<b>LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG</b>	3	MO; QL (90 per 30 days)	<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	MO; QL (60 per 30 days)
<b>LYRICA ORAL CAPSULE 225 MG, 300 MG</b>	3	MO; QL (60 per 30 days)	<i>pregabalin oral solution</i>	2	MO; QL (900 per 30 days)
<b>LYRICA ORAL SOLUTION</b>	3	MO; QL (900 per 30 days)	<i>primidone</i>	2	MO
<b>NAYZILAM</b>	5	PA; MO; QL (10 per 30 days)	<i>roweepra</i>	2	MO
<i>oxcarbazepine</i>	2	MO	<i>roweepra xr</i>	2	
<b>PEGANONE</b>	3	MO	<b>SPRITAM</b>	4	MO
<i>phenobarbital</i>	2	PA; MO	<i>subvenite</i>	1	MO
<i>phenobarbital sodium injection solution 130 mg/ml</i>	2	MO	<i>subvenite starter (blue) kit</i>	2	MO
<i>phenobarbital sodium injection solution 65 mg/ml</i>	2		<i>subvenite starter (green) kit</i>	2	MO
<i>phenytoin oral suspension 100 mg/4 ml</i>	2		<i>subvenite starter (orange) kit</i>	2	MO
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO	<b>SYMPAZAN ORAL FILM 10 MG, 20 MG</b>	5	PA; MO; QL (60 per 30 days)
<i>phenytoin oral tablet, chewable</i>	2	MO	<b>SYMPAZAN ORAL FILM 5 MG</b>	4	PA; MO; QL (60 per 30 days)
<i>phenytoin sodium extended</i>	2	MO	<i>tiagabine</i>	4	MO
<i>phenytoin sodium intravenous solution</i>	2	MO	<i>topiramate oral capsule, sprinkle</i>	2	PA; MO
			<i>topiramate oral tablet</i>	1	PA; MO
			<i>valproate sodium</i>	2	MO
			<i>valproic acid</i>	2	MO
			<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml)</i>	2	MO
VALTOCO	5	PA; MO; QL (10 per 30 days)
<i>vigabatrin</i>	5	MO; LA
<i>vigadronate</i>	5	MO; LA
VIMPAT INTRAVENOUS	3	MO
VIMPAT ORAL SOLUTION	3	MO
VIMPAT ORAL TABLET	3	MO
XCOPRI MAINTENANCE PACK	5	MO
XCOPRI ORAL TABLET 100 MG, 150 MG, 50 MG	4	MO
XCOPRI ORAL TABLET 200 MG	5	MO
XCOPRI TITRATION PACK	4	MO
<i>zonisamide</i>	2	PA; MO
<b>ANTIPARKINSONISM AGENTS</b>		
APOKYN	5	MO; LA
<i>benztropine injection</i>	2	MO
<i>benztropine oral</i>	2	PA; MO
<i>bromocriptine</i>	4	MO
<i>carbidopa</i>	2	MO
<i>carbidopa-levodopa</i>	2	MO
<i>carbidopa-levodopa-entacapone</i>	4	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>entacapone</i>	2	MO
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA
NEUPRO	3	MO
<i>pramipexole</i>	2	MO
<i>rasagiline</i>	2	MO
<i>ropinirole</i>	2	MO
<i>selegiline hcl</i>	2	MO
<i>tolcapone</i>	5	MO
<b>MIGRAINE / CLUSTER HEADACHE THERAPY</b>		
AIMOVIG AUTOINJECTOR	3	PA; MO; QL (1 per 30 days)
<i>dihydroergotamine injection</i>	2	MO
<i>dihydroergotamine nasal</i>	2	MO; QL (8 per 28 days)
<i>eletriptan</i>	2	MO; QL (18 per 28 days)
EMGALITY PEN	3	PA; MO; QL (2 per 30 days)
EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; MO; QL (2 per 30 days)
EMGALITY SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	5	PA; MO; QL (3 per 30 days)
<i>ergotamine-caffeine</i>	2	MO
<i>migergot</i>	2	MO
<i>naratriptan</i>	2	MO; QL (18 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
NURTEC ODT	5	PA; MO; QL (16 per 30 days)
<i>rizatriptan</i>	2	MO; QL (36 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	2	MO; QL (36 per 28 days)
<i>sumatriptan succinate oral</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous solution</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	MO; QL (8 per 28 days)
<i>sumatriptan-naproxen</i>	2	MO; QL (18 per 28 days)
UBRELVY ORAL TABLET 100 MG	5	PA; MO; QL (20 per 30 days)
UBRELVY ORAL TABLET 50 MG	3	PA; MO; QL (20 per 30 days)
<i>zolmitriptan</i>	2	MO; QL (18 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>MISCELLANEOUS NEUROLOGICAL THERAPY</b>		
AUBAGIO	5	PA; MO
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; MO; QL (12 per 28 days)
<i>dalfampridine</i>	5	PA; MO
<i>dimethyl fumarate</i>	5	PA; MO
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	MO
<i>donepezil oral tablet,disintegrating 23 mg</i>	4	MO
<i>donepezil oral tablet,disintegrating</i>	1	MO
FIRDAPSE	5	PA; MO; LA
galantamine	2	MO
GILENYA ORAL CAPSULE 0.5 MG	5	PA; MO
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days)
LEMTRADA	5	PA; MO
<i>memantine oral capsule,sprinkle,er 24hr</i>	2	PA; MO
<i>memantine oral solution</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>memantine oral tablet</i>	2	PA; MO
NAMZARIC	3	PA; MO
NUEDEXTA	5	PA; MO
OCREVUS	5	PA; MO; LA
RADICAVA	5	PA; MO
<i>rivastigmine</i>	2	MO
<i>rivastigmine tartrate</i>	2	MO
TECFIDERA	5	PA; MO; LA
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; MO; QL (240 per 30 days)
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; MO; QL (120 per 30 days)
TYSABRI	5	PA; MO; LA
VUMERITY	5	PA; MO
ZEPOSIA	5	PA; MO; QL (30 per 30 days)
ZEPOSIA STARTER KIT	5	PA; MO; QL (37 per 30 days)
ZEPOSIA STARTER PACK	3	PA; MO; QL (7 per 30 days)
<b>MUSCLE RELAXANTS / ANTISPASMODIC THERAPY</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	MO
<i>cyclobenzaprine oral tablet</i>	4	PA; MO
<i>dantrolene intravenous</i>	2	
<i>dantrolene oral</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML	3	B/D PA; MO
LIORESAL INTRATHECAL SOLUTION 50 MCG/ML	3	B/D PA
<i>neostigmine methylsulfate intravenous solution 0.5 mg/ml</i>	2	MO
<i>neostigmine methylsulfate intravenous solution 1 mg/ml</i>	2	
<i>pyridostigmine bromide oral syrup</i>	5	MO
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	MO
<i>pyridostigmine bromide oral tablet extended release</i>	2	MO
<i>regonol</i>	2	
<i>revonto</i>	2	
<i>tizanidine</i>	2	MO
<b>NARCOTIC ANALGESICS</b>		
<i>acetaminophen-caff-dihydrocod oral capsule</i>	2	MO; QL (300 per 30 days)
<i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml</i>	2	QL (4500 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4500 per 30 days)	<i>fentanyl citrate buccal lozenge on a handle</i>	5	PA; MO; QL (120 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (360 per 30 days)	<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr</i>	2	PA; MO; QL (10 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	MO; QL (180 per 30 days)	<i>fentanyl transdermal patch 72 hour 87.5 mcg/hour</i>	5	PA; MO; QL (10 per 30 days)
BELBUCA	3	PA; MO; QL (60 per 30 days)	<i>hydrocodone bitartrate</i>	2	PA; MO; QL (90 per 30 days)
<i>buprenorphine hcl injection solution</i>	2	MO	<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml)</i>	2	QL (5550 per 30 days)
<i>buprenorphine hcl injection syringe</i>	2		<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	MO; QL (5550 per 30 days)
<i>buprenorphine hcl sublingual</i>	2	MO	<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i>	2	MO; QL (390 per 30 days)
<i>buprenorphine transdermal patch</i>	2	PA; MO; QL (4 per 28 days)	<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>doramorph (pf) injection solution 0.5 mg/ml</i>	2	MO; QL (4000 per 30 days)	<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	MO; QL (50 per 30 days)
<i>doramorph (pf) injection solution 1 mg/ml</i>	2	QL (2000 per 30 days)	<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	MO; QL (240 per 30 days)
<i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)			
<i>fentanyl citrate (pf) injection solution</i>	2	MO; QL (400 per 30 days)			
<i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i>	2	QL (400 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>hydromorphone (pf) injection solution 2 mg/ml</i>	2	QL (1200 per 30 days)	<i>methadone intensol</i>	2	PA; MO; QL (90 per 30 days)
<i>hydromorphone injection solution 1 mg/ml</i>	2	QL (2400 per 30 days)	<i>methadone oral concentrate</i>	2	PA; MO; QL (90 per 30 days)
<i>hydromorphone injection solution 2 mg/ml</i>	2	MO; QL (1200 per 30 days)	<i>methadone oral solution 10 mg/5 ml</i>	2	PA; MO; QL (600 per 30 days)
<i>hydromorphone injection syringe 1 mg/ml</i>	2	MO; QL (2400 per 30 days)	<i>methadone oral solution 5 mg/5 ml</i>	2	PA; MO; QL (1200 per 30 days)
<i>hydromorphone injection syringe 2 mg/ml</i>	2	QL (1200 per 30 days)	<i>methadone oral tablet 10 mg</i>	2	PA; MO; QL (120 per 30 days)
<i>hydromorphone injection syringe 4 mg/ml</i>	2	MO; QL (600 per 30 days)	<i>methadone oral tablet 5 mg</i>	2	PA; MO; QL (240 per 30 days)
<i>hydromorphone oral liquid</i>	2	MO; QL (2400 per 30 days)	<i>methadose oral concentrate</i>	2	PA; MO; QL (90 per 30 days)
<i>hydromorphone oral tablet</i>	2	MO; QL (180 per 30 days)	<i>morphine (pf) injection solution 0.5 mg/ml</i>	2	QL (4000 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 8 mg</i>	2	PA; MO; QL (60 per 30 days)	<i>morphine (pf) injection solution 1 mg/ml</i>	2	MO; QL (2000 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 32 mg</i>	5	PA; MO; QL (60 per 30 days)	<i>morphine concentrate oral solution</i>	2	MO; QL (900 per 30 days)
<i>ibuprofen-oxycodone</i>	2	MO; QL (28 per 30 days)	<i>morphine injection solution 8 mg/ml</i>	2	QL (250 per 30 days)
<i>levorphanol tartrate oral tablet 2 mg</i>	2	MO; QL (120 per 30 days)	<i>morphine injection syrup 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>loracet hd</i>	2	MO; QL (360 per 30 days)	<i>morphine injection syrup 2 mg/ml</i>	2	MO; QL (1000 per 30 days)
<i>methadone injection solution</i>	2	QL (150 per 30 days)	<i>morphine injection syrup 4 mg/ml</i>	2	MO; QL (500 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>morphine injection syringe 5 mg/ml</i>	2	QL (400 per 30 days)
<i>morphine injection syringe 8 mg/ml</i>	2	QL (250 per 30 days)
<i>morphine intravenous solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>morphine intravenous solution 4 mg/ml</i>	2	MO; QL (500 per 30 days)
<i>morphine intravenous syringe 10 mg/ml</i>	2	QL (200 per 30 days)
<i>morphine intravenous syringe 2 mg/ml</i>	2	QL (1000 per 30 days)
<i>morphine intravenous syringe 4 mg/ml</i>	2	QL (500 per 30 days)
<i>morphine oral capsule, er multiphase 24 hr</i>	2	PA; MO; QL (60 per 30 days)
<i>morphine oral capsule, extend.release pellets</i>	2	PA; MO; QL (90 per 30 days)
<i>morphine oral solution</i>	2	MO; QL (900 per 30 days)
<i>morphine oral tablet</i>	2	MO; QL (180 per 30 days)
<i>morphine oral tablet extended release</i>	2	PA; MO; QL (120 per 30 days)
<i>oxycodone oral capsule</i>	2	MO; QL (360 per 30 days)
<i>oxycodone oral concentrate</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral solution</i>	2	MO; QL (1200 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral tablet 5 mg</i>	2	MO; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>oxycodone-aspirin</i>	2	MO; QL (360 per 30 days)
<b>OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG</b>	3	PA; MO; QL (90 per 30 days)
<b>OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG</b>	5	PA; MO; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	MO; QL (360 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	MO; QL (180 per 30 days)
<b>NON-NARCOTIC ANALGESICS</b>		
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	2	MO; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i>	2	MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
buprenorphine-naloxone sublingual tablet 2-0.5 mg	2	MO; QL (360 per 30 days)
buprenorphine-naloxone sublingual tablet 8-2 mg	2	MO; QL (90 per 30 days)
butorphanol injection solution 1 mg/ml	2	MO; QL (857 per 30 days)
butorphanol injection solution 2 mg/ml	2	MO; QL (428 per 30 days)
butorphanol nasal	2	MO; QL (10 per 28 days)
celecoxib	2	MO
clonidine (pf) epidural solution 5,000 mcg/10 ml	2	
diclofenac potassium	2	MO
diclofenac sodium oral	2	MO
diclofenac sodium topical drops	2	MO; QL (300 per 28 days)
diclofenac sodium topical gel 1 %	2	MO; QL (1000 per 28 days)
diclofenac-misoprostol	2	MO
diflunisal	2	MO
ec-naproxen	2	MO
etodolac	2	MO
fenoprofen oral tablet	2	MO
FLECTOR	4	PA; MO; QL (60 per 30 days)
flurbiprofen oral tablet 100 mg	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ibu	1	MO
ibuprofen oral suspension	2	MO
ibuprofen oral tablet 400 mg, 600 mg, 800 mg	1	MO
ketoprofen oral capsule 25 mg, 75 mg	2	MO
ketoprofen oral capsule 50 mg	2	
ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg	2	MO
meclofenamate	2	MO
mefenamic acid	2	MO
meloxicam oral tablet 15 mg	1	MO
meloxicam oral tablet 7.5 mg	1	MO; QL (30 per 30 days)
nabumetone	2	MO
nalbuphine injection solution 10 mg/ml	2	MO; QL (200 per 30 days)
nalbuphine injection solution 20 mg/ml	2	MO; QL (100 per 30 days)
naloxone injection solution	2	MO
naloxone injection syringe	2	MO
naltrexone	2	MO
naproxen oral suspension	2	MO
naproxen oral tablet	1	MO
naproxen oral tablet, delayed release (dr/ec)	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	2	MO
<i>naproxen sodium oral tablet, er multiphase 24 hr</i>	2	MO
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	MO
<i>oxaprozin</i>	2	MO
<i>piroxicam</i>	2	MO
<i>salsalate</i>	1	MO
SUBOXONE SUBLINGUAL FILM 12-3 MG	4	MO; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG	4	MO; QL (360 per 30 days)
SUBOXONE SUBLINGUAL FILM 4-1 MG, 8-2 MG	4	MO; QL (90 per 30 days)
<i>sulindac</i>	1	MO
<i>tolmetin</i>	2	MO
<i>tramadol oral tablet 50 mg</i>	2	MO; QL (240 per 30 days)
<i>tramadol-acetaminophen</i>	2	MO; QL (240 per 30 days)
VIVITROL	5	MO
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	MO; QL (30 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	MO; QL (60 per 30 days)
<b>PSYCHOTHERAPEUTIC DRUGS</b>		
ABILIFY MAINTENA	5	MO
ADASUVE	3	LA
<i>amitriptyline</i>	2	MO
<i>amoxapine</i>	2	MO
<i>ariPIPRAZOLE oral solution</i>	5	MO
<i>ariPIPRAZOLE oral tablet</i>	2	MO; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating</i>	5	MO; QL (60 per 30 days)
ARISTADA	5	MO
ARISTADA INITIO	5	MO
<i>armodafinil</i>	4	PA; MO
<i>atomoxetine</i>	2	MO
<i>bupropion hcl oral tablet</i>	1	MO
<i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>	2	MO; QL (90 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>	2	MO; QL (30 per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr</i>	2	MO; QL (60 per 30 days)
<i>buspirone</i>	2	MO
CAPLYTA	5	MO
<i>chlorpromazine</i>	2	MO
<i>citalopram oral solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
citalopram oral tablet	1	MO; QL (30 per 30 days)
clomipramine	4	MO
clonidine hcl oral tablet extended release 12 hr	2	MO
clorazepate dipotassium oral tablet 15 mg	2	PA; MO; QL (180 per 30 days)
clorazepate dipotassium oral tablet 3.75 mg	2	PA; MO; QL (90 per 30 days)
clorazepate dipotassium oral tablet 7.5 mg	2	PA; MO; QL (360 per 30 days)
clozapine oral tablet	2	MO
clozapine oral tablet,disintegrating	2	
desipramine	2	MO
desvenlafaxine succinate	2	MO; QL (30 per 30 days)
dextroamphetamine oral solution	2	MO
dextroamphetamine-amphetamine	2	MO
diazepam injection solution	2	PA
diazepam injection syringe	2	PA; MO
diazepam oral concentrate	2	PA; MO; QL (240 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)	2	PA; MO; QL (1200 per 30 days)
diazepam oral tablet	2	PA; MO; QL (120 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
doxepin oral capsule	4	MO
doxepin oral concentrate	4	MO
doxepin oral tablet	2	MO; QL (30 per 30 days)
DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	MO; QL (60 per 30 days)
DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	MO; QL (90 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg	2	MO; QL (60 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 40 mg	2	MO; QL (90 per 30 days)
EMSAM	5	MO
ergoloid	4	MO
escitalopram oxalate oral solution	2	MO
escitalopram oxalate oral tablet	1	MO; QL (30 per 30 days)
eszopiclone	4	MO; QL (30 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	MO; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	MO; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK	4	MO; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK	3	MO; QL (28 per 28 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR	3	MO; QL (30 per 30 days)
<i>flumazenil</i>	2	MO
<i>fluoxetine oral capsule 10 mg</i>	1	MO; QL (30 per 30 days)
<i>fluoxetine oral capsule 20 mg</i>	1	MO
<i>fluoxetine oral capsule 40 mg</i>	1	MO; QL (60 per 30 days)
<i>fluoxetine oral capsule,delayed release(dr/ec)</i>	2	MO; QL (4 per 28 days)
<i>fluoxetine oral solution</i>	2	MO
<i>fluoxetine oral tablet 10 mg</i>	2	MO; QL (30 per 30 days)
<i>fluoxetine oral tablet 20 mg, 60 mg</i>	2	MO
<i>fluphenazine decanoate</i>	2	MO
<i>fluphenazine hcl</i>	2	MO
<i>fluvoxamine oral capsule,extended release 24hr</i>	4	MO; QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	2	MO; QL (60 per 30 days)
FORFIVO XL	4	MO; QL (30 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
GEODON INTRAMUSCULAR	4	MO
<i>guanidine</i>	2	MO
<i>haloperidol</i>	1	MO
<i>haloperidol decanoate</i>	2	MO
<i>haloperidol lactate injection</i>	2	MO
<i>haloperidol lactate intramuscular</i>	2	
<i>haloperidol lactate oral</i>	2	MO
HETLIOZ	5	PA; MO; QL (30 per 30 days)
<i>imipramine hcl</i>	4	MO
<i>imipramine pamoate</i>	4	MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 78 MG/0.5 ML	5	MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	MO
INVEGA TRINZA	5	MO
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	5	MO; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	5	MO; QL (60 per 30 days)
<i>lithium carbonate</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	MO
<i>lorazepam injection solution</i>	2	PA; MO
<i>lorazepam injection syringe 2 mg/ml</i>	2	PA; MO
<i>lorazepam injection syringe 4 mg/ml</i>	2	PA
<i>lorazepam intensol</i>	2	PA; MO; QL (150 per 30 days)
<i>lorazepam oral concentrate</i>	2	PA; MO; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	2	PA; MO; QL (150 per 30 days)
<i>loxapine succinate</i>	2	MO
<i>maprotiline</i>	2	MO
<i>MARPLAN</i>	3	MO
<i>methylphenidate hcl oral capsule,er biphasic 50-50</i>	2	MO
<i>methylphenidate hcl oral solution</i>	2	MO
<i>methylphenidate hcl oral tablet</i>	2	MO
<i>methylphenidate hcl oral tablet extended release</i>	2	MO
<i>methylphenidate hcl oral tablet,chewable</i>	2	MO
<i>mirtazapine oral tablet</i>	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>mirtazapine oral tablet,disintegrating</i>	2	MO
<i>modafinil</i>	2	PA; MO
<i>molindone</i>	2	MO
<i>nefazodone</i>	2	MO
<i>nortriptyline</i>	2	MO
<i>NUPLAZID ORAL CAPSULE</i>	5	PA; MO; QL (30 per 30 days)
<i>NUPLAZID ORAL TABLET 10 MG</i>	5	PA; MO; QL (30 per 30 days)
<i>olanzapine intramuscular</i>	2	MO
<i>olanzapine oral</i>	2	MO; QL (30 per 30 days)
<i>olanzapine-fluoxetine</i>	2	MO
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	MO; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	MO; QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	MO; QL (30 per 30 days)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	1	MO; QL (30 per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i>	1	MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr</i>	2	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>paroxetine mesylate(menop.sym.)</i>	2	MO; QL (30 per 30 days)
PAXIL ORAL SUSPENSION	4	MO
<i>perphenazine</i>	2	MO
PERSERIS	5	MO
<i>phenelzine</i>	2	MO
<i>pimozide</i>	2	MO
<i>procentra</i>	2	MO
<i>protriptyline</i>	2	MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	MO; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	2	MO; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	2	MO; QL (60 per 30 days)
<i>ramelteon</i>	2	MO; QL (30 per 30 days)
REXULTI	5	MO; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	MO
<i>risperidone oral solution</i>	2	MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	MO; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	1	MO; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	2	MO; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	2	MO; QL (120 per 30 days)
ROZEREM	3	MO; QL (30 per 30 days)
SAPHRIS	5	MO; QL (60 per 30 days)
SECUADO	5	MO; QL (30 per 30 days)
<i>sertraline oral concentrate</i>	2	MO
<i>sertraline oral tablet 100 mg, 50 mg</i>	1	MO; QL (60 per 30 days)
<i>sertraline oral tablet 25 mg</i>	1	MO; QL (30 per 30 days)
<i>thioridazine</i>	4	MO
<i>thiothixene</i>	1	MO
<i>tranylcypromine</i>	4	MO
<i>trazodone</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
trifluoperazine	2	MO
trimipramine	4	MO
TRINTELLIX	3	MO; QL (30 per 30 days)
venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg	2	MO; QL (30 per 30 days)
venlafaxine oral capsule,extended release 24hr 75 mg	2	MO; QL (90 per 30 days)
venlafaxine oral tablet	2	MO; QL (90 per 30 days)
venlafaxine oral tablet extended release 24hr	2	MO; QL (30 per 30 days)
VERSACLOZ	5	
VIIBRYD ORAL TABLET	3	MO; QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)-20 MG (23)	3	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE	5	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK	4	MO; QL (7 per 30 days)
XYREM	5	PA; MO; LA; QL (540 per 30 days)
zaleplon oral capsule 10 mg	4	MO; QL (60 per 30 days)
zaleplon oral capsule 5 mg	4	MO; QL (30 per 30 days)
ZENZEDI ORAL TABLET 15 MG, 2.5 MG, 20 MG, 30 MG, 7.5 MG	4	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ziprasidone hcl	2	MO; QL (60 per 30 days)
ziprasidone mesylate	2	
zolpidem oral tablet	2	MO; QL (30 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	5	MO

**CARDIOVASCULAR,  
HYPERTENSION / LIPIDS**  
**ANTIARRHYTHMIC AGENTS**

adenosine	2	
amiodarone intravenous solution	2	B/D PA; MO
amiodarone intravenous syringe	2	B/D PA
amiodarone oral	2	MO
dofetilide	2	MO
flecainide	2	MO
ibutilide fumarate	2	MO
lidocaine (pf) in d7.5w	2	MO
lidocaine (pf) intravenous solution	2	MO
lidocaine (pf) intravenous syringe	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i>	2	
<i>mexiletine</i>	2	MO
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	2	MO
<i>procainamide injection solution 100 mg/ml</i>	2	MO
<i>procainamide injection solution 500 mg/ml</i>	2	
<i>propafenone</i>	2	MO
<i>quinidine gluconate oral</i>	2	MO
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet 120 mg, 160 mg, 80 mg</i>	2	MO
<i>sorine oral tablet 240 mg</i>	2	
<i>sotalol af</i>	2	MO
<i>sotalol oral</i>	2	MO
<i>SOTYLIZE</i>	3	MO
<b>ANTIHYPERTENSIVE THERAPY</b>		
<i>acebutolol</i>	2	MO
<i>aliskiren</i>	2	MO
<i>amiloride</i>	2	MO
<i>amiloride-hydrochlorothiazide</i>	2	MO
<i>amlodipine</i>	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>amlodipine-benazepril</i>	1	MO
<i>amlodipine-olmesartan</i>	2	MO
<i>amlodipine-valsartan</i>	2	MO
<i>amlodipine-valsartan-hcthiazid</i>	2	MO
<i>atenolol</i>	1	MO
<i>atenolol-chlorthalidone</i>	2	MO
<i>benazepril</i>	1	MO
<i>benazepril-hydrochlorothiazide</i>	2	MO
<i>betaxolol oral</i>	2	MO
<i>BIDIL</i>	3	MO
<i>bisoprolol fumarate</i>	2	MO
<i>bisoprolol-hydrochlorothiazide</i>	1	MO
<i>bumetanide</i>	2	MO
<i>BYSTOLIC</i>	3	MO
<i>candesartan</i>	2	MO
<i>candesartan-hydrochlorothiazid</i>	2	MO
<i>captopril</i>	2	MO
<i>captopril-hydrochlorothiazide</i>	2	MO
<i>cartia xt</i>	2	MO
<i>carvedilol</i>	1	MO
<i>carvedilol phosphate</i>	2	MO
<i>chlorothiazide oral tablet 500 mg</i>	2	MO
<i>chlorothiazide sodium</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	MO
<i>clonidine</i>	4	MO; QL (4 per 28 days)
<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i>	2	
<i>clonidine hcl oral tablet</i>	1	MO
<i>DEM SER</i>	5	PA; MO
<i>diltiazem hcl intravenous recon soln</i>	2	
<i>diltiazem hcl intravenous solution</i>	2	MO
<i>diltiazem hcl oral capsule,ext.rel 24h degradable</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24hr</i>	2	MO
<i>diltiazem hcl oral tablet</i>	1	MO
<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>dilt-xr</i>	2	MO
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i>	1	MO; QL (30 per 30 days)
<i>doxazosin oral tablet 8 mg</i>	1	MO; QL (60 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>EDARBI</i>	3	MO
<i>EDARBYCLOR</i>	3	MO
<i>enalapril maleate</i>	1	MO
<i>enalaprilat intravenous solution</i>	2	
<i>enalapril-hydrochlorothiazide</i>	1	MO
<i>eplerenone</i>	2	MO
<i>epoprostenol (glycine)</i>	2	B/D PA; MO
<i>eprosartan</i>	2	MO
<i>esmolol intravenous solution</i>	2	
<i>ethacrynone sodium</i>	5	MO
<i>ethacrynic acid</i>	5	MO
<i>felodipine</i>	2	MO
<i>flosinopril</i>	1	MO
<i>flosinopril-hydrochlorothiazide</i>	2	MO
<i>furosemide injection</i>	2	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet</i>	1	MO
<i>hydralazine</i>	2	MO
<i>hydrochlorothiazide</i>	1	MO
<i>indapamide</i>	2	MO
<i>irbesartan</i>	1	MO
<i>irbesartan-hydrochlorothiazide</i>	1	MO
<i>isradipine</i>	2	MO
<i>labetalol intravenous solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>labetalol</i>	2	
<i>intravenous syringe 20 mg/4 ml (5 mg/ml)</i>		
<i>labetalol oral</i>	2	MO
<i>lisinopril</i>	1	MO
<i>lisinopril- hydrochlorothiazide</i>	1	MO
<i>losartan</i>	1	MO
<i>losartan- hydrochlorothiazide</i>	1	MO
<i>mannitol 20 %</i>	2	
<i>mannitol 25 % intravenous solution</i>	2	MO
<i>matzim la</i>	2	MO
<i>methyldopa</i>	2	MO
<i>metolazone</i>	2	MO
<i>metoprolol succinate</i>	1	MO
<i>metoprolol ta- hydrochlorothiaz</i>	2	MO
<i>metoprolol tartrate intravenous solution</i>	2	MO
<i>metoprolol tartrate oral</i>	1	MO
<i>metyrosine</i>	5	PA; MO
<i>minoxidil oral</i>	2	MO
<i>moexipril</i>	1	MO
<i>nadolol</i>	2	MO
<i>nadolol- bendroflumethiazide oral tablet 80-5 mg</i>	2	MO
<i>nicardipine intravenous solution</i>	2	MO
<i>nicardipine oral</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine</i>	2	MO
<i>nisoldipine</i>	2	MO
<i>olmesartan</i>	1	MO
<i>olmesartan- amlodipin-hcthiazid</i>	2	MO
<i>olmesartan- hydrochlorothiazide</i>	1	MO
<i>osmitrol 15 %</i>	2	
<i>osmitrol 20 %</i>	2	
<i>perindopril erbumine</i>	1	MO
<i>phenoxybenzamine</i>	5	PA; MO
<i>phentolamine injection recon soln</i>	2	
<i>pindolol</i>	2	MO
<i>prazosin</i>	2	MO
<i>propranolol intravenous</i>	2	
<i>propranolol oral capsule,extended release 24 hr</i>	2	MO
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	1	MO
<i>propranolol- hydrochlorothiazid</i>	2	MO
<i>quinapril</i>	1	MO
<i>quinapril- hydrochlorothiazide</i>	2	MO
<i>ramipril</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
REMODULIN	5	PA; MO; LA
<i>spironolactone</i>	1	MO
<i>spironolacton-hydrochlorothiazide</i>	2	MO
<i>taztia xt</i>	2	MO
TEKTURN A HCT	3	MO
<i>telmisartan</i>	2	MO
<i>telmisartan-amldipine</i>	2	MO
<i>telmisartan-hydrochlorothiazide</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; QL (30 per 30 days)
<i>terazosin oral capsule 10 mg</i>	1	MO; QL (60 per 30 days)
<i>tiadylt er</i>	2	MO
<i>timolol maleate oral</i>	2	MO
<i>torsemide oral</i>	2	MO
<i>trandolapril</i>	1	MO
<i>trandolapril-verapamil</i>	2	MO
<i>treprostinil sodium</i>	5	PA; MO; LA
<i>triamterene</i>	2	MO
<i>triamterene-hydrochlorothiazide oral capsule 37.5-25 mg</i>	1	MO
<i>triamterene-hydrochlorothiazide oral tablet</i>	1	MO
UPTRAVI	5	PA; MO; LA
<i>valsartan</i>	1	MO
<i>valsartan-hydrochlorothiazide</i>	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>veletri</i>	2	B/D PA; MO
<i>verapamil intravenous solution</i>	2	MO
<i>verapamil intravenous syringe</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct</i>	2	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr</i>	2	MO
<i>verapamil oral tablet</i>	1	MO
<i>verapamil oral tablet extended release</i>	2	MO
<b>COAGULATION THERAPY</b>		
AMICAR	3	MO
<i>aminocaproic acid</i>	2	MO
<i>aspirin-dipyridamole</i>	2	MO
BRILINTA	3	MO
CABLIVI INJECTION KIT	5	PA; MO; LA
CEPROTIN (BLUE BAR)	3	MO
CEPROTIN (GREEN BAR)	3	MO
<i>cilostazol</i>	2	MO
<i>clopidogrel oral tablet 300 mg</i>	2	MO
<i>clopidogrel oral tablet 75 mg</i>	1	MO; QL (30 per 30 days)
<i>dipyridamole intravenous</i>	2	PA
<i>dipyridamole oral</i>	2	MO
DOPTELET (10 TAB PACK)	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
DOPTELET (15 TAB PACK)	5	PA; MO; LA	HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	3	
DOPTELET (30 TAB PACK)	5	PA; MO; LA	<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	2	MO
ELIQUIS	3	MO	<i>heparin, porcine (pf) injection solution</i>	2	MO
ELIQUIS DVT-PE TREAT 30D START	3	MO	<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	MO
<i>enoxaparin</i>	2	MO	HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML	3	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO	HEPARIN, PORCINE (PF) SUBCUTANEOUS	3	
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	MO	<i>jantoven</i>	1	MO
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	2		MULPLETA	5	PA; MO
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	2	MO	NPLATE	5	MO
<i>heparin (porcine) in nacl (pf)</i>	2		<i>pentoxifylline</i>	2	MO
<i>heparin (porcine) injection cartridge</i>	2	MO	PRADAXA	4	MO
<i>heparin (porcine) injection solution</i>	2	MO	<i>prasugrel</i>	2	MO
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	MO	PROMACTA	5	PA; MO; LA
			<i>protamine</i>	2	
			<i>warfarin</i>	1	MO
			XARELTO	3	MO
			XARELTO DVT-PE TREAT 30D START	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ZONTIVITY	3	MO
<b>LIPID/CHOLESTEROL LOWERING AGENTS</b>		
<i>amlodipine-atorvastatin</i>	2	MO; QL (30 per 30 days)
<i>atorvastatin</i>	1	MO; QL (30 per 30 days)
<i>cholestyramine (with sugar)</i>	2	MO
<i>cholestyramine light</i>	2	MO
<i>colesevelam</i>	2	MO
<i>colestipol</i>	2	MO
<i>ezetimibe</i>	2	MO
<i>ezetimibe-simvastatin</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate micronized</i>	2	MO
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	2	MO
<i>fenofibrate oral tablet</i>	2	MO
<i>fenofibric acid</i>	2	MO
<i>fenofibric acid (choline)</i>	2	MO
<i>fluvastatin oral capsule 20 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvastatin oral capsule 40 mg</i>	2	MO; QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr</i>	2	MO; QL (30 per 30 days)
<i>gemfibrozil</i>	1	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG</i>	5	PA; MO; LA
<b>LIVALO</b>		
<i>lovastatin oral tablet 10 mg</i>	3	MO; QL (30 per 30 days)
<i>lovastatin oral tablet 20 mg, 40 mg</i>	1	MO; QL (60 per 30 days)
<i>NEXLETOL</i>	3	PA; MO
<i>NEXLIZET</i>	3	PA; MO
<i>niacin oral tablet 500 mg</i>	2	MO
<i>niacin oral tablet extended release 24 hr</i>	2	MO
<i>PRALUENT PEN</i>	3	PA; MO; QL (2 per 28 days)
<i>pravastatin</i>	1	MO; QL (30 per 30 days)
<i>prevalite</i>	2	MO
<i>REPATHA</i>	3	PA; MO; QL (3 per 28 days)
<i>REPATHA PUSHTRONEX</i>	3	PA; MO; QL (3.5 per 28 days)
<i>REPATHA SURECLICK</i>	3	PA; MO; QL (3 per 28 days)
<i>rosuvastatin</i>	1	MO; QL (30 per 30 days)
<i>simvastatin oral tablet</i>	1	MO; QL (30 per 30 days)
<i>VASCEPA</i>	3	MO
<b>MISCELLANEOUS CARDIOVASCULAR AGENTS</b>		
<i>cardioplegic soln</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
CORLANOR ORAL SOLUTION	3	PA
CORLANOR ORAL TABLET	3	PA; MO
digitek	2	MO
digox	2	MO
digoxin oral solution 50 mcg/ml (0.05 mg/ml)	2	MO
digoxin oral tablet	2	MO
dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml)	2	B/D PA; MO
dobutamine in d5w intravenous parenteral solution 500 mg/250 ml (2,000 mcg/ml)	2	B/D PA
dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml)	2	B/D PA
dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)	2	B/D PA
dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)	2	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>dopamine</i> <i>intravenous solution</i> 200 mg/5 ml (40 mg/ml)	2	B/D PA
<i>dopamine</i> <i>intravenous solution</i> 400 mg/10 ml (40 mg/ml)	2	B/D PA; MO
ENTRESTO	3	MO; QL (60 per 30 days)
LANOXIN ORAL TABLET 62.5 MCG (0.0625 MG)	3	MO
milrinone	2	B/D PA; MO
<i>milrinone in 5 % dextrose</i>	2	B/D PA; MO
<i>norepinephrine</i> <i>bitartrate</i>	2	
ranolazine	2	MO
sodium nitroprusside	2	B/D PA
VECAMYL	5	
VYNDAMAX	5	PA; MO
VYNDAQEL	5	PA; MO
<b>NITRATES</b>		
<i>isosorbide dinitrate</i> <i>oral tablet</i>	2	MO
<i>isosorbide mononitrate</i>	1	MO
<i>nitro-bid</i>	2	MO
<i>nitroglycerin in 5 % dextrose intravenous solution</i> 100 mg/250 ml (400 mcg/ml), 50 mg/250 ml (200 mcg/ml)	2	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nitroglycerin in 5 % dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)</i>	2	B/D PA; MO
<i>nitroglycerin intravenous</i>	2	B/D PA
<i>nitroglycerin sublingual</i>	2	MO
<i>nitroglycerin transdermal patch 24 hour</i>	2	MO
<i>nitroglycerin translingual spray, non-aerosol</i>	2	MO
<b>DERMATOLOGICALS/TOPICAL THERAPY</b>		
<b>ANTIPSORIATIC / ANTISEBORRHEIC</b>		
<i>acitretin oral capsule 10 mg, 25 mg</i>	2	MO
<i>acitretin oral capsule 17.5 mg</i>	5	MO
<i>calcipotriene scalp</i>	2	MO; QL (120 per 30 days)
<i>calcipotriene topical cream</i>	4	MO; QL (120 per 30 days)
<i>calcipotriene topical ointment</i>	2	MO; QL (120 per 30 days)
<i>calcipotriene-betamethasone topical ointment</i>	2	MO; QL (400 per 30 days)
<i>calcipotriene-betamethasone topical suspension</i>	4	MO; QL (400 per 30 days)
<i>calcitriol topical</i>	4	MO
<b>COSENTYX</b>	5	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>COSENTYX (2 SYRINGES)</b>	5	PA; MO
<b>COSENTYX PEN</b>	5	PA; MO
<b>COSENTYX PEN (2 PENS)</b>	5	PA; MO
<i>selenium sulfide topical lotion</i>	2	MO
<b>SKYRIZI SUBCUTANEOUS SYRINGE KIT</b>	5	PA; MO; QL (1 per 28 days)
<b>STELARA</b>	5	PA; MO
<b>MISCELLANEOUS DERMATOLOGICALS</b>		
<i>ammonium lactate</i>	2	MO
<i>carbocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>chloroprocaine (pf)</i>	2	
<b>CONDYLOX TOPICAL GEL</b>	3	MO
<i>diclofenac sodium topical gel 3 %</i>	2	PA; MO; QL (100 per 28 days)
<i>doxepin topical</i>	5	MO; QL (45 per 30 days)
<b>DUPIXENT PEN</b>	5	PA; MO
<b>DUPIXENT SYRINGE</b>	5	PA; MO
<i>fluorouracil topical cream 5 %</i>	2	MO
<i>fluorouracil topical solution</i>	2	MO
<i>glydo</i>	2	MO; QL (60 per 30 days)
<i>imiquimod topical cream in packet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	MO
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>lidocaine hcl injection solution</i>	2	MO
<i>lidocaine hcl laryngotracheal</i>	2	MO
<i>lidocaine hcl mucous membrane jelly</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	MO
<i>lidocaine topical adhesive patch, medicated 5 %</i>	2	PA; MO; QL (90 per 30 days)
<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>lidocaine viscous</i>	2	MO
<i>lidocaine-epinephrine (pf)</i>	2	
<i>lidocaine-epinephrine injection solution 0.5 %-1:200,000</i>	2	
<i>lidocaine-epinephrine injection solution 1 %-1:100,000, 2 %-1:100,000</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lidocaine-prilocaine topical cream</i>	2	MO; QL (30 per 30 days)
<i>methoxsalen</i>	5	MO
<i>PANRETIN</i>	5	MO
<i>PICATO</i>	5	MO
<i>pimecrolimus</i>	2	PA; MO; QL (100 per 30 days)
<i>podofilox</i>	2	MO
<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	
<i>polocaine-mpf</i>	2	
<i>prodoxin</i>	2	MO; QL (45 per 30 days)
<i>REGRANEX</i>	5	MO
<i>SANTYL</i>	3	MO
<i>silver sulfadiazine</i>	2	MO
<i>ssd</i>	2	MO
<i>tacrolimus topical</i>	2	PA; MO; QL (100 per 30 days)
<i>TOLAK</i>	4	MO
<i>UVADEX</i>	4	B/D PA
<i>VALCHLOR</i>	5	MO
<b>THERAPY FOR ACNE</b>		
<i>amnesteem</i>	2	MO
<i>avita topical cream</i>	2	PA; MO
<i>azelaic acid</i>	2	MO
<i>claravis</i>	4	MO
<i>clindamycin phosphate topical gel</i>	2	MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>clindamycin phosphate topical lotion</i>	2	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical solution</i>	2	MO; QL (120 per 30 days)
<i>dapsone topical gel</i>	2	MO
<i>ery pads</i>	2	MO
<i>erythromycin with ethanol topical solution</i>	2	MO
<i>isotretinoin</i>	2	MO
<i>metronidazole topical</i>	2	MO
<i>myorisan</i>	2	MO
<i>rosadan topical cream</i>	2	MO
<i>rosadan topical gel</i>	2	MO
<i>tazarotene</i>	2	PA; MO
TAZORAC TOPICAL CREAM 0.05 %	3	PA; MO
TAZORAC TOPICAL GEL	3	PA; MO
<i>tretinoin topical</i>	2	PA; MO
<i>zenatane</i>	4	MO
<b>TOPICAL ANTIBACTERIALS</b>		
<i>gentamicin topical</i>	2	MO
<i>mafénide acetate</i>	2	MO
<i>mupirocin</i>	2	MO; QL (44 per 30 days)
<i>mupirocin calcium</i>	2	MO; QL (30 per 30 days)
<i>sulfacetamide sodium (acne)</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SULFAMYLYON TOPICAL CREAM	3	MO
<b>TOPICAL ANTIFUNGALS</b>		
<i>ciclodan topical solution</i>	2	MO
<i>ciclopirox topical cream</i>	2	MO; QL (90 per 28 days)
<i>ciclopirox topical gel</i>	2	MO; QL (45 per 28 days)
<i>ciclopirox topical shampoo</i>	2	MO; QL (120 per 28 days)
<i>ciclopirox topical solution</i>	2	MO
<i>ciclopirox topical suspension</i>	2	MO; QL (60 per 28 days)
<i>clotrimazole topical cream</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole topical solution</i>	2	MO; QL (30 per 28 days)
<i>clotrimazole- betamethasone topical cream</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole- betamethasone topical lotion</i>	2	MO; QL (60 per 28 days)
<i>econazole</i>	2	MO; QL (85 per 28 days)
KERYDIN	4	MO
<i>ketoconazole topical cream</i>	2	MO; QL (60 per 28 days)
<i>ketoconazole topical foam</i>	2	MO; QL (100 per 28 days)
<i>ketoconazole topical shampoo</i>	2	MO; QL (120 per 28 days)
<i>ketodan</i>	2	MO; QL (100 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nastifine</i>	2	MO; QL (60 per 28 days)
NAFTIN TOPICAL GEL	3	MO; QL (60 per 28 days)
<i>nyamyc</i>	2	MO
<i>nystatin topical cream</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical ointment</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical powder</i>	2	MO
<i>nystatin-triamcinolone</i>	2	MO; QL (60 per 28 days)
<i>nystop</i>	2	MO
<i>oxiconazole</i>	2	MO
<b>TOPICAL ANTIVIRALS</b>		
<i>acyclovir topical cream</i>	2	PA; MO; QL (5 per 30 days)
<i>acyclovir topical ointment</i>	4	PA; MO; QL (30 per 30 days)
DENAVIR	3	MO
XERESE	4	MO
<b>TOPICAL CORTICOSTEROIDS</b>		
<i>ala-cort topical cream 1 %</i>	2	MO
<i>alclometasone</i>	2	MO
<i>betamethasone dipropionate</i>	2	MO
<i>betamethasone valerate</i>	2	MO
<i>betamethasone, augmented</i>	2	MO
CAPEX	3	MO
<i>clobetasol scalp</i>	2	MO; QL (100 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>clobetasol topical cream</i>	2	MO; QL (120 per 28 days)
<i>clobetasol topical foam</i>	2	MO; QL (100 per 28 days)
<i>clobetasol topical gel</i>	2	MO; QL (120 per 28 days)
<i>clobetasol topical lotion</i>	2	MO; QL (118 per 28 days)
<i>clobetasol topical ointment</i>	2	MO; QL (120 per 28 days)
<i>clobetasol topical shampoo</i>	2	MO; QL (236 per 28 days)
<i>clobetasol topical spray,non-aerosol</i>	2	MO; QL (125 per 28 days)
<i>clobetasol-emollient topical cream</i>	2	MO; QL (120 per 28 days)
<i>clobetasol-emollient topical foam</i>	2	MO; QL (100 per 28 days)
<i>clodan</i>	2	MO; QL (236 per 28 days)
<i>desonide</i>	4	MO
<i>fluocinolone</i>	2	MO
<i>fluocinolone and shower cap</i>	2	MO
<i>fluocinonide</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide-e</i>	2	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream</i>	2	MO
<i>halobetasol propionate topical ointment</i>	2	MO
<i>hydrocortisone butyrate topical lotion</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
hydrocortisone <i>topical cream 1 %, 2.5 %</i>	2	MO
hydrocortisone <i>topical lotion 2.5 %</i>	2	MO
hydrocortisone <i>topical ointment 1 %, 2.5 %</i>	2	MO
mometasone topical	2	MO
nolix topical cream	2	MO; QL (120 per 30 days)
prednicarbate	2	MO
tovet emollient	2	MO; QL (100 per 28 days)
triamcinolone <i>acetonide topical aerosol</i>	2	MO; QL (126 per 28 days)
triamcinolone <i>acetonide topical cream</i>	2	MO
triamcinolone <i>acetonide topical lotion</i>	2	MO
triamcinolone <i>acetonide topical ointment</i>	2	MO
trianex	2	MO
triderm topical cream	2	MO
<b>TOPICAL SCABICIDES / PEDICULICIDES</b>		
crotan	2	MO
lindane topical shampoo	2	MO
malathion	2	MO
permethrin topical cream	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SKLICE	3	MO
<b>DIAGNOSTICS / MISCELLANEOUS AGENTS</b>		
<b>ANTIDOTES</b>		
acetylcysteine <i>intravenous</i>	2	MO
<b>IRRIGATING SOLUTIONS</b>		
lactated ringers <i>irrigation</i>	2	MO
neomycin-polymyxin b gu	2	MO
ringer's irrigation	2	MO
<b>MISCELLANEOUS AGENTS</b>		
acamprosate	4	MO
acetic acid irrigation	2	MO
anagrelide	2	MO
ARALAST NP	5	MO; LA
caffeine citrate <i>intravenous</i>	2	
caffeine citrate oral	2	MO
CARBAGLU	5	PA; MO; LA
cevimeline	2	MO
CHEMET	3	PA; MO
CLINIMIX 4.25%/D5W SULFIT FREE	3	B/D PA
clovique	5	PA
d10 %-0.45 % sodium chloride	2	
d2.5 %-0.45 % sodium chloride	2	
d5 % and 0.9 % sodium chloride	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
d5 %-0.45 % sodium chloride	2	MO
deferasirox	5	PA; MO
deferiprone	5	PA; MO
deferoxamine	2	B/D PA; MO
dextrose 10 % and 0.2 % nacl	2	
dextrose 10 % in water (d10w)	2	MO
dextrose 25 % in water (d25w)	2	
dextrose 30 % in water (d30w)	2	
dextrose 40 % in water (d40w)	2	
dextrose 5 % in water (d5w)	2	MO
dextrose 5 %-lactated ringers	2	MO
dextrose 5%-0.2 % sod chloride	2	
dextrose 5%-0.3 % sod.chloride	2	
dextrose 50 % in water (d50w)	2	MO
dextrose 70 % in water (d70w)	2	MO
disulfiram	2	MO
FERRIPROX	5	PA; MO
FERRIPROX (2 TIMES A DAY)	5	PA
INCRELEX	5	MO; LA
kionex (with sorbitol)	2	MO
lanthanum	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
levocarnitine (with sugar)	2	MO
levocarnitine oral solution 100 mg/ml	2	MO
levocarnitine oral tablet	2	MO
LOKELMA	3	MO
midodrine	2	MO
nitisinone	5	PA; MO
NORTHERA	5	PA; MO
ORFADIN	5	PA; MO; LA
pilocarpine hcl oral	2	MO
PROLASTIN-C INTRAVENOUS RECON SOLN	5	LA
PROLASTIN-C INTRAVENOUS SOLUTION	5	MO; LA
RAVICTI	5	PA; MO
REVCovi	5	PA; MO; LA
riluzole	2	MO
risedronate oral tablet 30 mg	2	MO; QL (30 per 30 days)
sevelamer carbonate oral powder in packet	5	MO
sevelamer carbonate oral tablet	2	MO
sevelamer hcl	2	MO
sodium benzoate-sod phenylacet	5	
sodium chloride 0.9 % intravenous	2	MO
sodium chloride irrigation	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
sodium phenylbutyrate	5	PA; MO
sodium polystyrene (sorb free)	2	MO
sodium polystyrene sulfonate oral powder	2	MO
SOLIRIS	5	PA; MO
sps (with sorbitol) oral	2	MO
sps (with sorbitol) rectal	2	
THIOLA	5	MO
THIOLA EC	5	MO
trientine	5	PA; MO
VELTASSA	3	MO
water for irrigation, sterile	2	MO
XIAFLEX	5	PA; MO
XURIDEN	5	MO
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml	2	PA; MO
<b>SMOKING DETERRENTS</b>		
bupropion hcl (smoking deter)	2	MO
CHANTIX	3	MO
CHANTIX CONTINUING MONTH BOX	3	MO
CHANTIX STARTING MONTH BOX	3	MO
NICOTROL	4	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
NICOTROL NS	4	MO
<b>EAR, NOSE / THROAT MEDICATIONS</b>		
<b>MISCELLANEOUS AGENTS</b>		
azelastine nasal	2	MO; QL (60 per 30 days)
chlorhexidine gluconate mucous membrane	2	MO
denta 5000 plus	2	MO
dentagel	2	MO
fluoride (sodium) dental cream	2	
fluoride (sodium) dental gel	2	
fluoride (sodium) dental paste	2	MO
ipratropium bromide nasal	2	MO; QL (30 per 30 days)
olopatadine nasal	2	MO; QL (30.5 per 30 days)
oralone	2	MO
paroex oral rinse	2	MO
periogard	2	MO
PREVIDENT 5000 BOOSTER PLUS	4	MO
sf	2	MO
sf 5000 plus	2	MO
sodium fluoride 5000 plus	2	
sodium fluoride-pot nitrate	2	MO
triamcinolone acetonide dental	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>MISCELLANEOUS OTIC PREPARATIONS</b>		
acetic acid otic (ear)	2	MO
ciprofloxacin hcl otic (ear)	2	MO
flac otic oil	2	
fluocinolone acetonide oil	2	MO
hydrocortisone-acetic acid	2	MO
ofloxacin otic (ear)	2	MO
<b>OTIC STEROID / ANTIBIOTIC</b>		
CIPRODEX	3	MO
ciprofloxacin-dexamethasone	2	MO
neomycin-polymyxin-hc otic (ear)	2	MO
OTOVEL	3	MO
<b>ENDOCRINE/DIABETES</b>		
<b>ADRENAL HORMONES</b>		
betamethasone acet,sod phos	2	MO
cortisone	2	MO
decadron oral tablet	1	
dexamethasone intensol	2	MO
dexamethasone oral elixir	2	MO
dexamethasone oral solution	2	MO
dexamethasone oral tablet	1	MO
dexamethasone oral tablets,dose pack	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>dexamethasone sodium phos (pf) injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection</i>	2	MO
<i>fludrocortisone</i>	2	MO
<i>hydrocortisone oral</i>	2	MO
<i>methylprednisolone acetate</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	B/D PA; MO
<i>methylprednisolone oral tablets,dose pack</i>	2	MO
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 500 mg</i>	2	
<i>millipred oral tablet</i>	4	B/D PA; MO
<i>prednisolone oral solution 15 mg/5 ml</i>	2	MO
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml)</i>	2	
<i>prednisolone sodium phosphate oral tablet,disintegrating</i>	2	B/D PA; MO
<i>prednisone intensol</i>	2	B/D PA; MO
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	1	B/D PA; MO
<i>prednisone oral tablets,dose pack</i>	1	MO
<i>triamcinolone acetonide injection</i>	2	MO
<b>ANTITHYROID AGENTS</b>		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	MO
<i>propylthiouracil</i>	2	MO
<b>DIABETES THERAPY</b>		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>ALCOHOL PADS</i>	3	MO
<i>APIDRA SOLOSTAR U-100 INSULIN</i>	4	ST; MO
<i>APIDRA U-100 INSULIN</i>	4	ST; MO
<i>BAQSIMI</i>	3	MO
<i>BYDUREON BCISE</i>	3	PA; MO; QL (4 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>BYDUREON SUBCUTANEOUS PEN INJECTOR</i>	3	PA; MO; QL (4 per 28 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML</i>	3	PA; MO; QL (2.4 per 30 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML</i>	3	PA; MO; QL (1.2 per 30 days)
<i>CYCLOSET</i>	4	MO; QL (180 per 30 days)
<i>diazoxide</i>	2	MO
<i>DROPLET INSULIN SYR HALF UNIT</i>	3	
<i>DROPLET INSULIN SYRINGE</i>	3	
<i>DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32"</i>	3	MO
<i>FARXIGA ORAL TABLET 10 MG</i>	3	MO; QL (30 per 30 days)
<i>FARXIGA ORAL TABLET 5 MG</i>	3	MO; QL (60 per 30 days)
<i>GAUZE PADS 2 X 2</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
glimepiride oral tablet 1 mg	1	MO; QL (240 per 30 days)
glimepiride oral tablet 2 mg	1	MO; QL (120 per 30 days)
glimepiride oral tablet 4 mg	1	MO; QL (60 per 30 days)
glipizide oral tablet 10 mg	1	MO; QL (120 per 30 days)
glipizide oral tablet 5 mg	1	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	1	MO; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg	1	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 5 mg	1	MO; QL (120 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	1	MO; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	1	MO; QL (120 per 30 days)
GLUCAGEN HYPOKIT	3	MO
GLUCAGON EMERGENCY KIT (HUMAN)	3	MO
GVOKE HYPOPEN 1-PACK	3	MO
GVOKE HYPOPEN 2-PACK	3	MO
GVOKE PFS 1-PACK SYRINGE	3	MO
GVOKE PFS 2-PACK SYRINGE	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
HUMALOG JUNIOR KWIKPEN U-100	3	MO
HUMALOG KWIKPEN INSULIN	3	MO
HUMALOG MIX 50-50 INSULN U-100	3	MO
HUMALOG MIX 50-50 KWIKPEN	3	MO
HUMALOG MIX 75-25 KWIKPEN	3	MO
HUMALOG MIX 75-25(U-100)INSULN	3	MO
HUMALOG U-100 INSULIN	3	MO
HUMULIN 70/30 U-100 INSULIN	3	MO
HUMULIN 70/30 U-100 KWIKPEN	3	MO
HUMULIN N NPH INSULIN KWIKPEN	3	MO
HUMULIN N NPH U-100 INSULIN	3	MO
HUMULIN R REGULAR U-100 INSULN	3	MO
HUMULIN R U-500 (CONC) INSULIN	3	MO
HUMULIN R U-500 (CONC) KWIKPEN	3	MO
INSULIN PEN NEEDLE	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	3	MO	KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG	3	MO; QL (60 per 30 days)
INVOKAMET	3	MO; QL (60 per 30 days)	KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 5-1,000 MG, 5-500 MG	3	MO; QL (30 per 30 days)
INVOKAMET XR	3	MO; QL (60 per 30 days)	LANTUS SOLOSTAR U-100 INSULIN	3	MO
INVOKANA	3	MO; QL (30 per 30 days)	LANTUS U-100 INSULIN	3	MO
JANUMET	3	MO; QL (60 per 30 days)	LYUMJEV KWIKPEN U-100 INSULIN	3	MO
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)	LYUMJEV KWIKPEN U-200 INSULIN	3	MO
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)	LYUMJEV U-100 INSULIN	3	MO
JANUVIA	3	MO; QL (30 per 30 days)	<i>metformin oral solution</i>	2	MO; QL (765 per 30 days)
JENTADUETO	4	ST; MO; QL (60 per 30 days)	<i>metformin oral tablet 1,000 mg</i>	1	MO; QL (75 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; MO; QL (60 per 30 days)	<i>metformin oral tablet 500 mg</i>	1	MO; QL (150 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; MO; QL (30 per 30 days)	<i>metformin oral tablet 850 mg</i>	1	MO; QL (90 per 30 days)
KAZANO	4	ST; MO; QL (60 per 30 days)	<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	MO; QL (120 per 30 days)
			<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	MO; QL (60 per 30 days)
			<i>miglitol oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>miglitol oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>miglitol oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)
<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)
NEEDLES, INSULIN DISP.,SAFETY	3	MO
NESINA	4	ST; MO; QL (30 per 30 days)
NOVOFINE 32	3	MO
NOVOFINE PLUS	3	MO
NOVOLOG FLEXPEN U-100 INSULIN	4	ST; MO
NOVOLOG MIX 70-30 U-100 INSULN	4	ST; MO
NOVOLOG MIX 70-30FLEXPEN U- 100	4	ST; MO
NOVOLOG PENFILL U-100 INSULIN	4	ST; MO
NOVOLOG U-100 INSULIN ASPART	4	ST; MO
NOVOTWIST NEEDLE 32 GAUGE X 1/5"	3	MO
OMNIPOD DASH 5 PACK POD	3	MO
OMNIPOD INSULIN MANAGEMENT	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
OMNIPOD INSULIN REFILL	3	MO
ONGLYZA	3	MO; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA; MO; QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML)	3	PA; MO; QL (3 per 28 days)
pioglitazone	1	MO; QL (30 per 30 days)
pioglitazone- glimepiride	2	MO; QL (30 per 30 days)
pioglitazone- metformin	2	MO; QL (90 per 30 days)
PROGLYCEM	3	MO
QTERN	3	MO; QL (30 per 30 days)
repaglinide oral tablet 0.5 mg	2	MO; QL (960 per 30 days)
repaglinide oral tablet 1 mg	2	MO; QL (480 per 30 days)
repaglinide oral tablet 2 mg	2	MO; QL (240 per 30 days)
repaglinide- metformin	2	MO; QL (150 per 30 days)
RIOMET	3	MO; QL (765 per 30 days)
RYBELSUS	3	PA; MO
SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5- 1,000 MG, 7.5-500 MG	3	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SEGLUROMET ORAL TABLET 2.5-500 MG	3	MO; QL (120 per 30 days)
SOLIQUA 100/33	3	MO
STEGLATRO	3	MO; QL (30 per 30 days)
SYMLINPEN 120	5	PA; MO; QL (10.8 per 30 days)
SYMLINPEN 60	5	PA; MO; QL (6 per 30 days)
TECHLITE INSULIN SYR HALF UNIT	3	
TECHLITE INSULIN SYRINGE	3	
TECHLITE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/16", 32 GAUGE X 5/32"	3	MO
TECHLITE PEN NEEDLE 29 GAUGE X 3/8"	3	
TOUJEO MAX U-300 SOLOSTAR	3	MO
TOUJEO SOLOSTAR U-300 INSULIN	3	MO
TRADJENTA	4	ST; MO; QL (30 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
TRUEPLUS INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	3	
TRUEPLUS INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16"	3	MO
TRUEPLUS PEN NEEDLE	3	MO
TRULICITY	3	PA; MO; QL (2 per 28 days)
V-GO 20	3	MO
V-GO 30	3	MO
V-GO 40	3	MO
VICTOZA 2-PAK	3	PA; MO; QL (9 per 30 days)
VICTOZA 3-PAK	3	PA; MO; QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5- 500 MG	3	MO; QL (60 per 30 days)
XULTOPHY 100/3.6	5	MO; QL (15 per 30 days)
<b>MISCELLANEOUS HORMONES</b>		
ALDURAZYME	5	PA; MO
ANDRODERM	3	PA; MO; QL (30 per 30 days)
<i>cabergoline</i>	2	MO
<i>calcitonin (salmon)</i>	2	MO
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	MO
<i>calcitriol oral</i>	2	MO
CERDELGA	5	MO
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	PA; MO
<i>cinacalcet oral tablet 30 mg</i>	2	MO
<i>cinacalcet oral tablet 60 mg, 90 mg</i>	5	MO
<i>clomiphene citrate</i>	2	PA; MO
CRYSVITA	5	PA; MO; LA
<i>danazol</i>	4	MO
DDAVP NASAL SOLUTION	3	MO
<i>desmopressin injection</i>	2	MO
<i>desmopressin nasal spray with pump</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>desmopressin nasal spray, non-aerosol</i>	2	MO
<i>desmopressin oral</i>	2	MO
<i>doxercalciferol intravenous</i>	2	
<i>doxercalciferol oral</i>	2	MO
ELAPRASE	5	PA; MO
FABRAZYME	5	PA; MO
KANUMA	5	PA; MO
KORLYM	5	PA; MO
KUVAN	5	PA; MO
LUMIZYME	5	PA; MO
MEPSEVII	5	PA; MO
<i>methyltestosterone oral capsule</i>	5	MO
MIACALCIN INJECTION	4	MO
<i>miglustat</i>	5	MO; LA
MYALEPT	5	PA; MO; LA
NAGLAZYME	5	PA; MO; LA
NATPARA	5	PA; MO; LA
<i>oxandrolone oral tablet 10 mg</i>	5	PA; MO
<i>oxandrolone oral tablet 2.5 mg</i>	2	PA; MO
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; MO; LA; QL (15 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	5	PA; MO; LA; QL (4 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; MO; LA; QL (60 per 30 days)
<i>pamidronate</i>	2	MO
<i>paricalcitol intravenous solution 2 mcg/ml</i>	2	
<i>paricalcitol intravenous solution 5 mcg/ml</i>	2	MO
<i>paricalcitol oral</i>	4	MO
SAMSCA	5	PA; MO
<i>sapropterin</i>	5	PA; MO
SOMAVERT	5	MO
STIMATE	3	MO
STRENSIQ	5	PA; MO; LA
SYNAREL	5	MO
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	2	PA; MO
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate</i>	2	PA; MO
<i>testosterone transdermal gel</i>	2	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>	2	PA; MO; QL (120 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	2	PA; MO; QL (37.5 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	2	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app</i>	2	PA; MO; QL (180 per 30 days)
<i>tolvaptan oral tablet 30 mg</i>	5	PA; MO
VIMIZIM	5	PA; MO; LA
<i>zoledronic acid intravenous solution</i>	2	B/D PA; MO
<i>zoledronic acid- mannitol-water intravenous piggyback 4 mg/100 ml</i>	2	B/D PA; MO
<b>THYROID HORMONES</b>		
<i>euthyrox</i>	1	MO
<i>levo-t</i>	1	
<i>levothyroxine intravenous recon soln</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>levothyroxine oral</i>	1	MO
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
<i>liothyronine</i>	2	MO
<i>unithroid</i>	1	MO

## GASTROENTEROLOGY

### ANTIDIARRHEALS / ANTISPASMODICS

<i>atropine injection solution 0.4 mg/ml</i>	2	MO
<i>atropine injection syringe 0.05 mg/ml</i>	2	
<i>atropine injection syringe 0.1 mg/ml</i>	2	MO
<i>dicyclomine intramuscular</i>	2	MO
<i>dicyclomine oral capsule</i>	2	MO
<i>dicyclomine oral solution</i>	2	MO
<i>dicyclomine oral tablet</i>	2	MO
<i>diphenoxylate- atropine</i>	2	MO
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2	
<i>glycopyrrolate injection</i>	2	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>glycopyrrolate oral tablet 1.5 mg</i>	2	
<i>loperamide oral capsule</i>	2	MO
<i>opium tincture</i>	2	MO
<b>MISCELLANEOUS GASTROINTESTINAL AGENTS</b>		
<i>alosetron</i>	5	MO
<i>aprepitant</i>	2	B/D PA; MO
<i>APRISO</i>	4	MO
<i>balsalazide</i>	2	MO
<i>budesonide oral capsule,delayed,exte nd.release</i>	2	MO
<i>budesonide oral tablet,delayed and ext.release</i>	5	MO
<i>CHENODAL</i>	5	PA; MO; LA
<i>CHOLBAM ORAL CAPSULE 250 MG</i>	5	PA; MO
<i>CHOLBAM ORAL CAPSULE 50 MG</i>	5	PA; MO; QL (120 per 30 days)
<i>CIMZIA</i>	5	PA; MO
<i>CIMZIA POWDER FOR RECONST</i>	5	PA; MO
<i>CIMZIA STARTER KIT</i>	5	PA; MO
<i>CINVANTI</i>	3	MO
<i>compro</i>	2	MO
<i>constulose</i>	2	MO
<i>CORTIFOAM</i>	3	MO
<i>CREON</i>	3	MO
<i>cromolyn oral</i>	2	MO
<i>CYSTADANE</i>	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>dimenhydrinate injection solution</i>	2	MO
DIPENTUM	5	MO
<i>doxylamine-pyridoxine (vit b6)</i>	2	MO
<i>dronabinol oral capsule 10 mg</i>	2	B/D PA; MO
<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	B/D PA; MO
<i>droperidol injection solution</i>	2	MO
EMEND ORAL SUSPENSION FOR RECONSTITUTION	3	B/D PA; MO
ENTYVIO	5	PA; MO
<i>enulose</i>	2	MO
<i>fosaprepitant</i>	2	MO
GATTEX 30-VIAL	5	PA; MO
GATTEX ONE-VIAL	5	PA; MO
<i>gavilyte-c</i>	2	MO
<i>gavilyte-g</i>	2	MO
<i>gavilyte-n</i>	2	MO
<i>generlac</i>	2	MO
<i>gransetron (pf) intravenous solution 1 mg/ml (1 ml)</i>	2	MO
<i>gransetron hcl intravenous</i>	2	MO
<i>gransetron hcl oral</i>	2	B/D PA; MO
<i>hydrocortisone rectal</i>	2	MO
<i>hydrocortisone topical cream with perineal applicator</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>hydrocortisone-pramoxine rectal cream 1-1 %</i>	2	MO
<i>lactulose oral solution</i>	2	MO
LINZESS	3	MO
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	MO
<i>mesalamine</i>	2	MO
<i>mesalamine with cleansing wipe</i>	2	MO
<i>metoclopramide hcl injection solution</i>	2	MO
<i>metoclopramide hcl injection syringe</i>	2	
<i>metoclopramide hcl oral solution</i>	2	MO
<i>metoclopramide hcl oral tablet</i>	1	MO
<i>metoclopramide hcl oral tablet,disintegrating</i>	2	MO
MOVANTIK	3	MO
MOVIPREP	4	MO
OCALIVA	5	PA; MO; LA; QL (30 per 30 days)
<i>ondansetron</i>	2	B/D PA; MO
<i>ondansetron hcl (pf)</i>	2	MO
<i>ondansetron hcl intravenous</i>	2	MO
<i>ondansetron hcl oral solution</i>	2	B/D PA; MO
<i>ondansetron hcl oral tablet 24 mg</i>	2	B/D PA
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>palonosetron intravenous solution 0.25 mg/5 ml</i>	2	MO
<i>palonosetron intravenous syringe</i>	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	MO
<i>peg3350-sod sulf-nacl-kcl-asb-c</i>	4	MO
<i>peg-electrolyte</i>	2	
<i>PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG</i>	3	MO
<i>PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG</i>	5	MO
<i>polyethylene glycol 3350 oral powder</i>	2	MO
<i>prochlorperazine</i>	2	MO
<i>prochlorperazine edisylate</i>	2	MO
<i>prochlorperazine maleate oral</i>	1	MO
<i>procto-med hc</i>	2	MO
<i>procto-pak</i>	2	MO
<i>proctosol hc topical</i>	2	MO
<i>proctozone-hc</i>	2	MO
<i>RECTIV</i>	3	MO
<i>RELISTOR SUBCUTANEOUS SOLUTION</i>	5	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>RELISTOR SUBCUTANEOUS SYRINGE</i>	5	MO
<i>REMICADE</i>	5	PA; MO
<i>SANCUSO</i>	5	MO
<i>scopolamine base</i>	2	MO
<i>SUCRAID</i>	5	PA; MO
<i>sulfasalazine</i>	2	MO
<i>SUPREP BOWEL PREP KIT</i>	3	MO
<i>SYMPROIC</i>	3	MO
<i>trilyte with flavor packets</i>	2	MO
<i>TRULANCE</i>	3	MO
<i>ursodiol</i>	2	MO
<i>VARUBI ORAL</i>	3	B/D PA; MO
<i>VIBERZI</i>	5	MO
<i>VIOKACE</i>	3	MO
<i>ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT</i>	3	MO
<b>ULCER THERAPY</b>		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
amoxicil-clarithromy-lansopraz	2	MO; QL (112 per 30 days)
cimetidine	2	MO
cimetidine hcl oral	2	MO
DEXILANT ORAL CAPSULE,BIPHAS E DELAYED RELEASE 30 MG	4	MO; QL (30 per 30 days)
DEXILANT ORAL CAPSULE,BIPHAS E DELAYED RELEASE 60 MG	4	MO
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	2	MO; QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	2	MO
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg	2	MO; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg	2	MO
esomeprazole sodium	2	
famotidine (pf)	2	MO
famotidine (pf)-nacl (iso-os)	2	MO
famotidine intravenous solution	2	MO
famotidine oral suspension	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
famotidine oral tablet 20 mg, 40 mg	1	MO
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	2	MO; QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	2	MO
misoprostol	2	MO
NEXIUM ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 2.5 MG, 20 MG, 5 MG	3	MO; QL (30 per 30 days)
NEXIUM ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	3	MO
nizatidine	2	MO
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg	1	MO; QL (30 per 30 days)
omeprazole oral capsule,delayed release(dr/ec) 40 mg	1	MO
pantoprazole intravenous	2	MO
pantoprazole oral granules dr for susp in packet	2	MO
pantoprazole oral tablet,delayed release (dr/ec) 20 mg	1	MO; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 40 mg	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
sucralfate	2	MO
<b>IMMUNOLOGY, VACCINES / BIOTECHNOLOGY</b>		
<b>BIOTECHNOLOGY DRUGS</b>		
ACTIMMUNE	5	B/D PA; MO
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 300 MCG/ML, 60 MCG/ML	5	PA; MO
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML	4	PA; MO
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42 ML, 40 MCG/0.4 ML	4	PA; MO
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML, 500 MCG/ML, 60 MCG/0.3 ML	5	PA; MO
ARCALYST	5	PA; MO
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
AVONEX INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (4 per 28 days)
BETASERON SUBCUTANEOUS KIT	5	PA; MO; QL (14 per 28 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; MO
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; MO
EXTAVIA SUBCUTANEOUS KIT	5	PA; MO; QL (15 per 28 days)
EXTAVIA SUBCUTANEOUS RECON SOLN	5	PA; QL (15 per 28 days)
FULPHILA	5	PA; MO
GRANIX	5	PA; MO
ILARIS (PF) SUBCUTANEOUS SOLUTION	5	PA; MO; LA
INTRON A INJECTION RECON SOLN	5	B/D PA; MO
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML	3	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML	5	B/D PA; MO	PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)
LEUKINE INJECTION RECON SOLN	5	PA; MO	PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)
MOZOBIL	5	B/D PA; MO	PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)
NEULASTA	5	PA; MO	PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
NEULASTA ONPRO	5	PA; MO	PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO
NEUPOGEN	5	PA; MO	PROLEUKIN	5	B/D PA; MO
NORDITROPIN FLEXPRO	5	PA; MO	REBIF (WITH ALBUMIN)	5	PA; MO; QL (6 per 28 days)
OMNITROPE	5	PA; MO	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; MO; QL (6 per 28 days)
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	QL (2 per 28 days)	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; MO; QL (4.2 per 180 days)
PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days)			
PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days)			
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	MO; QL (4 per 28 days)			
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)			

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
REBIF TITRATION PACK	5	PA; MO; QL (4.2 per 180 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	5	MO
ZARXIO	5	PA; MO
ZIEXTENZO	5	PA; MO
<b>VACCINES / MISCELLANEOUS IMMUNOLOGICALS</b>		
ACTHIB (PF)	3	MO
ADACEL(TDAP ADOLESN/ADULT )(PF)	3	MO
BCG VACCINE, LIVE (PF)	3	MO
BEXZERO	3	MO
BOOSTRIX TDAP	3	MO
BOTOX	3	PA; MO
DAPTACEL (DTAP PEDIATRIC) (PF)	3	MO
ENGERIX-B (PF)	3	B/D PA; MO
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	3	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
fomepizole	2	
GAMASTAN	3	MO
GAMASTAN S/D	3	
GARDASIL 9 (PF)	3	MO
GRASTEK	3	PA; MO
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	MO
HAVRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
HIBERIX (PF)	3	MO
HIZENTRA	5	B/D PA; MO
HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML	3	
HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML (5 ML)	3	MO
HYPERHEP B S/D INTRAMUSCULAR SYRINGE	3	
HYPERHEP B S-D NEONATAL	3	
HYQVIA	5	B/D PA; MO
IMOVAX RABIES VACCINE (PF)	3	MO
INFANRIX (DTAP) (PF)	3	MO
IPOL	3	MO
IXIARO (PF)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
KINRIX (PF) INTRAMUSCULAR SUSPENSION	3		RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML	3	B/D PA; MO
KINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO	RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML	3	B/D PA
MENACTRA (PF) INTRAMUSCULAR SOLUTION	3	MO	ROTARIX	3	
MENVEO A-C-Y-W-135-DIP (PF)	3	MO	ROTATEQ VACCINE	3	MO
M-M-R II (PF)	3	MO	SHINGRIX (PF)	3	MO
ODACTRA	3	PA; MO	STAMARIL (PF)	3	
PEDIARIX (PF)	3	MO	TDVAX	3	MO
PEDVAX HIB (PF)	3	MO	TENIVAC (PF)	3	MO
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	MO	TETANUS,DIPHTHERIA TOX PED(PF)	3	MO
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	3		TICE BCG	3	B/D PA; MO
PRIVIGEN	5	PA; MO	TRUMENBA	3	MO
PROQUAD (PF)	3	MO	TWINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
QUADRACEL (PF)	3	MO	TYPHIM VI INTRAMUSCULAR SOLUTION	3	
RABAVERT (PF)	3	MO	TYPHIM VI INTRAMUSCULAR SYRINGE	3	MO
RAGWITEK	3	MO	VAQTA (PF)	3	MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION	3	B/D PA; MO	VARIVAX (PF)	3	MO
			VARIZIG INTRAMUSCULAR SOLUTION	3	MO
			YF-VAX (PF)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ZOSTAVAX (PF)	3	MO
<b>MUSCULOSKELETAL / RHEUMATOLOGY</b>		
<b>GOUT THERAPY</b>		
<i>allopurinol</i>	1	MO
<i>allopurinol sodium</i>	2	
<i>aloprim</i>	2	
<i>colchicine oral tablet</i>	2	MO
COLCRYS	3	MO
<i>febuxostat</i>	2	MO
KRYSTEXXA	5	MO
MITIGARE	3	MO
<i>probenecid</i>	2	MO
<i>probenecid-colchicine</i>	2	MO
ULORIC	3	MO
<b>OSTEOPOROSIS THERAPY</b>		
<i>alendronate oral solution</i>	2	MO; QL (1286 per 30 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	MO; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	MO; QL (4 per 28 days)
FORTEO	5	PA; MO; QL (2.4 per 28 days)
FOSAMAX PLUS D	4	ST; MO; QL (4 per 28 days)
<i>ibandronate intravenous</i>	2	PA; MO
<i>ibandronate oral</i>	2	MO; QL (1 per 30 days)
PROLIA	3	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>raloxifene</i>	2	MO
<i>risedronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	MO; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i>	2	MO; QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (dr/ec)</i>	2	MO; QL (4 per 28 days)
TERIPARATIDE	5	PA; MO; QL (2.48 per 28 days)
TYMLOS	5	PA; MO; QL (1.56 per 30 days)
<b>OTHER RHEUMATOLOGICALS</b>		
ACTEMRA	5	PA; MO
ACTEMRA ACTPEN	5	PA; MO; QL (4 per 28 days)
BENLYSTA	5	PA; MO
DEPEN TITRATABS	5	MO
ENBREL MINI	5	PA; MO; QL (8 per 28 days)
ENBREL SUBCUTANEOUS RECON SOLN	5	PA; MO; QL (16 per 28 days)
ENBREL SUBCUTANEOUS SOLUTION	5	PA; MO; QL (8 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days)
ENBREL SURECLICK	5	PA; MO; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
HUMIRA PEN	5	PA; MO; QL (4 per 28 days)
HUMIRA PEN CROHNS-UC-HS START	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN PSOR-UVEITS- ADOL HS	5	PA; MO; QL (4 per 180 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; MO; QL (2 per 180 days)
HUMIRA(CF) PEN CROHNS-UC-HS	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS	5	PA; MO; QL (3 per 180 days)
HUMIRA(CF) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
<i>leflunomide</i>	2	MO; QL (30 per 30 days)
ORENCIA	5	PA; MO
ORENCIA (WITH MALTOSE)	5	PA; MO
ORENCIA CLICKJECT	5	PA; MO
OTEZLA	5	PA; MO
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47)	5	PA; MO
<i>penicillamine</i>	5	MO
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	MO
RIDAURA	5	MO
RINVOQ	5	PA; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SAVELLA ORAL TABLET	3	MO; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK	3	MO; QL (55 per 30 days)
SIMPONI	5	PA; MO
SIMPONI ARIA	5	PA; MO
XELJANZ	5	PA; MO; QL (60 per 30 days)
XELJANZ XR	5	PA; MO; QL (30 per 30 days)

## OBSTETRICS / GYNECOLOGY

### ESTROGENS / PROGESTINS

camila	2	MO
CRINONE VAGINAL GEL 4 %	4	MO
CRINONE VAGINAL GEL 8 %	4	PA; MO
deblitane	2	MO
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	MO
DEPO-SUBQ PROVERA 104	4	MO
dotti	2	PA; MO; QL (8 per 28 days)
DUAVEE	3	MO
errin	2	MO
estradiol oral	4	PA; MO
estradiol transdermal patch semiweekly	2	PA; MO; QL (8 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>estradiol transdermal patch weekly</i>	2	PA; MO; QL (4 per 28 days)
<i>estradiol vaginal</i>	2	MO
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	MO
<i>estradiol-norethindrone acet</i>	2	PA; MO
ESTRING	3	MO
<i>heather</i>	2	MO
<i>hydroxyprogesterone caproate</i>	5	MO
<i>incassia</i>	2	MO
<i>jencycla</i>	2	MO
<i>lyza</i>	2	MO
<i>medroxyprogesterone</i>	2	MO
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	3	PA; MO
<i>nora-be</i>	2	MO
<i>norethindrone (contraceptive)</i>	2	MO
<i>norethindrone acetate</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA; MO
<i>norlyda</i>	2	MO
PREMARIN ORAL	3	MO
PREMARIN VAGINAL	3	MO
PREMPHASE	3	MO
PREMPRO	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>progesterone</i>	2	MO
<i>progesterone micronized</i>	2	MO
<i>sharobel</i>	2	MO
<i>tulana</i>	2	MO
<i>yuvafem</i>	2	MO
<b>MISCELLANEOUS OB/GYN</b>		
CLEOCIN VAGINAL SUPPOSITORY	3	MO
<i>clindamycin phosphate vaginal</i>	2	MO
<i>eluryng</i>	2	MO
<i>etonogestrel-ethynodiol estradiol</i>	2	MO
<i>metronidazole vaginal</i>	2	MO
<i>miconazole-3 vaginal suppository</i>	2	MO
<i>mifepristone</i>	2	LA
MIRENA	3	MO; LA
NEXPLANON	3	MO
<i>terconazole</i>	2	MO
<i>tranexamic acid oral</i>	2	MO
<i>vandazole</i>	2	MO
<i>xulane</i>	2	MO
<b>ORAL CONTRACEPTIVES / RELATED AGENTS</b>		
<i>altavera (28)</i>	2	MO
<i>alyacen 1/35 (28)</i>	2	MO
<i>alyacen 7/7/7 (28)</i>	2	MO
<i>amethyst (28)</i>	2	MO
<i>apri</i>	2	MO
<i>aranelle (28)</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>aubra</i>	2	MO
<i>aubra eq</i>	2	MO
<i>aviane</i>	2	MO
<i>azurette (28)</i>	2	MO
<i>bekyree (28)</i>	2	MO
<i>camrese</i>	2	MO
<i>caziant (28)</i>	2	MO
<i>cryselle (28)</i>	2	MO
<i>cyclafem 1/35 (28)</i>	2	MO
<i>cyclafem 7/7/7 (28)</i>	2	MO
<i>cyred</i>	2	MO
<i>cyred eq</i>	2	MO
<i>dasetta 1/35 (28)</i>	2	MO
<i>dasetta 7/7/7 (28)</i>	2	MO
<i>daysee</i>	2	MO
<i>desogestrel-estradiol/e.estradiol</i>	2	MO
<i>drospirenone-e.estradiol-lm,fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	2	MO
<i>drospirenone-ethynodiol estradiol</i>	2	MO
<i>elinest</i>	2	MO
<i>emoquette</i>	2	MO
<i>enpresse</i>	2	MO
<i>enskyce</i>	2	MO
<i>estarylla</i>	2	MO
<i>ethynodiol diacetate-estradiol</i>	2	
<i>falmina (28)</i>	2	MO
<i>fayosim</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>femynor</i>	2	MO
<i>gianvi (28)</i>	2	MO
<i>introvale</i>	2	MO
<i>isibloom</i>	2	MO
<i>jasmiel (28)</i>	2	MO
<i>jolessa</i>	2	MO
<i>juleber</i>	2	MO
<i>kalliga</i>	2	
<i>kariva (28)</i>	2	MO
<i>kelnor 1/35 (28)</i>	2	MO
<i>kelnor 1-50</i>	2	MO
<i>kurvelo (28)</i>	2	MO
<i>l norgest/e.estriadiol-e.estrad</i>	2	MO
<i>larin 1.5/30 (21)</i>	2	MO
<i>larin 1/20 (21)</i>	2	MO
<i>larin 24fe</i>	2	MO
<i>larin fe 1.5/30 (28)</i>	2	MO
<i>larin fe 1/20 (28)</i>	2	MO
<i>larissia</i>	2	MO
<i>lessina</i>	2	MO
<i>levonest (28)</i>	2	MO
<i>levonorgestrel-ethinyl estrad</i>	2	MO
<i>levonorg-eth estrad triphasic</i>	2	MO
<i>levora-28</i>	2	MO
<i>lillow (28)</i>	2	MO
<i>loryna (28)</i>	2	MO
<i>low-ogestrel (28)</i>	2	MO
<i>lo-zumandimine (28)</i>	2	MO
<i>lutera (28)</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>marlissa (28)</i>	2	MO
<i>microgestin 1.5/30 (21)</i>	2	MO
<i>microgestin 1/20 (21)</i>	2	MO
<i>microgestinfe 1.5/30 (28)</i>	2	MO
<i>microgestinfe 1/20 (28)</i>	2	MO
<i>mili</i>	2	MO
<i>mono-linyah</i>	2	MO
<i>nikki (28)</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	MO
<i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	MO
<i>norgestimate-ethinyl estradiol</i>	2	MO
<i>nortrel 0.5/35 (28)</i>	2	MO
<i>nortrel 1/35 (21)</i>	2	MO
<i>nortrel 1/35 (28)</i>	2	MO
<i>nortrel 7/7/7 (28)</i>	2	MO
<i>orsythia</i>	2	MO
<i>philith</i>	2	MO
<i>pimtrea (28)</i>	2	MO
<i>pirmella</i>	2	MO
<i>portia 28</i>	2	MO
<i>previfem</i>	2	MO
<i>reclipsen (28)</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>setlakin</i>	2	MO
<i>sprintec (28)</i>	2	MO
<i>sronyx</i>	2	MO
<i>syeda</i>	2	MO
<i>tarina 24 fe</i>	2	MO
<i>tarina fe 1/20 (28)</i>	2	MO
<i>tarina fe 1-20 eq (28)</i>	2	MO
<i>tilia fe</i>	2	MO
<i>tri-femynor</i>	2	MO
<i>tri-estarrylla</i>	2	MO
<i>tri-legest fe</i>	2	MO
<i>tri-linyah</i>	2	MO
<i>tri-lo-estarrylla</i>	2	MO
<i>tri-lo-marzia</i>	2	MO
<i>tri-lo-sprintec</i>	2	MO
<i>tri-previfem (28)</i>	2	MO
<i>tri-sprintec (28)</i>	2	MO
<i>trivora (28)</i>	2	MO
<i>velvet triphasic regimen (28)</i>	2	MO
<i>vienna</i>	2	MO
<i>viorele (28)</i>	2	MO
<i>wera (28)</i>	2	MO
<i>zarah</i>	2	MO
<i>zovia 1/35e (28)</i>	2	MO
<i>zumandimine (28)</i>	2	MO
<b>OXYTOCICS</b>		
<i>methergine</i>	2	PA
<i>methylergonovine injection</i>	2	PA

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>methylergonovine oral</i>	2	PA; MO
<i>oxytocin injection solution</i>	2	MO
<b>OPHTHALMOLOGY</b>		
<b>ANTIBIOTICS</b>		
<i>ak-poly-bac</i>	2	MO
<i>AZASITE</i>	3	MO
<i>bacitracin ophthalmic (eye)</i>	2	MO
<i>bacitracin-polymyxin b ophthalmic (eye)</i>	2	MO
<i>BESIVANCE</i>	3	MO
<i>ciprofloxacin hcl ophthalmic (eye)</i>	2	MO
<i>erythromycin ophthalmic (eye)</i>	2	MO
<i>gatifloxacin</i>	2	MO
<i>gentak ophthalmic (eye) ointment</i>	2	MO
<i>gentamicin ophthalmic (eye) drops</i>	2	MO
<i>levofloxacin ophthalmic (eye)</i>	2	MO
<i>moxifloxacin ophthalmic (eye)</i>	2	MO
<i>NATACYN</i>	3	MO
<i>neomycin-bacitracin-polymyxin</i>	2	MO
<i>neomycin-polymyxin-gramicidin</i>	2	MO
<i>neo-polycin</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>ofloxacin ophthalmic (eye)</i>	2	MO
<i>polycin</i>	2	MO
<i>polymyxin b sulf-trimethoprim</i>	2	MO
<i>tobramycin ophthalmic (eye)</i>	2	MO
<b>ANTIVIRALS</b>		
<i>trifluridine</i>	2	MO
<i>ZIRGAN</i>	4	MO
<b>BETA-BLOCKERS</b>		
<i>betaxolol ophthalmic (eye)</i>	2	MO
<i>carteolol</i>	2	MO
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	MO
<i>timolol maleate ophthalmic (eye) drops</i>	1	MO
<i>timolol maleate ophthalmic (eye) drops, once daily</i>	2	MO
<i>timolol maleate ophthalmic (eye) gel forming solution</i>	2	MO
<b>MISCELLANEOUS OPHTHALMOLOGICS</b>		
<i>atropine ophthalmic (eye) drops</i>	2	MO
<i>azelastine ophthalmic (eye)</i>	2	MO
<i>balanced salt</i>	2	
<i>BEPREVE</i>	4	MO
<i>BLEPHAMIDE</i>	4	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>BLEPHAMIDE S.O.P.</i>	4	MO
<i>bss</i>	2	MO
<i>cromolyn ophthalmic (eye)</i>	2	MO
<i>CYSTARAN</i>	5	PA; MO
<i>epinastine</i>	2	MO
<i>EYLEA</i>	5	PA; MO
<i>LASTACAFT</i>	4	MO
<i>LUCENTIS</i>	5	PA; MO
<i>olopatadine ophthalmic (eye)</i>	2	MO
<i>OXERVATE</i>	5	PA; MO
<i>PAZEO</i>	3	MO
<i>PHOSPHOLINE IODIDE</i>	3	MO
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	MO
<i>RESTASIS</i>	3	MO; QL (60 per 30 days)
<i>RESTASIS MULTIDOSE</i>	3	MO; QL (5.5 per 30 days)
<i>sulfacetamide sodium ophthalmic (eye)</i>	2	MO
<i>sulfacetamide-prednisolone</i>	2	MO
<b>NON-STEROIDAL ANTI-INFLAMMATORY AGENTS</b>		
<i>bromfenac</i>	2	MO
<i>BROMSITE</i>	3	MO
<i>diclofenac sodium ophthalmic (eye)</i>	2	MO
<i>flurbiprofen sodium</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ILEVRO	3	MO
<i>ketorolac ophthalmic (eye)</i>	2	MO
PROLENSA	3	MO
<b>ORAL DRUGS FOR GLAUCOMA</b>		
<i>acetazolamide</i>	2	MO
<i>acetazolamide sodium</i>	2	MO
<i>methazolamide</i>	2	MO
<b>OTHER GLAUCOMA DRUGS</b>		
<i>bimatoprost ophthalmic (eye)</i>	2	MO
COMBIGAN	3	MO
<i>dorzolamide</i>	2	MO
<i>dorzolamide-timolol</i>	2	MO
<i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette</i>	2	MO
<i>latanoprost</i>	2	MO
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	MO
<i>miostat</i>	2	
RHOPRESSA	3	MO
ROCKLATAN	3	MO
SIMBRINZA	4	MO
TRAVATAN Z	3	MO
<i>travoprost</i>	2	MO
ZIOPTAN (PF)	4	ST; MO
<b>STEROID-ANTIBIOTIC COMBINATIONS</b>		
<i>neomycin-bacitracin-poly-hc</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>neomycin-polymyxin b-dexameth</i>	2	MO
<i>neomycin-polymyxin-hc ophthalmic (eye)</i>	2	MO
<i>neo-polycin hc</i>	2	MO
<i>tobramycin-dexamethasone</i>	2	MO
ZYLET	3	MO
<b>STEROIDS</b>		
ALREX	4	MO
<i>dexamethasone sodium phosphate ophthalmic (eye)</i>	2	MO
<i>fluorometholone</i>	2	MO
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL	3	MO
LOTEMAX OPHTHALMIC (EYE) OINTMENT	3	MO
LOTEMAX SM	3	MO
<i>loteprednol etabonate</i>	2	MO
OZURDEX	5	MO
<i>prednisolone acetate</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye)</i>	2	MO
<b>SYMPATHOMIMETICS</b>		
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	MO
<i>apraclonidine</i>	2	MO
<i>brimonidine</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
IOPIDINE OPHTHALMIC (EYE) DROPPERETTE	4	MO
<b>RESPIRATORY AND ALLERGY</b>		
<b>ANTIHISTAMINE / ANTIALLERGENIC AGENTS</b>		
<i>adrenalin injection</i>	2	MO
<i>cetirizine oral solution 1 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection syringe</i>	2	MO
<i>diphenhydramine hcl oral elixir</i>	2	PA
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)</i>	2	MO; QL (2 per 30 days)
EPIPEN	3	MO; QL (2 per 30 days)
EPIPEN 2-PAK	3	MO; QL (2 per 30 days)
EPIPEN JR	3	MO; QL (2 per 30 days)
EPIPEN JR 2-PAK	3	MO; QL (2 per 30 days)
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO
<i>levocetirizine oral solution</i>	2	MO
<i>levocetirizine oral tablet</i>	2	MO; QL (30 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>promethazine injection solution</i>	4	MO
<i>promethazine oral</i>	4	PA; MO
SYMJEPI	4	MO; QL (2 per 30 days)
<b>PULMONARY AGENTS</b>		
<i>acetylcysteine</i>	2	B/D PA; MO
ADEMPAS	5	PA; MO; LA
ADVAIR DISKUS	3	MO; QL (60 per 30 days)
ADVAIR HFA	3	MO; QL (12 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	2	MO; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	MO; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization</i>	2	B/D PA; MO
<i>albuterol sulfate oral syrup</i>	2	MO
<i>albuterol sulfate oral tablet</i>	4	MO
<i>albuterol sulfate oral tablet extended release 12 hr</i>	4	MO
<i>alyq</i>	5	PA; MO; QL (60 per 30 days)
<i>ambrisentan</i>	5	PA; MO; LA
ANORO ELLIPTA	3	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ARNUTITY ELLIPTA	3	MO; QL (30 per 30 days)	BREZTRI AEROSPHERE	3	MO; QL (10.7 per 30 days)
ASMANEX HFA	3	MO; QL (13 per 30 days)	<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	B/D PA; MO; QL (120 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	MO; QL (1 per 30 days)	<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	2	B/D PA; MO; QL (60 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120)	3	MO; QL (2 per 30 days)	CINRYZE	5	PA; MO
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	3	QL (2 per 28 days)	COMBIVENT RESPIMAT	3	MO; QL (8 per 30 days)
ATROVENT HFA	3	MO; QL (25.8 per 30 days)	<i>cromolyn inhalation</i>	2	B/D PA; MO
<i>azelastine-fluticasone</i>	2	MO; QL (23 per 30 days)	DALIRESP ORAL TABLET 250 MCG	4	PA; MO; QL (30 per 30 days)
BEVESPI AEROSPHERE	3	MO; QL (10.7 per 30 days)	DALIRESP ORAL TABLET 500 MCG	4	PA; MO
<i>bosentan</i>	5	PA; MO; LA	DULERA	3	MO; QL (13 per 30 days)
BREO ELLIPTA	3	MO; QL (60 per 30 days)	DYMISTA	3	MO; QL (23 per 30 days)
			ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML	4	MO
			ESBRIET ORAL CAPSULE	5	PA; MO; QL (270 per 30 days)
			ESBRIET ORAL TABLET 267 MG	5	PA; MO; QL (270 per 30 days)
			ESBRIET ORAL TABLET 801 MG	5	PA; MO; QL (90 per 30 days)
			FASENRA	5	PA; MO
			FASENRA PEN	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
FIRAZYR	5	PA; MO
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION , 50 MCG/ACTUATION	3	MO; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	MO; QL (240 per 30 days)
FLOVENT HFA AEROSOL INHALER 110 MCG/ACTUATION	3	MO; QL (12 per 30 days)
FLOVENT HFA AEROSOL INHALER 220 MCG/ACTUATION	3	MO; QL (24 per 30 days)
FLOVENT HFA AEROSOL INHALER 44 MCG/ACTUATION	3	MO; QL (10.6 per 30 days)
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	2	MO; QL (50 per 30 days)
<i>fluticasone propionate nasal</i>	2	MO; QL (16 per 30 days)
HAEGARDA	5	PA; MO; LA
<i>icatibant</i>	5	PA; MO
INCRUSE ELLIPTA	3	MO; QL (30 per 30 days)
<i>ipratropium bromide inhalation</i>	2	B/D PA; MO
<i>ipratropium-albuterol</i>	2	B/D PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
KALYDECO ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)
KALYDECO ORAL TABLET	5	PA; MO; QL (60 per 30 days)
<i>levalbuterol hcl</i>	2	B/D PA; MO
<i>metaproterenol oral syrup</i>	2	MO
<i>mometasone nasal</i>	2	MO; QL (34 per 30 days)
<i>montelukast</i>	2	MO
OFEV	5	PA; MO; QL (60 per 30 days)
OPSUMIT	5	PA; MO; LA
ORKAMBI ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)
ORKAMBI ORAL TABLET	5	PA; MO; QL (112 per 28 days)
PERFOROMIST	3	B/D PA; MO
PROAIR HFA	3	MO; QL (17 per 30 days)
PROAIR RESPICLICK	3	MO; QL (2 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION	3	MO; QL (2 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	MO; QL (1 per 30 days)
PULMOZYME	5	B/D PA; MO
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION	3	MO; QL (4.9 per 30 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION	3	MO; QL (8.7 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION	3	MO; QL (10.6 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION	3	MO; QL (21.2 per 30 days)
SEREVENT DISKUS	3	MO; QL (60 per 30 days)
<i>sildenafil</i> <i>(pulmonary arterial hypertension)</i> <i>intravenous solution</i> <i>10 mg/12.5 ml</i>	5	PA

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>sildenafil</i> <i>(pulmonary arterial hypertension) oral suspension for reconstitution 10 mg/ml</i>	5	PA; MO; QL (224 per 30 days)
<i>sildenafil</i> <i>(pulmonary arterial hypertension) oral tablet 20 mg</i>	2	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT	3	MO; QL (4 per 30 days)
SPIRIVA WITH HANDIHALER	3	MO; QL (90 per 90 days)
STIOLTO RESPIMAT	3	MO; QL (4 per 30 days)
STRIVERDI RESPIMAT	3	MO; QL (4 per 30 days)
SYMBICORT	3	MO; QL (10.2 per 30 days)
SYMDEKO	5	PA; MO; QL (56 per 28 days)
<i>tadalafil</i> <i>(pulmonary arterial hypertension) oral tablet 20 mg</i>	5	PA; MO; QL (60 per 30 days)
terbutaline	2	MO
THEO-24	3	MO
<i>theophylline oral elixir</i>	2	
<i>theophylline oral solution</i>	2	MO
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>theophylline oral tablet extended release 24 hr</i>	2	MO
TRIKAFTA	5	PA; MO
TYVASO	5	B/D PA; MO
TYVASO INSTITUTIONAL START KIT	5	B/D PA
TYVASO REFILL KIT	5	B/D PA; MO
TYVASO STARTER KIT	5	B/D PA; MO
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (6 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; LA; QL (4 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; QL (1 per 28 days)
<i>zafirlukast</i>	2	MO
ZYFLO	5	MO
<b>UROLOGICALS</b>		
<b>ANTICHOLINERGICS / ANTISPASMODICS</b>		
<i>flavoxate</i>	2	MO
MYRBETRIQ	3	MO
<i>oxybutynin chloride</i>	2	MO
<i>solifenacin</i>	2	MO
<i>tolterodine</i>	2	MO
TOVIAZ	3	MO
<i>trospium</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY</b>		
<i>alfuzosin</i>	2	MO
<i>dutasteride</i>	2	MO
<i>dutasteride-tamsulosin</i>	2	MO
<i>finasteride oral tablet 5 mg</i>	2	MO
<i>silodosin</i>	2	MO
<i>tamsulosin</i>	1	MO
<b>MISCELLANEOUS UROLOGICALS</b>		
<i>alprostadil</i>	2	MO
<i>bethanechol chloride</i>	2	MO
CYSTAGON	3	PA; MO; LA
ELMIRON	3	MO
<i>glycine urologic solution</i>	2	
<i>glycine urologic solution</i>	2	
K-PHOS NO 2	3	MO
K-PHOS ORIGINAL	3	MO
<i>potassium citrate</i>	2	MO
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	3	MO
<i>tadalafil oral tablet 2.5 mg, 5 mg</i>	2	PA; MO; QL (30 per 30 days)
<b>VITAMINS, HEMATINICS / ELECTROLYTES</b>		
<b>BLOOD DERIVATIVES</b>		
<i>albumin, human 25 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
aluminar 25 %	2	MO
alburx (human) 25 %	2	MO
alburx (human) 5 %	2	
albutein 25 %	2	
albutein 5 %	2	
plasbumin 25 %	2	MO
plasbumin 5 %	2	
<b>ELECTROLYTES</b>		
calcium acetate(phosphat bind)	2	MO
calcium chloride	2	
calcium gluconate intravenous	2	MO
effer-k oral tablet, effervescent 25 meq	2	MO
klor-con 10	1	MO
klor-con 8	1	MO
klor-con m10	1	MO
klor-con m15	2	MO
klor-con m20	1	MO
klor-con oral packet 20	2	MO
klor-con/ef	2	MO
K-TAB ORAL TABLET EXTENDED RELEASE 20 MEQ	4	MO
k-tab oral tablet extended release 8 meq	1	MO
lactated ringers intravenous	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
magnesium chloride injection	2	MO
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	
magnesium sulfate in water intravenous parenteral solution	2	
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)	2	
magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)	2	MO
magnesium sulfate injection solution	2	MO
magnesium sulfate injection syringe	2	
NORMOSOL-R	3	MO
potassium acetate intravenous solution 2 meq/ml	2	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l	2	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml</i>	2	MO
<i>potassium chloride in water intravenous piggyback 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2	
<i>potassium chloride intravenous</i>	2	MO
<i>potassium chloride oral capsule, extended release</i>	1	MO
<i>potassium chloride oral liquid</i>	2	MO
<i>potassium chloride oral packet</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>potassium chloride oral tablet extended release</i>	1	MO
<i>potassium chloride oral tablet,er particles/crystals</i>	1	MO
<i>potassium chloride- 0.45 % nacl</i>	2	
<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride- d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride- d5-0.9%nacl</i>	2	
<i>potassium phosphate m-/d-basic intravenous solution 3 mmol/ml</i>	2	
<i>ringer's intravenous</i>	2	
<i>sodium acetate</i>	2	
<i>sodium bicarbonate intravenous solution 1 meq/ml (8.4 %)</i>	2	MO
<i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
sodium bicarbonate intravenous syringe 8.4 % (1 meq/ml)	2	
sodium chloride 0.45 % intravenous parenteral solution	2	MO
sodium chloride 3 %	2	MO
sodium chloride 5 %	2	MO
sodium chloride intravenous	2	MO
sodium phosphate	2	MO
<b>MISCELLANEOUS NUTRITION PRODUCTS</b>		
AMINOSYN II 10 %	3	B/D PA
AMINOSYN II 15 %	3	B/D PA
AMINOSYN-PF 7 % (SULFITE-FREE)	3	B/D PA
CLINIMIX 5%/D15W SULFITE FREE	3	B/D PA
CLINIMIX 4.25%/D10W SULF FREE	3	B/D PA
CLINIMIX 5%-D20W(SULFITE-FREE)	3	B/D PA
electrolyte-48 in d5w	2	
freamine iii 10 %	2	B/D PA
HEPATAMINE 8%	3	B/D PA

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
intralipid intravenous emulsion 20 %	2	B/D PA
IONOSOL-MB IN D5W	3	
ISOLYTE S PH 7.4	3	
ISOLYTE-P IN 5 % DEXTROSE	3	
ISOLYTE-S	3	
NEPHRAMINE 5.4 %	3	B/D PA
NORMOSOL-R PH 7.4	3	
PLASMA-LYTE 148	3	
PLASMA-LYTE A	3	
plasmanate	2	
plenamine	2	B/D PA
premasol 10 %	2	B/D PA; MO
travasol 10 %	4	B/D PA; MO
TROPHAMINE 10 %	3	B/D PA; MO
<b>VITAMINS / HEMATINICS</b>		
fluoride (sodium) oral tablet	2	MO
fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)	2	MO
prenatal vitamin oral tablet	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

# Index

<b>A</b>	
abacavir .....	2
abacavir-lamivudine .....	2
abacavir-lamivudine-zidovudine .....	2
ABELCET .....	2
ABILIFY MAINTENA .....	31
abiraterone .....	12
ABRAXANE .....	12
acamprosate .....	48
acarbose .....	52
acebutolol .....	37
acetaminophen-caff-dihydrocod .....	26
acetaminophen-codeine ..	26, 27
acetazolamide .....	74
acetazolamide sodium .....	74
acetic acid .....	48, 51
acetylcysteine .....	48, 75
acitretin .....	44
ACTEMRA .....	67
ACTEMRA ACTPEN .....	67
ACTHIB (PF) .....	65
ACTIMMUNE .....	63
acyclovir .....	2, 47
acyclovir sodium .....	2
ADACEL(TDAP ADOLESN/ADULT)(PF) .....	65
ADASUVE .....	31
ADCETRIS .....	12
adefovir .....	2
ADEMPAS .....	75
adenosine .....	36
adrenalin .....	75
adriamycin .....	12
adrucil .....	12
ADVAIR DISKUS .....	75
ADVAIR HFA .....	75
AFINITOR .....	12
AFINITOR DISPERZ .....	12
AIMOVIG AUTOINJECTOR .....	24
ak-poly-bac .....	72
ala-cort .....	47
albendazole .....	7
albumin, human 25 %.....	79
albuminar 25 % .....	80
alburx (human) 25 %.....	80
alburx (human) 5 %.....	80
albutein 25 %.....	80
albutein 5 %.....	80
albuterol sulfate .....	75
alclometasone .....	47
ALCOHOL PADS .....	52
ALDURAZYME .....	57
ALECENSA .....	12
alendronate .....	67
alfuzosin .....	79
ALIMTA .....	12
ALINIA .....	7
ALIQOPA .....	12
aliskiren .....	37
allopurinol .....	67
allopurinol sodium.....	67
aloprim .....	67
alosetron .....	59
ALPHAGAN P .....	74
alprostadiol .....	79
ALREX .....	74
altavera (28) .....	70
ALUNBRIG .....	12
alyacen 1/35 (28) .....	70
alyacen 7/7/7 (28) .....	70
alyq .....	75
amantadine hcl .....	2
AMBISOME .....	2
ambrisentan .....	75
amethyst (28) .....	70
AMICAR .....	40
amikacin .....	7
amiloride .....	37
amiloride-hydrochlorothiazide .....	37
aminocaproic acid .....	40
AMINOSYN II 10 % .....	82
AMINOSYN II 15 % .....	82
AMINOSYN-PF 7 % (SULFITE-FREE) .....	82
amiodarone .....	36
amitriptyline .....	31
amlodipine .....	37
amlodipine-atorvastatin .....	42
amlodipine-benazepril .....	37
amlodipine-olmesartan .....	37
amlodipine-valsartan .....	37
amlodipine-valsartan-hcthiazid .....	37
ammonium lactate .....	44
amnesteem .....	45
amoxapine .....	31
amoxicil-clarithromy-lansopraz .....	62
amoxicillin .....	9
amoxicillin-pot clavulanate ..	9
amphotericin b .....	2
ampicillin .....	9
ampicillin sodium .....	9
ampicillin-sulbactam .....	9
anagrelide .....	48
anastrozole .....	12
ANDRODERM .....	57
ANORO ELLIPTA .....	75
APIDRA SOLOSTAR U-100 INSULIN .....	52
APIDRA U-100 INSULIN .....	52
APOKYN .....	24
apraclonidine .....	74
aprepitant .....	59
apri .....	70
APRISO .....	59
APTIOM .....	21
APTIVUS .....	2
APTIVUS (WITH VITAMIN E) .....	2
ARALAST NP .....	48
aranelle (28) .....	70
ARANESP (IN POLYSORBATE) .....	63
ARCALYST .....	63
ARIKAYCE .....	7
ariPIPrazole .....	31
ARISTADA .....	31
ARISTADA INITIO .....	31
armodafinil .....	31
ARNUITY ELLIPTA .....	76
ARRANON .....	12
arsenic trioxide .....	12
ARSENIC TRIOXIDE .....	12

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

ARZERRA .....	12
ASMANEX HFA .....	76
ASMANEX TWISTHALER	76
aspirin-dipyridamole .....	40
atazanavir .....	2
atenolol .....	37
atenolol-chlorthalidone.....	37
atomoxetine .....	31
atorvastatin .....	42
atovaquone .....	7
atovaquone-proguanil.....	7
ATRIPLA .....	2
atropine.....	59, 73
ATROVENT HFA .....	76
AUBAGIO .....	25
aubra .....	70
aubra eq .....	70
AVASTIN .....	12
aviane .....	70
avita .....	45
AVONEX .....	63
AYVAKIT.....	12
azacitidine.....	12
AZASITE .....	72
azathioprine .....	12
azathioprine sodium .....	12
azelaic acid .....	45
azelastine .....	50, 73
azelastine-fluticasone .....	76
azithromycin.....	6
aztreonam .....	7
azurette (28).....	70
<b>B</b>	
bacitracin .....	7, 72
bacitracin-polymyxin b .....	72
baclofen .....	26
balanced salt .....	73
balsalazide .....	59
BALVERSA.....	12
BANZEL .....	21
BAQSIMI .....	52
BARACLUDE .....	2
BAVENCIO .....	12
BCG VACCINE, LIVE (PF)	65
bekyree (28).....	70
BELBUCA .....	27
BELEODAQ .....	12
benazepril .....	37
benazepril-hydrochlorothiazide .....	37
BENDEKA .....	12
BENLYSTA .....	67
BENZNIDAZOLE .....	7
benztropine .....	24
BEPREVE .....	73
BESIVANCE .....	72
BESPONSA.....	12
betamethasone acet,sod phos	51
betamethasone dipropionate.	47
betamethasone valerate.....	47
betamethasone, augmented...	47
BETASERON .....	63
betaxolol .....	37, 73
bethanechol chloride.....	79
BETHKIS .....	7
BEVESPI AEROSPHERE .....	76
bexarotene .....	12
BEXSERO.....	65
bicalutamide .....	12
BICILLIN C-R .....	9
BICILLIN L-A .....	9
BICNU.....	12
BIDIL .....	37
BIKTARVY .....	3
bimatoprost.....	74
bisoprolol fumarate.....	37
bisoprolol-hydrochlorothiazide .....	37
BLENREP .....	12
bleomycin .....	12
BLEPHAMIDE .....	73
BLEPHAMIDE S.O.P.....	73
BLINCYTO .....	12
BOOSTRIX TDAP.....	65
BORTEZOMIB .....	12
bosentan.....	76
BOSULIF .....	13
BOTOX .....	65
BRAFTOVI .....	13
BREO ELLIPTA .....	76
BREZTRI AEROSPHERE .....	76
BRILINTA .....	40
brimonidine .....	74
BRIVIACT .....	21
bromfenac .....	73
bromocriptine .....	24
BROMSITE .....	73
BRUKINSA .....	13
bss .....	73
budesonide .....	59, 76
bumetanide .....	37
buprenorphine hcl .....	27
buprenorphine transdermal patch .....	27
buprenorphine-naloxone	29, 30
bupropion hcl.....	31
bupropion hcl (smoking deter) .....	50
buspirone .....	31
busulfan .....	13
butorphanol.....	30
BYDUREON .....	52
BYDUREON BCISE.....	52
BYETTA .....	52
BYNFEZIA .....	13
BYSTOLIC.....	37
<b>C</b>	
cabergoline .....	57
CABLIVI .....	40
CABOMETYX .....	13
caffeine citrate .....	48
calcipotriene .....	44
calcipotriene-betamethasone	44
calcitonin (salmon) .....	57
calcitriol .....	44, 57
calcium acetate(phosphat bind) .....	80
calcium chloride .....	80
calcium gluconate .....	80
CALQUENCE .....	13
camila .....	69
camrese .....	70
candesartan .....	37
candesartan-hydrochlorothiazid .....	37
CAPASTAT .....	7
CAPEX .....	47
CAPLYTA .....	31
CAPRELSA .....	13
captopril .....	37
captopril-hydrochlorothiazide .....	37
CARBAGLU .....	48
carbamazepine .....	21

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

carbidopa .....	24
carbidopa-levodopa .....	24
carbidopa-levodopa- entacapone .....	24
carbocaine (pf).....	44
carboplatin.....	13
cardioplegic soln .....	42
carmustine .....	13
carteolol.....	73
cartia xt.....	37
carvedilol.....	37
carvedilol phosphate.....	37
caspofungin .....	2
CAYSTON .....	7
caziant (28).....	70
cefaclor .....	5
cefadroxil.....	5
cefazolin .....	5
cefazolin in dextrose (iso-os) .5	
cefdinir .....	5
cefepime .....	6
cefepime in dextrose,iso-osm 5, 6	
cefixime .....	6
cefotetan .....	6
cefoxitin.....	6
cefoxitin in dextrose, iso-osm 6	
cefpodoxime .....	6
cefprozil.....	6
ceftazidime .....	6
ceftriaxone.....	6
ceftriaxone in dextrose,iso-os.6	
cefuroxime axetil.....	6
cefuroxime sodium .....	6
celecoxib.....	30
CELONTIN .....	21
cephalexin.....	6
CEPROTIN (BLUE BAR) ...40	
CEPROTIN (GREEN BAR) 40	
CERDELGA.....	57
CEREZYME .....	57
cetirizine .....	75
cevimeline .....	48
CHANTIX .....	50
CHANTIX CONTINUING MONTH BOX.....	50
CHANTIX STARTING MONTH BOX.....	50
CHEMET.....	48
CHENODAL .....	59
chloramphenicol sod succinate .....	7
chlorhexidine gluconate .....	50
chlorprocaine (pf).....	44
chloroquine phosphate.....	7
chlorothiazide .....	37
chlorothiazide sodium .....	37
chlorpromazine.....	31
chlorthalidone .....	38
CHOLBAM .....	59
cholestyramine (with sugar).42	
cholestyramine light .....	42
cyclolan .....	46
ciclopirox.....	46
cidofovir .....	3
cilostazol.....	40
CIMDUO.....	3
cimetidine .....	62
cimetidine hcl .....	62
CIMZIA .....	59
CIMZIA POWDER FOR RECONST .....	59
CIMZIA STARTER KIT .....	59
cinacalcet .....	57
CINRYZE.....	76
CINVANTI.....	59
CIPRODEX .....	51
ciprofloxacin.....	10
ciprofloxacin hcl.....	10, 51, 72
ciprofloxacin in 5 % dextrose .....	10
ciprofloxacin-dexamethasone .....	51
cisplatin .....	13
citalopram.....	31, 32
cladribine .....	13
claravis.....	45
clarithromycin .....	6
CLEOCIN.....	70
clindamycin hcl .....	7
clindamycin in 5 % dextrose ..7	
clindamycin pediatric .....	7
clindamycin phosphate ..7, 45, 46, 70	
CLINIMIX 5%/D15W SULFITE FREE .....	82
CLINIMIX 4.25%/D10W SULF FREE.....	82
CLINIMIX 4.25%/D5W SULFIT FREE.....	48
CLINIMIX 5%- D20W(SULFITE-FREE)..82	
clobazam .....	21
clobetasol .....	47
clobetasol-emollient .....	47
clodan .....	47
clofarabine .....	13
clomiphene citrate .....	57
clomipramine .....	32
clonazepam .....	21
clonidine .....	38
clonidine (pf) .....	30, 38
clonidine hcl .....	32, 38
clopидogrel .....	40
clorazepate dipotassium.....	32
clotrimazole .....	2, 46
clotrimazole-betamethasone	46
clovique .....	48
clozapine.....	32
COARTEM.....	7
colchicine.....	67
COLCRYS.....	67
colesevelam .....	42
colestipol.....	42
colistin (colistimethate na) ....7	
COMBIGAN .....	74
COMBIVENT RESPIMAT ..76	
COMETRIQ .....	13
COMPLERA .....	3
compro .....	59
CONDYLOX.....	44
constulose .....	59
COPAXONE .....	25
COPIKTRA .....	13
CORLANOR .....	43
CORTIFOAM.....	59
cortisone .....	51
COSENTYX .....	44
COSENTYX (2 SYRINGES) .....	44
COSENTYX PEN .....	44
COSENTYX PEN (2 PENS)44	
COSMEGEN .....	13
COTELLIC.....	13

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

CREON .....	59
CRESEMBIA .....	2
CRINONE .....	69
CRIXIVAN .....	3
cromolyn.....	59, 73, 76
crotan.....	48
cryselle (28).....	70
CRYSVITA.....	57
cyclafem 1/35 (28) .....	70
cyclafem 7/7/7 (28) .....	70
cyclobenzaprine.....	26
cyclophosphamide.....	13
CYCLOSET .....	52
cyclosporine .....	13
cyclosporine modified.....	13
CYRAMZA.....	13
cyred .....	70
cyred eq .....	70
CYSTADANE.....	59
CYSTAGON .....	79
CYSTARAN .....	73
cytarabine .....	13
cytarabine (pf) .....	13
<b>D</b>	
d10 %-0.45 % sodium chloride .....	48
d2.5 %-0.45 % sodium chloride.....	48
d5 % and 0.9 % sodium chloride.....	48
d5 %-0.45 % sodium chloride .....	49
dacarbazine.....	13
dactinomycin .....	13
dalfampridine .....	25
DALIRESP .....	76
danazol .....	57
dantrolene .....	26
dapsone.....	7, 46
DAPTACEL (DTAP PEDIATRIC) (PF).....	65
daptomycin .....	7
DAPTO MYCIN .....	7
DARAPRIM .....	7
DARZALEX .....	13
dasetta 1/35 (28).....	70
dasetta 7/7/7 (28).....	70
daunorubicin.....	13
DAURISMO.....	13
daysee .....	70
DDAVP .....	57
deblitane .....	69
decadron .....	51
decitabine.....	13
deferasirox .....	49
deferiprone.....	49
deferoxamine .....	49
DELSTRIGO .....	3
demeclocycline .....	11
DEM SER.....	38
DENAVIR .....	47
denta 5000 plus.....	50
dentagel .....	50
DEPEN TITRATABS .....	67
DEPO-PROVERA.....	69
DEPO-SUBQ PROVERA 104 .....	69
DESCOVY .....	3
desipramine .....	32
desmopressin .....	57
desog-e.estriadiol/e.estriadiol .70	
desonide.....	47
desvenlafaxine succinate .....	32
dexamethasone .....	51
dexamethasone intensol.....	51
dexamethasone sodium phos (pf) .....	51
dexamethasone sodium phosphate.....	51, 74
DEXILANT .....	62
dexrazoxane hcl.....	11
dextroamphetamine .....	32
dextroamphetamine-amphetamine .....	32
dextrose 10 % and 0.2 % nacl .....	49
dextrose 10 % in water (d10w) .....	49
dextrose 25 % in water (d25w) .....	49
dextrose 30 % in water (d30w) .....	49
dextrose 40 % in water (d40w) .....	49
dextrose 5 % in water (d5w).49	
dextrose 5 %-lactated ringers	49
dextrose 5%-0.2 % sod chloride .....	49
dextrose 5%-0.3 % sod.chloride .....	49
dextrose 50 % in water (d50w) .....	49
dextrose 70 % in water (d70w) .....	49
DIASTAT .....	21
DIASTAT ACUDIAL .....	21
diazepam .....	21, 32
diazoxide.....	52
diclofenac potassium .....	30
diclofenac sodium....30, 44, 73	
diclofenac-misoprostol .....	30
dicloxacillin .....	9
dicyclomine .....	59
didanosine.....	3
dilfenusal .....	30
digitek .....	43
digox .....	43
digoxin.....	43
dihydroergotamine .....	24
DILANTIN 30 MG.....	21
diltiazem hcl .....	38
dilt-xr .....	38
dimenhydrinate .....	60
dimethyl fumarate.....	25
DIPENTUM .....	60
diphenhydramine hcl .....	75
diphenoxylate-atropine .....	59
dipyridamole.....	40
disulfiram.....	49
divalproex .....	21, 22
dobutamine .....	43
dobutamine in d5w .....	43
docetaxel.....	14
dofetilide .....	36
donepezil.....	25
dopamine .....	43
dopamine in 5 % dextrose ....43	
DOPTELET (10 TAB PACK) .....	40
DOPTELET (15 TAB PACK) .....	41
DOPTELET (30 TAB PACK) .....	41
dorzolamide .....	74

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

dorzolamide-timolol .....	74	effer-k .....	80	EPIPEN.....	75
dorzolamide-timolol (pf) .....	74	ELAPRASE.....	57	EPIPEN 2-PAK .....	75
dotti.....	69	electrolyte-48 in d5w .....	82	EPIPEN JR .....	75
DOVATO .....	3	eletriptan.....	24	EPIPEN JR 2-PAK .....	75
doxazosin.....	38	elinest.....	70	epirubicin.....	14
doxepin.....	32, 44	ELIQUIS .....	41	epitol .....	22
doxercalciferol.....	57	ELIQUIS DVT-PE TREAT		EPIVIR HBV .....	3
doxorubicin.....	14	30D START .....	41	eplerenone.....	38
doxorubicin, peg-liposomal..	14	ELITEK .....	11	EPOGEN .....	63
doxy-100.....	11	ELIXOPHYLLIN .....	76	epoprostenol (glycine) .....	38
doxycycline hyclate.....	11	ELMIRON .....	79	eprosartan .....	38
doxycycline monohydrate ..	11	eluryng.....	70	ERBITUX .....	14
doxylamine-pyridoxine (vit b6)		ELZONRIS.....	14	ergoloid.....	32
.....	60	EMCYT .....	14	ergotamine-caffeine .....	24
DRIZALMA SPRINKLE....	32	EMEND .....	60	ERIVEDGE .....	14
dronabinol.....	60	EMGALITY PEN.....	24	ERLEADA .....	14
droperidol .....	60	EMGALITY SYRINGE .....	24	erlotinib.....	14
DROPLET INSULIN SYR		emoquette .....	70	errin.....	69
HALF UNIT .....	52	EMPLICITI .....	14	ertapenem .....	7
DROPLET INSULIN		EMSAM .....	32	ERWINAZE .....	14
SYRINGE.....	52	emtricitabine .....	3	ery pads.....	46
DROPLET PEN NEEDLE... <td>52</td> <td>emtricitabine-tenofovir (tdf)...3</td> <td></td> <td>ery-tab.....</td> <td>6</td>	52	emtricitabine-tenofovir (tdf)...3		ery-tab.....	6
drospirenone-e.estradol-lm.fa		EMTRIVA.....	3	ERY-TAB .....	6
.....	70	EMVERM .....	7	ERYTHROCIN .....	7
drospirenone-ethinyl estradiol		enalapril maleate.....	38	erythrocin (as stearate) .....	7
.....	70	enalaprilat .....	38	erythromycin.....	7, 72
DROXIA .....	14	enalapril-hydrochlorothiazide		erythromycin ethylsuccinate...7	
DUAVEE .....	69	.....	38	erythromycin with ethanol....46	
DULERA.....	76	ENBREL .....	67	ESBRIET .....	76
duloxetine .....	32	ENBREL MINI .....	67	escitalopram oxalate .....	32
DUPIXENT PEN .....	44	ENBREL SURECLICK .....	67	esmolol .....	38
DUPIXENT SYRINGE.....	44	endocet.....	27	esomeprazole magnesium.....62	
duramorph (pf) .....	27	ENGERIX-B (PF) .....	65	esomeprazole sodium .....	62
dutasteride .....	79	ENGERIX-B PEDIATRIC		estarrylla.....	70
dutasteride-tamsulosin.....	79	(PF) .....	65	estradiol .....	69
DYMISTA.....	76	enoxaparin .....	41	estradiol valerate.....	69
<b>E</b>		enpresso .....	70	estradiol-norethindrone acet.	69
e.e.s. 400.....	6	enskyce .....	70	ESTRING .....	69
ec-naproxen .....	30	entacapone .....	24	eszopiclone .....	32
econazole .....	46	entecavir .....	3	ethacrynat sodium .....	38
EDARBI .....	38	ENTRESTO.....	43	ethacrylic acid.....	38
EDARBYCLOR.....	38	ENTYVIO .....	60	ethambutol .....	7
EDURANT .....	3	enulose .....	60	ethosuximide.....	22
efavirenz .....	3	ENVARSUS XR .....	14	ethynodiol diac-eth estradiol	70
efavirenz-emtricitabin-tenofov		EPCLUSA .....	3	etodolac.....	30
.....	3	EPIDIOLEX .....	22	etonogestrel-ethinyl estradiol	70
efavirenz-lamivu-tenofov disop		epinastine.....	73	ETOPOPHOS .....	14
.....	3	epinephrine .....	75	etoposide.....	14

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

euthyrox.....	58	flavoxate .....	79	<b>G</b>
everolimus (antineoplastic) ..	14	flecainide .....	36	gabapentin.....22
everolimus (immunosuppressive) ..	14	FLECTOR .....	30	galantamine.....25
EVOTAZ.....	3	FLOVENT DISKUS .....	77	GAMASTAN .....
exemestane .....	14	FLOVENT HFA.....	77	65
EXTAVIA .....	63	floxuridine .....	14	GAMASTAN S/D .....
EYLEA.....	73	fluconazole .....	2	65
ezetimibe .....	42	fluconazole in nacl (iso-osm) .	2	ganciclovir sodium .....
ezetimibe-simvastatin.....	42	flucytosine .....	2	3
<b>F</b>		fludarabine.....	14	GARDASIL 9 (PF).....65
FABRAZYME .....	57	fludrocortisone.....	51	gatifloxacin .....
falmina (28).....	70	flumazenil.....	33	72
famciclovir .....	3	flunisolide.....	77	GATTEX 30-VIAL .....
famotidine.....	62	fluocinolone .....	47	60
famotidine (pf).....	62	fluocinolone acetonide oil ....	51	GATTEX ONE-VIAL .....
famotidine (pf)-nacl (iso-os)	62	fluocinolone and shower cap	47	60
FANAPT .....	32	fluocinonide .....	47	GAUZE PAD.....52
FARXIGA .....	52	fluocinonide-e.....	47	gavilyte-c .....
FARYDAK.....	14	fluoride (sodium) .....	50, 82	60
FASENRA.....	76	fluorometholone .....	74	gavilyte-g .....
FASENRA PEN.....	76	fluorouracil .....	14, 44	60
FASLODEX .....	14	fluoxetine .....	33	gavilyte-n .....
fayosim.....	70	fluphenazine decanoate .....	33	14
febuxostat .....	67	fluphenazine hcl .....	33	GAZYVA .....
felbamate .....	22	flurbiprofen.....	30	14
felodipine.....	38	flurbiprofen sodium.....	73	gemcitabine.....15
femynor .....	71	flutamide.....	14	
fenofibrate .....	42	fluticasone propionate .....	77	GEMCITABINE.....15
fenofibrate micronized .....	42	fluvastatin .....	42	
fenofibrate nanocrystallized .	42	fluvoxamine.....	33	
fenofibric acid .....	42	FOLOTYN .....	14	
fenofibric acid (choline) .....	42	fomepizole .....	65	
fenoprofen .....	30	fondaparinux.....	41	
fentanyl.....	27	FORFIVO XL.....	33	
fentanyl citrate.....	27	FORTEO .....	67	
fentanyl citrate (pf).....	27	FOSAMAX PLUS D.....	67	
FERRIPROX.....	49	fosamprenavir .....	3	
FERRIPROX (2 TIMES A DAY).....	49	fosaprepitant .....	60	
FETZIMA.....	33	fosinopril .....	38	
finasteride .....	79	fosinopril .....	38	
FINTEPLA .....	22	fosphenytoin .....	22	
FIRAZYR.....	77	freamine iii 10 % .....	82	
FIRDAPSE .....	25	FULPHILA.....	63	
FIRMAGON KIT W DILUENT SYRINGE .....	14	fulvestrant.....	14	
flac otic oil.....	51	furosemide .....	38	
		FUZEON .....	3	
		FYCOMPA.....	22	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

GRASTEK .....	65
griseofulvin microsize .....	2
griseofulvin ultramicrosize.....	2
guanidine .....	33
GVOKE HYPOPEN 1-PACK .....	53
GVOKE HYPOPEN 2-PACK .....	53
GVOKE PFS 1-PACK SYRINGE.....	53
GVOKE PFS 2-PACK SYRINGE.....	53
<b>H</b>	
HAEGARDA .....	77
HALAVEN.....	15
halobetasol propionate.....	47
haloperidol.....	33
haloperidol decanoate.....	33
haloperidol lactate .....	33
HARVONI .....	3
HAVRIX (PF) .....	65
heather .....	69
heparin (porcine) .....	41
heparin (porcine) in 5 % dex	41
heparin (porcine) in nacl (pf)	41
heparin(porcine) in 0.45% nacl .....	41
HEPARIN(PORCINE) IN 0.45% NACL.....	41
heparin, porcine (pf).....	41
HEPARIN, PORCINE (PF) .	41
HEPATAMINE 8%.....	82
HERCEPTIN .....	15
HERCEPTIN HYLECTA ....	15
HETLIOZ .....	33
HIBERIX (PF).....	65
HIZENTRA.....	65
HUMALOG JUNIOR KWIKPEN U-100 .....	53
HUMALOG KWIKPEN INSULIN .....	53
HUMALOG MIX 50-50 INSULN U-100 .....	53
HUMALOG MIX 50-50 KWIKPEN .....	53
HUMALOG MIX 75-25 KWIKPEN .....	53
HUMALOG MIX 75-25(U-100)INSULN .....	53
HUMALOG U-100 INSULIN .....	53
HUMIRA.....	68
HUMIRA PEN .....	68
HUMIRA PEN CROHNS-UC-HS START .....	68
HUMIRA PEN PSOR-UVEITS-ADOL HS .....	68
HUMIRA(CF) .....	68
HUMIRA(CF) PEDI CROHNS STARTER .....	68
HUMIRA(CF) PEN .....	68
HUMIRA(CF) PEN CROHNS-UC-HS .....	68
HUMIRA(CF) PEN PSOR-UV-ADOL HS.....	68
HUMULIN 70/30 U-100 INSULIN .....	53
HUMULIN 70/30 U-100 KWIKPEN.....	53
HUMULIN N NPH INSULIN KWIKPEN.....	53
HUMULIN N NPH U-100 INSULIN .....	53
HUMULIN R REGULAR U-100 INSULN .....	53
HUMULIN R U-500 (CONC) INSULIN .....	53
HUMULIN R U-500 (CONC) KWIKPEN.....	53
hydralazine .....	38
hydrochlorothiazide.....	38
hydrocodone bitartrate.....	27
hydrocodone-acetaminophen	27
hydrocodone-ibuprofen .....	27
hydrocortisone .....	48, 51, 60
hydrocortisone butyrate.....	47
hydrocortisone-acetic acid....	51
hydrocortisone-pramoxine....	60
hydromorphone .....	28
hydromorphone (pf) .....	27, 28
hydroxychloroquine.....	8
hydroxyprogesterone caproate .....	69
hydroxyurea.....	15
hydroxyzine hcl .....	75
HYPERHEP B S/D.....	65
HYPERHEP B S-D NEONATAL .....	65
HYQVIA .....	65
<b>I</b>	
ibandronate .....	67
IBRANCE.....	15
ibu .....	30
ibuprofen.....	30
ibuprofen-oxycodone.....	28
ibutilide fumarate.....	36
icatibant .....	77
ICLUSIG .....	15
idarubicin.....	15
IDHIFA.....	15
ifosfamide .....	15
ILARIS (PF) .....	63
ILEVRO .....	74
imatinib.....	15
IMBRUICA .....	15
IMFINZI .....	15
imipenem-cilastatin .....	8
imipramine hcl.....	33
imipramine pamoate .....	33
imiquimod.....	44
IMOVAX RABIES VACCINE (PF) .....	65
IMPAVIDO .....	8
incassia .....	69
INCRELEX .....	49
INCRUSE ELLIPTA .....	77
indapamide .....	38
INFANRIX (DTAP) (PF).....	65
INFUGEM .....	15
INLYTA .....	15, 16
INQOVI.....	16
INREBIC .....	16
INSULIN PEN NEEDLE .....	53
INSULIN SYRINGE- NEEDLE U-100 .....	54
INTELENCE .....	3
intralipid .....	82
INTRON A .....	63, 64
introvale.....	71
INVEGA SUSTENNA .....	33
INVEGA TRINZA .....	33
INVIRASE .....	3
INVOKAMET .....	54

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

INVOKAMET XR .....	54	KALYDECO .....	77
INVOKANA .....	54	KANJINTI.....	16
IONOSOL-MB IN D5W .....	82	KANUMA .....	57
IOPIDINE.....	75	kariva (28) .....	71
IPOP .....	65	KAZANO .....	54
ipratropium bromide.....	50, 77	kelnor 1/35 (28).....	71
ipratropium-albuterol .....	77	kelnor 1-50 .....	71
irbesartan .....	38	KEPIVANCE .....	11
irbesartan-hydrochlorothiazide .....	38	KERYDIN .....	46
IRESSA .....	16	ketoconazole.....	2, 46
irinotecan.....	16	ketodan .....	46
ISENTRESS .....	3, 4	ketoprofen.....	30
ISENTRESS HD .....	3	ketorolac .....	74
isibloom.....	71	KEYTRUDA .....	16
ISOLYTE S PH 7.4.....	82	KHAPZORY .....	11
ISOLYTE-P IN 5 % DEXTROSE.....	82	KINRIX (PF).....	66
ISOLYTE-S.....	82	kionex (with sorbitol) .....	49
isoniazid .....	8	KISQALI .....	16
isosorbide dinitrate .....	43	KISQALI FEMARA CO- PACK .....	16
isosorbide mononitrate .....	43	klor-con 10 .....	80
isotretinoin.....	46	klor-con 8 .....	80
isradipine .....	38	klor-con m10 .....	80
ISTODAX .....	16	klor-con m15 .....	80
itraconazole .....	2	klor-con m20 .....	80
ivermectin.....	8	klor-con oral packet 20 .....	80
IXEMPRA.....	16	klor-con/ef .....	80
IXIARO (PF).....	65	KOMBIGLYZE XR.....	54
<b>J</b>		KORLYM.....	57
JAKAFI .....	16	K-PHOS NO 2.....	79
jantoven .....	41	K-PHOS ORIGINAL .....	79
JANUMET .....	54	KRYSTEXXA.....	67
JANUMET XR.....	54	k-tab.....	80
JANUVIA.....	54	K-TAB.....	80
jasmiel (28).....	71	kurvelo (28) .....	71
jencycla.....	69	KUVAN.....	57
JENTADUETO .....	54	KYNMOBI.....	24
JENTADUETO XR.....	54	KYPROLIS .....	16
JEVTANA .....	16	<b>L</b>	
jolessa .....	71	l norgest/e.estriadiol-e.estrad.	71
juleber.....	71	labetalol .....	38, 39
JULUCA.....	4	lactated ringers .....	48, 80
JUXTAPID .....	42	lactulose .....	60
<b>K</b>		lamivudine .....	4
KADCYLA .....	16	lamivudine-zidovudine .....	4
KALETRA .....	4	lamotrigine.....	22
kalliga .....	71	LANOXIN.....	43
		lansoprazole.....	62

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

lidocaine in 5 % dextrose (pf) .....	37
lidocaine viscous .....	45
lidocaine-epinephrine .....	45
lidocaine-epinephrine (pf) ....	45
lidocaine-prilocaine .....	45
lillow (28).....	71
lincomycin.....	8
lindane.....	48
linezolid.....	8
linezolid in dextrose 5%.....	8
linezolid-0.9% sodium chloride .....	8
LINZESS .....	60
LIORESAL.....	26
liothyronine .....	59
lisinopril .....	39
lisinopril-hydrochlorothiazide .....	39
lithium carbonate.....	33
lithium citrate .....	34
LIVALO .....	42
LOKELMA .....	49
LONSURF.....	16
loperamide.....	59
lopinavir-ritonavir .....	4
lorazepam .....	34
lorazepam intensol.....	34
LORBRENA .....	16
loracet hd.....	28
loryna (28).....	71
losartan .....	39
losartan-hydrochlorothiazide	39
LOTEMAX .....	74
LOTEMAX SM.....	74
loteprednol etabonate .....	74
lovastatin .....	42
low-ogestrel (28) .....	71
loxapine succinate .....	34
lo-zumandimine (28).....	71
LUCENTIS.....	73
LUMIGAN .....	74
LUMIZYME .....	57
LUMOXITI .....	16
LUPRON DEPOT .....	16
LUPRON DEPOT (3 MONTH).....	16
LUPRON DEPOT (4 MONTH).....	16
LUPRON DEPOT (6 MONTH).....	16
LUPRON DEPOT-PED .....	16
LUPRON DEPOT-PED (3 MONTH).....	16
lutera (28) .....	71
LYNPARZA.....	16
LYRICA .....	23
LYSODREN.....	16
LYUMJEV KWIKPEN U-100 INSULIN .....	54
LYUMJEV KWIKPEN U-200 INSULIN .....	54
LYUMJEV U-100 INSULIN .....	54
lyza .....	69
<b>M</b>	
mafenide acetate .....	46
magnesium chloride .....	80
magnesium sulfate .....	80
MAGNESIUM SULFATE IN D5W .....	80
magnesium sulfate in water ..	80
malathion .....	48
mannitol 20 % .....	39
mannitol 25 % .....	39
maprotiline.....	34
marlissa (28).....	71
MARPLAN .....	34
MARQIBO .....	16
MATULANE.....	16
matzim la .....	39
meclizine .....	60
meclofenamate.....	30
medroxyprogesterone .....	69
mefenamic acid.....	30
mefloquine.....	8
megestrol .....	16, 17
MEKINIST .....	17
MEKTOVI.....	17
meloxicam .....	30
melphalan .....	17
melphalan hcl .....	17
memantine .....	25, 26
MENACTRA (PF) .....	66
MENEST .....	69
<b>MENVEO A-C-Y-W-135-DIP (PF) .....</b>	<b>66</b>
MEPSEVII.....	57
mercaptopurine .....	17
meropenem .....	8
mesalamine .....	60
mesalamine with cleansing wipe .....	60
mesna .....	11
MESNEX.....	12
metaproterenol .....	77
metformin .....	54
methadone .....	28
methadone intensol .....	28
methadose .....	28
methazolamide.....	74
methenamine hippurate .....	11
methenamine mandelate .....	11
methergine .....	72
methimazole .....	52
methotrexate sodium .....	17
methotrexate sodium (pf) .....	17
methoxsalen .....	45
methyldopa .....	39
methylergonovine .....	72
methylphenidate hcl .....	34
methylprednisolone .....	51
methylprednisolone acetate ..	51
methylprednisolone sodium succ .....	51
methyltestosterone .....	57
metoclopramide hcl .....	60
metolazone.....	39
metoprolol succinate .....	39
metoprolol ta-hydrochlorothiaz .....	39
metoprolol tartrate .....	39
metro i.v.....	8
metronidazole .....	8, 46, 70
metronidazole in nacl (iso-os)	8
metyrosine .....	39
mexiletine .....	37
MIACALCIN .....	57
micafungin .....	2
miconazole-3 .....	70
microgestin 1.5/30 (21) .....	71
microgestin 1/20 (21) .....	71
microgestin fe 1.5/30 (28) ..	71

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

microgestin fe 1/20 (28) .....	71	myorisan .....	46	nevirapine .....	4
midodrine .....	49	MYRBETRIQ .....	79	NEXAVAR.....	17
mifepristone.....	70	N		NEXIUM PACKET.....	62
migergot .....	24	nabumetone .....	30	NEXLETOL .....	42
miglitol .....	54, 55	nadolol .....	39	NEXLIZET .....	42
miglustat .....	57	nadolol-bendroflumethiazide	39	NEXPLANON.....	70
mihi .....	71	nafcillin.....	10	niacin .....	42
millipred .....	51	nafcillin in dextrose iso-osm .	9,	nicardipine .....	39
milrinone .....	43	10		NICOTROL .....	50
milrinone in 5 % dextrose ....	43	naftifine .....	47	NICOTROL NS.....	50
minocycline .....	11	NAFTIN .....	47	nifedipine .....	39
minoxidil .....	39	NAGLAZYME.....	57	nikki (28) .....	71
miostat .....	74	nalbuphine .....	30	nilutamide .....	17
MIRENA .....	70	naloxone .....	30	nimodipine .....	39
mirtazapine .....	34	naltrexone .....	30	NINLARO .....	17
misoprostol .....	62	NAMZARIC.....	26	nisoldipine .....	39
MITIGARE .....	67	naproxen .....	30	nitisinone .....	49
mitomycin.....	17	naproxen sodium .....	31	nitro-bid .....	43
mitoxantrone.....	17	naratriptan.....	24	nitrofurantoin .....	11
M-M-R II (PF).....	66	NARCAN .....	31	nitrofurantoin macrocrystal ..	11
modafinil .....	34	NATACYN .....	72	nitrofurantoin monohyd/m-	
moexipril .....	39	nateglinide .....	55	cryst .....	11
molindone.....	34	NATPARA .....	57	nitroglycerin .....	44
mometasone.....	48, 77	NAYZILAM.....	23	nitroglycerin in 5 % dextrose	
monodoxyne nl.....	11	NEBUPENT .....	8	.....	43, 44
MONJUVI.....	17	NEEDLES, INSULIN		nizatidine .....	62
mono-linyah .....	71	DISP.,SAFETY .....	55	nolix .....	48
montelukast .....	77	nefazodone.....	34	nora-be .....	69
morgidox .....	11	neomycin .....	8	NORDITROPIN FLEXPRO	64
morphine.....	28, 29	neomycin-bacitracin-poly-hc	74	norepinephrine bitartrate .....	43
morphine (pf).....	28	neomycin-bacitracin-		norethindrone (contraceptive)	
morphine concentrate .....	28	polymyxin.....	72	.....	69
MOVANTIK .....	60	neomycin-polymyxin b gu....	48	norethindrone acetate.....	69
MOVIPREP.....	60	neomycin-polymyxin b-		norethindrone ac-eth estradiol	
moxifloxacin.....	10, 72	dexameth .....	74	.....	69, 71
moxifloxacin-sod.chloride(iso)		neomycin-polymyxin-		norethindrone-e.estradiol-iron	
.....	10	gramicidin.....	72	.....	71
MOZOBIL.....	64	neomycin-polymyxin-hc	51, 74	norgestimate-ethinyl estradiol	
MULPLETA.....	41	neo-polycin .....	72	.....	71
mupirocin .....	46	neo-polycin hc .....	74	norlyda .....	69
mupirocin calcium.....	46	neostigmine methylsulfate....	26	NORMOSOL-R.....	80
MVASI.....	17	NEPHRAMINE 5.4 % .....	82	NORMOSOL-R PH 7.4.....	82
MYALEPT .....	57	NERLYNX .....	17	NORTHERA .....	49
MYCAMINE.....	2	NESINA .....	55	nortrel 0.5/35 (28).....	71
mycophenolate mofetil.....	17	NEULASTA .....	64	nortrel 1/35 (21).....	71
mycophenolate mofetil (hcl) 17		NEULASTA ONPRO .....	64	nortrel 1/35 (28).....	71
mycophenolate sodium.....	17	NEUPOGEN .....	64	nortrel 7/7/7 (28).....	71
MYLOTARG .....	17	NEUPRO .....	24	nortriptyline .....	34

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

NORVIR.....	4
NOVOFINE 32 .....	55
NOVOFINE PLUS.....	55
NOVOLOG FLEXPEN U-100 INSULIN.....	55
NOVOLOG MIX 70-30 U-100 INSULN .....	55
NOVOLOG MIX 70- 30FLEXPEN U-100 .....	55
NOVOLOG PENFILL U-100 INSULIN.....	55
NOVOLOG U-100 INSULIN ASPART.....	55
NOVOTWIST .....	55
NOXAFIL .....	2
NPLATE.....	41
NUBEQA .....	17
NUEDEXTA .....	26
NULOJIX .....	17
NUPLAZID .....	34
NURTEC ODT.....	25
nyamyc .....	47
nystatin .....	2, 47
nystatin-triamcinolone.....	47
nystop .....	47
<b>O</b>	
OCALIVA.....	60
OCREVUS .....	26
octreotide acetate.....	17
ODACTRA.....	66
ODEFSEY .....	4
ODOMZO .....	17
OFEV .....	77
ofloxacin.....	10, 51, 73
OGIVRI.....	17
olanzapine.....	34
olanzapine-fluoxetine .....	34
olmesartan .....	39
olmesartan-amlodipin- hcthiazid .....	39
olmesartan- hydrochlorothiazide.....	39
olopatadine .....	50, 73
omeprazole .....	62
OMNIPOD DASH 5 PACK POD.....	55
OMNIPOD INSULIN MANAGEMENT .....	55
OMNIPOD INSULIN REFILL .....	55
OMNITROPE.....	64
ONCASPAR.....	17
ondansetron .....	60
ondansetron hcl.....	60
ondansetron hcl (pf).....	60
ONGLYZA.....	55
ONIVYDE.....	17
ONUREG .....	17
OPDIVO .....	18
opium tincture.....	59
OPSUMIT .....	77
oralone .....	50
ORENCIA .....	68
ORENCIA (WITH MALTPOSE).....	68
ORENCIA CLICKJECT .....	68
ORFADIN .....	49
ORKAMBI .....	77
orsythia .....	71
oseltamivir .....	4
osmitrol 15 % .....	39
osmitrol 20 % .....	39
OTEZLA .....	68
OTEZLA STARTER.....	68
OTOVEL .....	51
oxacillin .....	10
oxacillin in dextrose(iso-osm) .....	10
oxaliplatin.....	18
oxandrolone .....	57
oxaprozin .....	31
oxcarbazepine .....	23
OXERVATE .....	73
oxiconazole.....	47
oxybutynin chloride.....	79
oxycodone .....	29
oxycodone-acetaminophen .....	29
oxycodone-aspirin .....	29
OXYCONTIN .....	29
oxymorphone .....	29
oxytocin .....	72
OZEMPIC .....	55
OZURDEX .....	74
<b>P</b>	
pacerone.....	37
paclitaxel .....	18
PADCEV .....	18
paliperidone .....	34
palonosetron .....	61
PALYNZIQ .....	57, 58
pamidronate .....	58
PANRETIN .....	45
pantoprazole .....	62
paraplatin .....	18
paricalcitol .....	58
paroex oral rinse .....	50
paromomycin .....	8
paroxetine hcl .....	34
paroxetine mesylate(menop.sym).....	35
PASER.....	8
PAXIL .....	35
PAZEO .....	73
PEDIARIX (PF) .....	66
PEDVAX HIB (PF) .....	66
peg 3350-electrolytes.....	61
peg3350-sod sul-nacl-kcl-asb-c .....	61
PEGANONE.....	23
PEGASYS .....	64
PEGASYS PROCLICK.....	64
peg-electrolyte .....	61
PEGINTRON .....	64
PEMAZYRE.....	18
penicillamine .....	68
PENICILLIN G POT IN DEXTROSE .....	10
penicillin g potassium.....	10
penicillin g procaine .....	10
penicillin g sodium .....	10
penicillin v potassium.....	10
PENTACEL (PF).....	66
PENTAM.....	8
pentamidine .....	8
PENTASA .....	61
pentoxifylline.....	41
PERFOROMIST.....	77
perindopril erbumine .....	39
periogard.....	50
PERJETA .....	18
permethrin.....	48
perphenazine .....	35
PERSERIS .....	35
pfizerpen-g.....	10

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

phenelzine.....	35
phenobarbital.....	23
phenobarbital sodium .....	23
phenoxybenzamine.....	39
phentolamine .....	39
phenytoin.....	23
phenytoin sodium .....	23
phenytoin sodium extended..	23
philith .....	71
PHOSPHOLINE IODIDE....	73
PICATO .....	45
PIFELTRO .....	4
pilocarpine hcl .....	49, 73
pimecrolimus.....	45
pimozide .....	35
pimtreia (28) .....	71
pindolol.....	39
pioglitazone .....	55
pioglitazone-glimepiride .....	55
pioglitazone-metformin.....	55
piperacillin-tazobactam .....	10
PIQRAY .....	18
pirmella.....	71
piroxicam.....	31
plasbumin 25 %.....	80
plasbumin 5 %.....	80
PLASMA-LYTE 148 .....	82
PLASMA-LYTE A .....	82
plasmanate .....	82
PLEGRIDY .....	64
plenamine .....	82
podofilox .....	45
POLIVY .....	18
polocaine .....	45
polocaine-mpf.....	45
polycin.....	73
polyethylene glycol 3350 .....	61
polymyxin b sulfate .....	8
polymyxin b sulf-trimethoprim .....	73
POMALYST .....	18
portia 28.....	71
PORTRAZZA .....	18
posaconazole .....	2
potassium acetate.....	80
potassium chlorid-d5- 0.45%nacl.....	80
potassium chloride.....	81
potassium chloride in 0.9%nacl .....	81
potassium chloride in 5 % dex .....	81
potassium chloride in lr-d5... 81	
potassium chloride in water.. 81	
potassium chloride-0.45 % nacl .....	81
potassium chloride-d5- 0.2%nacl.....	81
potassium chloride-d5- 0.3%nacl.....	81
potassium chloride-d5- 0.9%nacl.....	81
potassium citrate.....	79
potassium phosphate m/d- basic.....	81
POTELIGEO .....	18
PRADAXA.....	41
PRALUENT PEN.....	42
pramipexole .....	24
prasugrel .....	41
pravastatin .....	42
praziquantel .....	8
prazosin .....	39
prednicarbate .....	48
prednisolone .....	51
prednisolone acetate .....	74
prednisolone sodium phosphate .....	51, 52, 74
prednisone .....	52
prednisone intensol.....	52
pregabalin .....	23
PREMARIN .....	69
premasol 10 %.....	82
PREMPHASE .....	69
PREMPRO .....	69
prenatal vitamin oral tablet... 82	
prevalite .....	42
PREVIDENT 5000 BOOSTER PLUS .....	50
previfem.....	71
PREVYMIS.....	4
PREZCOBIX.....	4
PREZISTA .....	4
PRIFTIN .....	8
PRIMAQUINE .....	8
primidone.....	23
PRIVIGEN .....	66
PROAIR HFA .....	77
PROAIR RESPICLICK.....	77
probenecid .....	67
probenecid-colchicine.....	67
procainamide .....	37
procenutra .....	35
prochlorperazine .....	61
prochlorperazine edisylate....	61
prochlorperazine maleate oral .....	61
PROCRIPT .....	64
procto-med hc .....	61
procto-pak .....	61
proctosol hc .....	61
proctozone-hc .....	61
progesterone .....	70
progesterone micronized .....	70
PROGLYCEM .....	55
PROGRAF .....	18
PROLASTIN-C .....	49
PROLENSA .....	74
PROLEUKIN .....	64
PROLIA .....	67
PROMACTA .....	41
promethazine .....	75
propafenone .....	37
propranolol .....	39
propranolol-hydrochlorothiazid .....	39
propylthiouracil .....	52
PROQUAD (PF).....	66
protamine .....	41
protriptyline .....	35
prudoxin.....	45
PULMICORT FLEXHALER .....	77, 78
PULMOZYME.....	78
PURIXAN .....	18
pyrazinamide .....	8
pyridostigmine bromide.....	26
pyrimethamine .....	8
<b>Q</b>	
QINLOCK .....	18
QNDSL.....	78
QTERN .....	55
QUADRACEL (PF) .....	66
quetiapine .....	35

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

quinapril	39	RIDAURA	68	selenium sulfide	44
quinapril-hydrochlorothiazide	39	rifabutin	8	SELZENTRY	4
		rifampin	8	SEREVENT DISKUS	78
quinidine gluconate	37	riluzole	49	sertraline	35
quinidine sulfate	37	rimantadine	4	setlakin	72
quinine sulfate	8	ringer's	48, 81	sevelamer carbonate	49
QVAR REDIHALER	78	RINVOQ	68	sevelamer hcl	49
<b>R</b>		RIOMET	55	sf 50	
RABAVERT (PF)	66	risedronate	49, 67	sf 5000 plus	50
RADICAVA	26	RISPERDAL CONSTA	35	sharobel	70
RAGWITEK	66	risperidone	35	SHINGRIX (PF)	66
raloxifene	67	ritonavir	4	SIGNIFOR	18
ramelteon	35	RITUXAN	18	SIKLOS	18
ramipril	39	RITUXAN HYCELA	18	sildenafil (pulmonary arterial	
ranolazine	43	rivastigmine	26	hypertension)	78
rasagiline	24	rivastigmine tartrate	26	silodosin	79
RASUVO (PF)	68	rizatriptan	25	silver sulfadiazine	45
RAVICTI	49	ROCKLATAN	74	SIMBRINZA	74
REBIF (WITH ALBUMIN)	64	ropinirole	24	SIMPONI	69
REBIF REBIDOSE	64	rosadan	46	SIMPONI ARIA	69
REBIF TITRATION PACK	65	rosuvastatin	42	SIMULECT	18
reclipsen (28)	71	ROTARIX	66	simvastatin	42
RECOMBIVAX HB (PF)	66	ROTATEQ VACCINE	66	sirolimus	18
RECTIV	61	roweepra	23	SIRTURO	8
regonol	26	roweepra xr	23	SKLICE	48
REGRANEX	45	ROZEREM	35	SKYRIZI	44
RELENZA DISKHALER	4	ROZLYTREK	18	sodium acetate	81
RELISTOR	61	RUBRACA	18	sodium benzoate-sod	
REMICADE	61	RUKOBIA	4	phenylacet	49
REMODULIN	40	RUXIENCE	18	sodium bicarbonate	81, 82
RENACIDIN	79	RYBELSUS	55	sodium chloride	49, 82
repaglinide	55	RYDAPT	18	sodium chloride 0.45 %	82
repaglinide-metformin	55	<b>S</b>		sodium chloride 0.9 %	49
REPATHA	42	salsalate	31	sodium chloride 3 %	82
REPATHA PUSHTRONEX	42	SAMSCA	58	sodium chloride 5 %	82
REPATHA SURECLICK	42	SANCUSO	61	sodium fluoride 5000 plus	50
RESTASIS	73	SANDIMMUNE	18	sodium fluoride-pot nitrate	50
RESTASIS MULTIDOSE	73	SANDOSTATIN LAR		sodium nitroprusside	43
RETACRIT	65	DEPOT	18	sodium phenylbutyrate	50
RETEVMO	18	SANTYL	45	sodium phosphate	82
RETROVIR	4	SAPHRIS	35	sodium polystyrene (sorb free)	
REVCORI	49	sapropterin	58	.....	50
REVLIMID	18	SARCLISA	18	sodium polystyrene sulfonate	
revonto	26	SAVELLA	69	.....	50
REXULTI	35	scopolamine base	61	solifenacin	79
REYATAZ	4	SECUADO	35	SOLIQUA 100/33	56
RHOPRESSA	74	SEGLUROMET	55, 56	SOLIRIS	50
ribavirin	4	selegiline hcl	24	SOLTAMOX	19

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

SOMATULINE DEPOT .....	19
SOMAVERT .....	58
sorine .....	37
sotalol .....	37
sotalol af .....	37
SOTYLIZE .....	37
SPIRIVA RESPIMAT .....	78
SPIRIVA WITH HANDIHALER.....	78
spironolactone .....	40
spironolacton-hydrochlorothiaz .....	40
sprintec (28).....	72
SPRITAM.....	23
SPRYCEL .....	19
sps (with sorbitol).....	50
sronyx .....	72
ssd.....	45
STAMARIL (PF) .....	66
stavudine.....	4
STEGLATRO.....	56
STELARA .....	44
STIMATE.....	58
STIOLTO RESPIMAT .....	78
STIVARGA.....	19
STRENSIQ.....	58
STREPTOMYCIN .....	8
STRIBILD .....	4
STRIVERDI RESPIMAT ....	78
SUBOXONE .....	31
subvenite.....	23
subvenite starter (blue) kit....	23
subvenite starter (green) kit..	23
subvenite starter (orange) kit	23
SUCRAID .....	61
sucralfate .....	63
sulfacetamide sodium .....	73
sulfacetamide sodium (acne)	46
sulfacetamide-prednisolone..	73
sulfadiazine.....	10
sulfamethoxazole-trimethoprim .....	11
SULFAMYLON.....	46
sulfasalazine .....	61
sulfatrim .....	11
sulindac.....	31
sumatriptan .....	25
sumatriptan succinate .....	25
sumatriptan-naproxen.....	25
SUPRAX .....	6
SUPREP BOWEL PREP KIT .....	61
SUTENT .....	19
syeda .....	72
SYLATRON.....	65
SYLVANT .....	19
SYMBICORT .....	78
SYMDEKO .....	78
SYMFI.....	4
SYMFI LO .....	5
SYMJEPI.....	75
SYMLINPEN 120 .....	56
SYMLINPEN 60 .....	56
SYMPAZAN .....	23
SYMPROIC.....	61
SYMTUZA.....	5
SYNAGIS.....	5
SYNAREL.....	58
SYNERCID .....	8
SYNRIBO .....	19
T	
TABLOID .....	19
TABRECTA.....	19
tacrolimus .....	19, 45
tadalafil .....	79
tadalafil (pulmonary arterial hypertension) oral tablet	20
mg .....	78
TAFINLAR .....	19
TAGRISSO .....	19
TALZENNA.....	19
tamoxifen.....	19
tamsulosin.....	79
TARGETIN .....	19
tarina 24 fe.....	72
tarina fe 1/20 (28).....	72
tarina fe 1-20 eq (28).....	72
TASIGNA .....	19
tazarotene.....	46
tazicef .....	6
TAZORAC .....	46
taztia xt .....	40
TAZVERIK .....	19
TDVAX .....	66
TECENTRIQ.....	19
TECFIDERA .....	26
TECHLITE INSULIN SYR HALF UNIT .....	56
TECHLITE INSULIN SYRINGE .....	56
TECHLITE PEN NEEDLE ..	56
TEFLARO .....	6
TEKTURNA HCT .....	40
telmisartan .....	40
telmisartan-amlodipine .....	40
telmisartan-hydrochlorothiazid .....	40
TEMIXYS .....	5
TEMODAR .....	19
temsirolimus .....	19
TENIVAC (PF) .....	66
tenofovir disoproxil fumarate .	5
terazosin.....	40
terbinafine hcl .....	2
terbutaline .....	78
terconazole .....	70
TERIPARATIDE .....	67
testosterone .....	58
testosterone cypionate .....	58
testosterone enanthate.....	58
TETANUS,DIPHTHERIA TOX PED(PF) .....	66
tetrabenazine.....	26
tetracycline .....	11
THALOMID .....	19
THEO-24 .....	78
theophylline .....	78, 79
THIOLA .....	50
THIOLA EC .....	50
thioridazine .....	35
thiotepa .....	19
thiothixene .....	35
tiadylt er.....	40
tiagabine .....	23
TIBSOVO .....	19
TICE BCG .....	66
tigecycline.....	8
tilia fe.....	72
timolol maleate .....	40, 73
tinidazole .....	8
TIVICAY .....	5
TIVICAY PD.....	5
tizanidine .....	26
TOBI PODHALER .....	8

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

tobramycin.....	9, 73	tri-estarrylla.....	72	UVADEX .....	45
tobramycin in 0.225 % nacl ...	9	trifluoperazine .....	36	V	
tobramycin sulfate.....	9	trifluridine.....	73	valacyclovir .....	5
tobramycin-dexamethasone..	74	TRIKAFTA .....	79	VALCHLOR .....	45
TOLAK .....	45	tri-legest fe.....	72	valganciclovir .....	5
tolcapone .....	24	tri-linyah .....	72	valproate sodium .....	23
tolmetin.....	31	tri-lo-estarrylla .....	72	valproic acid .....	23
tolterodine.....	79	tri-lo-marzia.....	72	valproic acid (as sodium salt)	
tolvaptan.....	58	tri-lo-sprintec .....	72	.....	23, 24
topiramate.....	23	trilyte with flavor packets....	61	valrubicin .....	20
toposar .....	19	trimethoprim.....	11	valsartan.....	40
topotecan .....	19	trimipramine .....	36	valsartan-hydrochlorothiazide	
toremifene.....	19	TRINTELLIX.....	36	.....	40
TORISEL .....	19	tri-previfem (28).....	72	VALSTAR .....	20
torsemide .....	40	TRISENOX .....	20	VALTOCO .....	24
TOUJEO MAX U-300		tri-sprintec (28).....	72	vancomycin.....	9
SOLOSTAR .....	56	TRIUMEQ.....	5	VANCOMYCIN.....	9
TOUJEO SOLOSTAR U-300		trivora (28).....	72	VANCOMYCIN IN 0.9 %	
INSULIN .....	56	TRODELVY .....	20	SODIUM CHL .....	9
tovet emollient.....	48	TROGARZO .....	5	vandazole .....	70
TOVIAZ .....	79	TROPHAMINE 10 % .....	82	VANTAS .....	20
TRADJENTA.....	56	trospium.....	79	VAQTA (PF).....	66
tramadol.....	31	TRUEPLUS INSULIN.....	56	VARIVAX (PF).....	66
tramadol-acetaminophen .....	31	TRUEPLUS PEN NEEDLE.	56	VARIZIG.....	66
trandolapril .....	40	TRULANCE.....	61	VARUBI.....	61
trandolapril-verapamil .....	40	TRULICITY .....	56	VASCEPA .....	42
tranexamic acid .....	70	TRUMENBA.....	66	VECAMYL .....	43
tranylcypromine .....	35	TRUVADA .....	5	VECTIBIX .....	20
travasol 10 %.....	82	TRUXIMA .....	20	VELCADE .....	20
TRAVATAN Z .....	74	TUKYSA.....	20	veletri.....	40
travoprost.....	74	tulana .....	70	velvet triphasic regimen (28)	
TRAZIMERA.....	19	TWINRIX (PF).....	66	.....	72
trazodone .....	35	TYKERB .....	20	VELTASSA.....	50
TREANDA.....	19	TYMLOS.....	67	VEMLIDY .....	5
TRECATOR.....	9	TYPHIM VI .....	66	VENCLEXTA .....	20
TRELSTAR.....	19	TYSABRI.....	26	VENCLEXTA STARTING	
treprostinil sodium.....	40	TYVASO .....	79	PACK .....	20
tretinoin (antineoplastic) .....	20	TYVASO INSTITUTIONAL		venlafaxine .....	36
tretinoin topical .....	46	START KIT .....	79	verapamil .....	40
tri femynor.....	72	TYVASO REFILL KIT .....	79	VERSACLOZ.....	36
triamicinolone acetonide	48, 50,	TYVASO STARTER KIT .....	79	VERZENIO .....	20
52		U		V-GO 20 .....	56
triamterene.....	40	UBRELVY .....	25	V-GO 30 .....	56
triamterene-hydrochlorothiazid		ULORIC .....	67	V-GO 40 .....	56
.....	40	unithroid .....	59	VIBATIV .....	9
trianex.....	48	UNITUXIN .....	20	VIBERZI .....	61
triderm .....	48	UPTRAVID.....	40	VIBRAMYCIN .....	11
trientine.....	50	ursodiol .....	61	VICTOZA 2-PAK .....	56

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

VICTOZA 3-PAK .....	56
vienna .....	72
vigabatrin.....	24
vigadrone.....	24
VIIBRYD .....	36
VIMIZIM .....	58
VIMPAT.....	24
vinblastine .....	20
vincasar pfs.....	20
vincristine.....	20
vinorelbine.....	20
VIOKACE .....	61
viorele (28) .....	72
VIRACEPT .....	5
VIREAD .....	5
VISTOGARD.....	12
VITRAKVI.....	20
VIVITROL .....	31
VIZIMPRO.....	20
voriconazole .....	2
VOTRIENT .....	20
VRAYLAR.....	36
VUMERITY .....	26
VYNDAMAX .....	43
VYNDAQEL.....	43
VYXEOS.....	20
<b>W</b>	
warfarin .....	41
water for irrigation, sterile....	50
wera (28) .....	72
<b>X</b>	
XALKORI.....	20
XARELTO .....	41
XARELTO DVT-PE TREAT 30D START .....	41
XATMEP .....	20
XCOPRI .....	24
XCOPRI MAINTENANCE PACK .....	24
XCOPRI TITRATION PACK .....	24
XELJANZ .....	69
XELJANZ XR.....	69
XERESE.....	47
XERMELO.....	20
XGEVA .....	12
XIAFLEX.....	50
XIFAXAN .....	9
XIGDUO XR.....	56, 57
XOFLUZA .....	5
XOLAIR.....	79
XOSPATA.....	20
XPOVIO .....	20
XTANDI.....	20
xulane .....	70
XULTOPHY 100/3.6 .....	57
XURIDEN .....	50
XYREM.....	36
<b>Y</b>	
YERVOY .....	20
YF-VAX (PF).....	66
YONDELIS .....	20
YONSA .....	20
yuvafem .....	70
<b>Z</b>	
zafirlukast .....	79
zaleplon .....	36
ZALTRAP .....	20
ZANOSAR .....	20
zarah .....	72
ZARXIO .....	65
ZEJULA .....	20
ZELBORAF .....	21
zenatane .....	46
ZENPEP .....	61
ZENZEDI .....	36
ZEPOSIA.....	26
ZEPOSIA STARTER KIT .....	26
ZEPOSIA STARTER PACK .....	26
ZEPZELCA .....	21
zidovudine .....	5
ZIEXTENZO .....	65
ZIOPTAN (PF).....	74
ziprasidone hcl.....	36
ziprasidone mesylate .....	36
ZIRABEV .....	21
ZIRGAN .....	73
ZOLADEX .....	21
zoledronic acid.....	58
zoledronic acid-mannitol-water .....	50, 58
ZOLINZA .....	21
zolmitriptan.....	25
zolpidem .....	36
zonisamide .....	24
ZONTIVITY.....	42
ZORTRESS .....	21
ZOSTAVAX (PF) .....	67
zovia 1/35e (28).....	72
ZUBSOLV .....	31
zumandimine (28).....	72
ZYDELIG .....	21
ZYFLO .....	79
ZYKADIA .....	21
ZYLET .....	74
ZYPREXA RELPREVV .....	36
ZYTIGA .....	21

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



MEDICAL MUTUAL®

2060 East Ninth Street  
Cleveland, OH 44115-1355

MedMutual.com/Medicare

This formulary was updated on [REDACTED]. For more recent information or other questions, please contact Medical Mutual Member Services at 1-844-404-7947 or, for TTY users, 711, 24 hours a day, seven days a week, or visit [MedMutual.com/MAPlanInfo](http://MedMutual.com/MAPlanInfo).

Medical Mutual of Ohio complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex.