

Zevalin® (ibritumomab tiuxetan) (Intravenous)

Document Number: IC-0368

Last Review Date: 07/05/2023 Date of Origin: 10/02/2018 Dates Reviewed: 10/2018, 07/2019, 07/2020, 07/2021, 07/2022, 07/2023

I. Length of Authorization

Coverage will be provided for one administration and cannot be renewed.

II. Dosing Limits

- A. Quantity Limit (max daily dose) [NDC Unit]:
 - N/A
- B. Max Units (per dose and over time) [HCPCS Unit]:
 - 1 billable unit one time only

III. Initial Approval Criteria¹

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

Universal Criteria 1,5-7

- Platelet count \geq 100,000 cells/mm³; **AND**
- Patient has <25% involvement of lymphoma in bone marrow; AND
- Used as a single agent following two doses of rituximab (see dosage/administration); AND

Relapsed or refractory low-grade or follicular non-Hodgkin's lymphoma (NHL) † Φ^{1}

• Ibritumomab was not previously given

Previously Untreated Follicular NHL † ¹

• Patient achieved a partial or complete response to first-line chemotherapy

† FDA Approved Indication(s); **‡** Compendia Recommended Indication(s); **Φ** Orphan Drug

IV. Renewal Criteria

Coverage cannot be renewed.

V. Dosage/Administration¹

Indication	Dose	
All indications	 Administer rituximab 250 mg/m² Day 1; repeat dose on Day 7, 8, or 9 Within 4 hours of the second dose of rituximab, administer ibritumomab intravenously as follows: Normal platelet count: 0.4 mCi/kg (14.8 MBq/kg) Relapsed/refractory & platelets 100-149,000/mm³: 0.3 mCi/kg (11.1 MBq/kg) Do not exceed the maximum dose of 32.0 mCi (11.84 MBq) 	

VI. Billing Code/Availability Information

HCPCS Code:

 A9543 – Yttrium Y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries; 1 billable unit = 40 mCi

NDC(s):

• Zevalin 3.2 mg per 2 mL single-use vial: 72893-0007-XX

VII. References

- 1. Zevalin [package insert]. East Windsor, NJ; Acrotech Biopharma LLC; September 2019. Accessed June 2023.
- Czuczman MS, Emmanouilides C, Darif M, et al, "Treatment-Related Myelodysplastic Syndrome and Acute Myelogenous Leukemia in Patients Treated With Ibritumomab Tiuxetan Radioimmunotherapy," J Clin Oncol, 2007, 25(27):4285-92.
- Gordon LI, Molina A, Witzig T, et al, "Durable Responses after Ibritumomab Tiuxetan Radioimmunotherapy for CD20+ B-Cell Lymphoma: Long-Term Follow-Up of a Phase 1/2 Study," Blood, 2004, 103(12):4429-31.
- Khouri IF, Saliba RM, Erwin WD, et al. Nonmyeloablative allogeneic transplantation with or without 90-yttrium ibritumomab tiuxetan is potentially curative for relapsed follicular lymphoma: 12-year results. Blood. 2012;119(26):6373-6378.
- Morschhauser F, Radford J, Van Hoof A, et al. 90-Yttrium-ibritumomab tiuxetan consolidation of first remission in advanced-stage follicular non-Hodgkin lymphoma: updated results after a median follow-up of 7.3 years from the international, randomized, phase III first-line indolent trial. J Clin Oncol. 2013;31(16):1977-1983.
- Witzig TE, Gordon LI, Cabanillas F, et al, "Randomized Controlled Trial of Yttrium-90-Labeled Ibritumomab Tiuxetan Radioimmunotherapy Versus Rituximab Immunotherapy for Patients With Relapsed or Refractory Low-Grade, Follicular, or Transformed B-Cell Non-Hodgkin's Lymphoma," J Clin Oncol, 2002, 20(10):2453-63.



Medical Necessity Criteria

Page 2

7. Witzig TE, Flinn IW, Gordon LI, et al. Treatment with ibritumomab tiuxetan radioimmunotherapy in patients with rituximab-refractory follicular non-Hodgkin's lymphoma. J Clin Oncol. 2002 Aug 1;20(15):3262-9.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description	
C82.00	Follicular lymphoma grade I, unspecified site	
C82.01	Follicular lymphoma grade I, lymph nodes of head, face and neck	
C82.02	Follicular lymphoma, grade I, intrathoracic lymph nodes	
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes	
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb	
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb	
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes	
C82.07	Follicular lymphoma grade I, spleen	
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites	
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites	
C82.10	Follicular lymphoma grade II, unspecified site	
C82.11	Follicular lymphoma grade II, lymph nodes of head, face and neck	
C82.12	Follicular lymphoma, grade II, intrathoracic lymph nodes	
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes	
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb	
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb	
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes	
C82.17	Follicular lymphoma grade II, spleen	
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites	
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites	
C82.20	Follicular lymphoma grade III, unspecified, unspecified site	
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck	
C82.22	Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes	
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes	
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb	
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb	
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes	
C82.27	Follicular lymphoma grade III, unspecified, spleen	
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites	



Medical Necessity Criteria

Page 3

ICD-10	ICD-10 Description	
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites	
C82.30	Follicular lymphoma grade IIIa, unspecified site	
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face and neck	
C82.32	Follicular lymphoma, grade IIIa, intrathoracic lymph nodes	
C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes	
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb	
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb	
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes	
C82.37	Follicular lymphoma grade IIIa, spleen	
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites	
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites	
C82.40	Follicular lymphoma grade IIIb, unspecified site	
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face and neck	
C82.42	Follicular lymphoma, grade IIIb, intrathoracic lymph nodes	
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes	
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb	
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb	
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes	
C82.47	Follicular lymphoma grade IIIb, spleen	
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites	
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites	
C82.50	Diffuse follicle center lymphoma, unspecified site	
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face and neck	
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes	
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes	
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb	
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb	
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes	
C82.57	Diffuse follicle center lymphoma, spleen	
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites	
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites	
C82.60	Cutaneous follicle center lymphoma, unspecified site	
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face and neck	
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes	



Medical Necessity Criteria

Page 4

ICD-10	ICD-10 Description	
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes	
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb	
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb	
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes	
C82.67	Cutaneous follicle center lymphoma, spleen	
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites	
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites	
C82.80	Other types of follicular lymphoma, unspecified site	
C82.81	Other types of follicular lymphoma, lymph nodes of head, face and neck	
C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes	
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes	
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb	
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb	
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes	
C82.87	Other types of follicular lymphoma, spleen	
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites	
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites	
C82.90	Follicular lymphoma, unspecified, unspecified site	
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face and neck	
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes	
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes	
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb	
C82.95	Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb	
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes	
C82.97	Follicular lymphoma, unspecified, spleen	
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites	
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites	
C83.30	Diffuse large B-cell lymphoma unspecified site	
C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck	
C83.32	Diffuse large B-cell lymphoma intrathoracic lymph nodes	
C83.33	Diffuse large B-cell lymphoma intra-abdominal lymph nodes	
C83.34	Diffuse large B-cell lymphoma lymph nodes of axilla and upper limb	
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb	
C83.36	Diffuse large B-cell lymphoma intrapelvic lymph nodes	

Prime THERAPEUTICS[™]



Medical Necessity Criteria

ICD-10	ICD-10 Description	
C83.37	Diffuse large B-cell lymphoma, spleen	
C83.38	Diffuse large B-cell lymphoma lymph nodes of multiple sites	
C83.39	Diffuse large B-cell lymphoma extranodal and solid organ sites	
C83.90	Non-follicular (diffuse) lymphoma, unspecified site	
C83.91	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of head, face, and neck	
C83.92	Non-follicular (diffuse) lymphoma, unspecified intrathoracic lymph nodes	
C83.93	Non-follicular (diffuse) lymphoma, unspecified intra-abdominal lymph nodes	
C83.94	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of axilla and upper limb	
C83.95	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of inguinal region and lower limb	
C83.96	Non-follicular (diffuse) lymphoma, unspecified intrapelvic lymph nodes	
C83.97	Non-follicular (diffuse) lymphoma, unspecified spleen	
C83.98	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of multiple sites	
C83.99	Non-follicular (diffuse) lymphoma, unspecified extranodal and solid organ sites	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Articles (LCAs), and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at:<u>http://www.cms.gov/medicare-coverage-database/search.aspx</u>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdicti	Applicable State/US Territory	Contractor	
on			
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC	
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC	
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)	
6	MN, WI, IL	National Government Services, Inc. (NGS)	
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.	
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)	
N (9)	FL, PR, VI	First Coast Service Options, Inc.	
J (10)	TN, GA, AL	Palmetto GBA, LLC	
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC	

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCA/LCD): N/A



Medical Necessity Criteria

Page 6

Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdicti	Applicable State/US Territory	Contractor	
on			
· · /	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.	
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)	
15	КҮ, ОН	CGS Administrators, LLC	



