

Policy:	Multiple Sclerosis and Ulcerative Colitis – Zeposia Care Value Policy	Annual Review Date: 01/16/2025
		Last Revised Date: 01/16/2025

OVERVIEW

Zeposia, a sphingosine 1-phosphate receptor modulator, is indicated for the following uses:¹

- **Relapsing forms of multiple sclerosis**, to include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease in adults.
- Ulcerative colitis, in adults with moderately to severely active disease.

For more information on criteria within a Prior Authorization program by specific condition refer to the standard *Multiple Sclerosis and Ulcerative Colitis – Zeposia Prior Authorization Policy*.

Preferred and Non-Preferred Products.[¥]

	Multiple Sclerosis	Ulcerative Colitis
<u>Step 1</u> Preferred	• generic fingolimod capsules	 Adalimumab Products[^] Cyltezo/adalimumab-adbm, adalimumab- adaz, Simlandi/adalimumab-ryvk Omvoh SC Skyrizi SC (on-body injector) Stelara SC Tremfya SC Velsipity Zymfentra
Step 2 Non-Preferred (directed to ONE Step 1 Product)	• Zeposia	
Step 2 Non-Preferred (directed to TWO Step 1 Products)		• Zeposia

⁴ For Non-Preferred Adalimumab Products, refer to the *Inflammatory Conditions – Adalimumab Products Care Value Policy for National Preferred, High Performance,* and Basic Formularies; ^ A trial of more than one adalimumab product counts as ONE Preferred Product; SC – Subcutaneous.

POLICY STATEMENT

The Multiple Sclerosis Care Value Program has been developed to encourage the use of the Preferred Products. For all medications (Preferred and Non-Preferred) the patient is required to meet the respective standard *Prior Authorization Policy* criteria. The Program also directs the patient to try <u>one</u> Preferred Product prior to the approval of a Non-Preferred Product. Requests for Non-Preferred Products will also be reviewed using the exception criteria (below). All approvals are provided for 1 year. If a patient requesting a Non-Preferred Product meets the respective standard *Prior Authorization Policy* criteria but has not tried one Preferred Product, an offer to review for the Preferred Product(s) will be made.



The Inflammatory Conditions Care Value Program has been developed to encourage the use of the Preferred Products. For all medications, this program requires the patient to meet the respective standard *Prior Authorization Policy* criteria. Additionally, this program requires trial(s) of the Preferred Product(s) according to the table above, when clinically appropriate, prior to the approval of the Non-Preferred Products. There are also situations when trials of Non-Preferred Products will be considered; see criteria below. Other details of the program are as follows:

- Continuation of Therapy: Approval for a patient <u>continuing therapy with a Non-Preferred (subcutaneous or oral)</u> <u>Product</u> must be supported with verification, noted in the criteria as either [verification in prescription claims history required] or, if not available, as [verification by prescriber required].
 - If the patient has at least 130 days of prescription claims history on file, claims history must support that the patient has received the Non-Preferred Product for the specified period of time (90 or 120 days) within a 130-day look-back period; OR
 - When 130 days of the patient's prescription claim history file is unavailable for verification, the prescriber must verify that the patient has been receiving the Non-Preferred Product for a specified period of time (90 or 120 days), AND that the patient has been receiving the Non-Preferred Product via paid claims (e.g., patient has <u>not</u> been receiving samples or coupons or other types of waivers in order to obtain access to the Non-Preferred Product).
 - \circ For a patient continuing therapy, other conditions may also apply. Refer to criteria below.
 - **Approval Duration:** All approvals for continuation of therapy for Preferred and Non-Preferred Products are provided for 1 year unless noted otherwise below. In cases where the initial approval is authorized in months, 1 month is equal to 30 days.

Automation: None.

Non-Preferred	Exception Criteria	
Product		
Zeposia	1. <u>Multiple Sclerosis</u> .	
	Approve for 1 year if the patient meets the following (A and B):	
	A) Patient meets the standard Multiple Sclerosis and Ulcerative Colitis – Zeposia Prior	
	Authorization Policy criteria; AND	
	B) Patient meets one of the following (i, ii, iii, iv, <u>or</u> v):	
	i. Patient has been established on Zeposia for ≥ 120 days; OR	
	 ii. Patient meets both of the following (a and b): a) Patient has tried generic fingolimod capsules; AND b) Patient has experienced inadequate efficacy or significant intolerance, according to the prescriber; OR <u>Note</u>: Prior use of Gilenya with inadequate efficacy or significant intolerance (according to the prescriber) also counts. C) If the patient meets the standard Multiple Sclerosis and Ulcerative Colitis – Zeposia Prior Authorization Policy criteria, but does not meet criterion 1B, offer to review for the Preferred 	
	Product (fingolimod).	

RECOMMENDED EXCEPTION CRITERIA



Zeposia	2.	<u>Ulcerative Colitis – Initial Therapy</u> .	
		A) Approve for 6 months if the patient meets the following (i and ii):	
		i. Patient meets the standard Multiple Sclerosis and Ulcerative Colitis – Zeposia	
		Prior Authorization Policy criteria; AND	
		ii. Patient has tried TWO of an adalimumab product, Omvoh subcutaneous,	
		Skyrizi subcutaneous, Stelara subcutaneous, Tremfya subcutaneous,	
		Velsipity, and Zymfentra.	
		<u>Note</u> : Examples of adalimumab products include Humira, Abrilada, adalimumab-aacf, adalimumab-adaz, adalimumab-adbm, adalimumab-fkjp, adalimumab-aaty, adalimumab-ryvk, Simlandi, Amjevita, Cyltezo, Hadlima, Hulio, Hyrimoz, Idacio, Yuflyma, and Yusimry. A trial of an infliximab	
		intravenous product (e.g., Remicade, biosimilars), Simponi subcutaneous,	
		Entyvio intravenous or subcutaneous, Omvoh intravenous, Skyrizi intravenous, Stelara intravenous, or Tremfya intravenous also counts.	
		B) If the patient has met criterion 2Ai (the standard <i>Multiple Sclerosis and Ulcerative</i>	
		Colitis – Zeposia Prior Authorization Policy criteria), but criterion 2Aii is not met,	
		offer to review for the Preferred Product (<u>adalimumab-adaz, adalimumab-adbm</u> ,	
		Cyltezo, adalimumab-ryvk, Simlandi, Omvoh subcutaneous, Skyrizi subcutaneous	
		(on-body injector), Stelara subcutaneous, Tremfya subcutaneous, Velsipity, or	
		Zymfentra) using the respective standard Inflammatory Conditions Prior	
		Authorization Policy criteria.	
	3.	Ulcerative Colitis – Patient is Currently Receiving Zeposia.	
		A) Approve for 1 year if the patient meets the following (i and ii):	
		i. Patient meets the standard <i>Multiple Sclerosis and Ulcerative Colitis – Zeposia</i>	
		Prior Authorization Policy criteria; AND	
		ii. Patient meets ONE of the following conditions (a <u>or</u> b):	
		a) Patient has tried TWO of an adalimumab product, Omvoh	
		subcutaneous, Skyrizi subcutaneous, Stelara subcutaneous, Tremfya	
		subcutaneous, Velsipity, and Zymfentra; OR	
		<u>Note</u> : Examples of adalimumab products include Humira, Abrilada,	
		adalimumab-aacf, adalimumab-adaz, adalimumab-adbm,	
		adalimumab-fkjp, adalimumab-aaty, adalimumab-ryvk, Simlandi,	
		Amjevita, Cyltezo, Hadlima, Hulio, Hyrimoz, Idacio, Yuflyma, and	
		Yusimry. A trial of an infliximab intravenous product (e.g., Remicade, biosimilars), Simponi subcutaneous, Entyvio intravenous	
		or subcutaneous, Omvoh intravenous, Skyrizi intravenous, Stelara	
		intravenous, or Tremfya intravenous also counts.	
		b) Patient has been established on Zeposia for at least 90 days and	
		prescription claims history indicates <u>at least a 90-day supply of</u>	
		Zeposia was dispensed within the past 130 days [verification in	
		prescription claims history required] if claims history is not	
L	1	FreeserProve common motory required in channe motory is not	



	available, according to the prescriber [verification by prescriber
	required].
	<u>Note</u> : In cases where 130 days of the patient's prescription claim
	history file is unavailable to be verified, an exception to this
	requirement is allowed if the prescriber has verified that the patient
	has been receiving <u>Zeposia</u> for at least 90 days AND the patient has
	been receiving Zeposia via paid claims (e.g., patient has not been
	receiving samples or coupons or other types of waivers in order to
	obtain access to <u>Zeposia</u>).
B) If the patient h	has met criterion 3Ai (the standard Multiple Sclerosis and Ulcerative
Colitis – Zepos	<i>ia Prior Authorization Policy</i> criteria but criterion 3Aii is not met, offer
to review for	a Preferred product (adalimumab-adaz, adalimumab-adbm, Cyltezo,
<u>adalimumab-ry</u>	vk, Simlandi, Omvoh subcutaneous, Skyrizi subcutaneous (on-body
injector), Stelar	ra subcutaneous, Tremfya subcutaneous, Velsipity, or Zymfentra) using
the respective s	standard Inflammatory Conditions Prior Authorization Policy criteria.

REFERENCES

1. Zeposia® capsules [prescribing information]. Summit, NJ: Celgene; May 2021.

Documentation Requirements:

The Company reserves the right to request additional documentation as part of its coverage determination process. The Company may deny reimbursement when it has determined that the drug provided or services performed were not medically necessary, investigational or experimental, not within the scope of benefits afforded to the member and/or a pattern of billing or other practice has been found to be either inappropriate or excessive. Additional documentation supporting medical necessity for the services provided must be made available upon request to the Company. Documentation requested may include patient records, test results and/or credentials of the provider ordering or performing a service. The Company also reserves the right to modify, revise, change, apply and interpret this policy at its sole discretion, and the exercise of this discretion shall be final and binding.