

# Medical Policy

**Policy:** 202406

**Effective Date:** 12/19/2024

**SUBJECT:** Investigational/Experimental  
Procedures/Devices/Services

**Annual Review Date:** 12/12/2024

**Last Revised Date:** 12/19/2024

**SERVICES IN THIS LIST OF CORPORATE MEDICAL POLICIES ARE CONSIDERED  
INVESTIGATIONAL/EXPERIMENTAL**

**Definition:** Investigational/experimental describes a drug, medical device, treatment, or procedure that meets any of the following conditions:

- A drug or medical device cannot be lawfully marketed without clearance or approval of the U.S. Food and Drug Administration, and clearance or approval for marketing has not been given at the time the drug or device is furnished.
- Reliable evidence shows that the drug, medical device, treatment, or procedure is not considered the standard of care, is the subject of an on-going phase I, II or III clinical trial, or is under study to determine maximum tolerated dose, toxicity, safety, or efficacy as compared with the standard means of treatment or diagnosis.
- The consensus of opinion among experts regarding the drug, medical device, treatment, or procedure is that further studies or clinical trials are required to determine its maximum tolerated dose, toxicity, safety, or efficacy, as compared with the standard means of treatment or diagnosis.

When determining a status of investigational/experimental, the Company considers information from multiple sources, including but not limited to published, peer-reviewed literature; clinical practice guidelines published by consortia of medical organizations; commercial health technology assessment organizations such as Hayes, a symplr Offering; position statements from specialty and sub-specialty societies; and UpToDate. Please see the Healthcare Technology Assessment Program Description for more details: <https://www.medmutual.com/-/media/908301A8044D420BB377375914643593.ashx>.

The American Medical Association (AMA) develops and maintains a set of temporary codes to track the utilization of emerging technologies, services, and procedures that are referenced as CPT Category III codes. The Category III code description does not establish a service or procedure as safe, effective, or applicable to the clinical practice of medicine. The AMA indicates that a Category III code will typically be archived within 5 years, and the description is either converted to a specific Category I code or should be reported with a Category I unlisted code.

**PLEASE NOTE:** The Company considers Category III codes to be investigational/experimental except when explicitly covered by a corporate medical policy (or national or local coverage determination when appropriate).

# Medical Policy

*This Corporate Medical Policy applies to commercial lines of business as well as Medicare Advantage when there is no National Coverage Determination, Local Coverage Determination, or other guidance published by the Centers for Medicare & Medicaid Services.*

To access MCG Care Guidelines, please see: <https://medmutual.access.mcg.com/index>.

**Medical Necessity:** Based upon our findings, the Company has determined that the following services have not demonstrated equivalence or superiority to currently accepted standard means of treatment or standard diagnostic technique. The Company considers the following services as indicated by the Applicable Code(s) or other related code(s) not listed here **investigational** and **not** eligible for reimbursement:

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
200139	Extracorporeal Shock Wave Therapy for Musculoskeletal Conditions	Extracorporeal shock wave therapy (ESWT) is a noninvasive technique that directs low or high energy pulses to a specific painful tissue area. These pulses aim to break down calcium deposits, decrease scar tissue, and reduce inflammation, thereby decreasing pain and promoting healing at the affected site. Musculoskeletal conditions include (but are not limited to) plantar fasciitis, shoulder tendonitis, Achilles' tendinopathy, and lateral epicondylitis.	CPT Codes 28890, Category III 0101T, 0102T, 0512T, 0513T	02/27/2025
200224	Sublingual Immunotherapy	Sublingual immunotherapy (SLIT) is a form of allergy treatment that utilizes repeated, sublingual placement of diluted allergen extract drops as an allergen delivery system. Gradually increased doses of the allergen are administered in an effort to achieve tolerance to the allergy-causing substance. Theoretical advantages include a lower risk of serious side effects and better patient acceptance.	CPT Code 95199 <sup>†</sup>  <sup>†</sup> When <i>unlisted allergy/clinical immunologic service or procedure (95199)</i> is determined to be sublingual (allergy) immunotherapy.  NOTE: Odactra, Grastek, Ragwitek, or Oralair may be covered, please see Drug Policy <b>Sublingual Allergen Extract</b>	02/11/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
			<b>Immunotherapy</b> for more information.	
2003-C	Electrical Stimulation for Treatment of Dysphagia	Transcutaneous electrical stimulation (neuromuscular electrostimulation; transcutaneous electrical stimulation) of muscles coordinating swallowing is a noninvasive therapy reported to be utilized for treatment of oropharyngeal dysphagia. A hand-held electrical stimulator (e.g., VitalStim) is connected to a pair of external electrodes positioned to deliver electric current to swallowing muscles of the neck. The device provides external electrical stimulation to pharyngeal swallowing musculature in an attempt to strengthen neuromuscular pathways involved in the swallow reflex.	CPT Codes 97014, 97032 and 97039†  HCPCS Code E0745  †When unlisted modality (specify type and time if constant attendance) (97039) is determined to be electrical stimulation for treatment of dysphagia.	12/19/2024
200310	Gastroesophageal Reflux Disease: Endoscopic Therapies	Gastroesophageal reflux disease (GERD) is the chronic abnormal reflux of gastric contents into the esophagus, resulting in symptoms of heartburn and/or regurgitation. This gastric reflux may at times result in mucosal injury with esophagitis or other complications. Endoscopic therapies have been developed to treat GERD; these approaches alter the gastroesophageal junction structure in order to diminish proximal migration of gastric contents and decrease reflux and regurgitation symptoms, thereby resolving esophagitis.  Endoscopic therapies may be classified as outlined below, with some examples (NOTE: this list is not all-inclusive):	CPT 43201, 43210, 43236, 43257, 43499† and 43999†  †When unlisted procedure, esophagus (43499) or unlisted procedure, stomach (43999) is determined to be endoscopic plication/suturing for treatment of gastroesophageal reflux disease.	5/1/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
		<ul style="list-style-type: none"> <li>Radiofrequency energy: <ul style="list-style-type: none"> <li>Stretta®</li> </ul> </li> <li>Endoscopic plication/suturing <ul style="list-style-type: none"> <li>Bard® EndoCinch™ Suturing System</li> <li>NDO Surgical Endoscopic Plication™ System</li> <li>The EndoGastricSolutions (EGS) Transoral Incisionless Fundoplication (TIF) EsophyX™ with SeroFuse™ Fastener</li> </ul> </li> <li>Polymer injection <ul style="list-style-type: none"> <li>Ethylene-vinyl alcohol co-polymer (Enteryx®)</li> <li>Hydrogel prosthesis (Gatekeeper™ Reflux Repair System)</li> </ul> </li> </ul>		
2005-J	Vertebral Axial Decompression Devices	Vertebral axial decompression devices (e.g., VAX-D®, Accu-SPINA System, etc.) are computer-controlled tables that apply distractive tension along the spinal column. These devices are promoted as non-invasive, non-surgical procedures that treat low back pain due to conditions such as lumbar disc herniation, degenerative disc disease, posterior facet syndrome, sciatica, or radiculopathy.	HCPCS S9090	07/12/2024
2006-D	Radiofrequency microtenotomy	Radiofrequency microtenotomy (radiofrequency-based microtenotomy) is a minimally invasive procedure for treatment of chronic tendinosis. Coblation® (ArthroCare® Corporation, Austin, TX) technology, a controlled, non-heat driven process, uses radiofrequency energy in an attempt to stimulate healing by initiating an	CPT Codes 20999 <sup>†</sup> , 23929 <sup>†</sup> , 24999 <sup>†</sup> , 27599 <sup>†</sup> , 27899 <sup>†</sup> and 28899 <sup>†</sup>  <sup>†</sup> When <i>unlisted procedure-musculoskeletal system-general</i> (20999), <i>unlisted procedure - shoulder</i> (23929), <i>unlisted procedure, humerus</i>	08/27/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
		inflammatory response in damaged tissue. A damaged tendon is surgically exposed and radiofrequency energy is directly applied to the tendon surface with a TOPAZ® MicroDebrider probe (ArthroCare® Corporation, Austin, TX) at 0.5 second intervals. Radiofrequency microtenotomy has been evaluated for the treatment of chronic tendinosis refractory to conventional therapy, including the supraspinatus tendon, forearm extensor muscle aponeurosis (at lateral epicondyle), patellar tendon, Achilles tendon and plantar fascia.	<i>or elbow (24999), unlisted procedure, femur or knee (27599), unlisted procedure, leg or ankle (27899) or unlisted procedure, foot or toes (28899) is determined to be radiofrequency microtenotomy for tendinosis.</i>	
2006-G	Fluid-Ventilated Gas-Permeable Scleral Lenses	Fluid-ventilated, gas-permeable scleral lenses (e.g., BostonSight PROSE device) are utilized for management of irregular corneal astigmatism that is unable to be corrected with traditional contact lenses or for treatment of diseases of the corneal surface. These devices can be custom-fitted and sized to rest largely on the surrounding sclera, creating a fluid-filled space overlying the cornea, which optically neutralizes corneal surface irregularities. The fluid-filled space protects the corneal surface from atmospheric desiccation, reduces the intensity of ocular pain and may facilitate healing of persistent epithelial defects.	CPT 92499 HCPCS S0515	12/19/2024
2009-C	Anal Fistula Plug	An anal fistula plug (e.g., Biodesign® [Surgisis®] Anal Fistula Plug) is a freeze-dried bioabsorbable xenograft formulated from porcine small intestinal submucosa, which is intended as a minimally invasive treatment for anorectal or rectovaginal fistulas.	CPT Code 46707	12/10/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
2011-C	Wireless Gastrointestinal Motility Monitoring System -Suspected Gastric Motility Disorders	Wireless gastrointestinal motility monitoring systems (e.g., SmartPill® GI Monitoring System) have been proposed as an alternative testing method for evaluation of suspected gastrointestinal motility disorders (e.g., gastroparesis). The system senses and records temperature, pH, and pressure measurements via sensors contained within an ingestible capsule as it travels through the gastrointestinal tract. Measurements are transmitted from the capsule via a radiofrequency signal to an external data receiver and subsequently downloaded to a personal computer for analysis and review by a physician.	CPT Code 91112	06/12/2024
2013-C	Tenex Health TX Procedure	Tenex Health TX Procedure employs a minimally invasive technique intended to treat symptomatic tendon and soft tissue injuries that are unresponsive to conventional medical therapy. The procedure involves percutaneous insertion of the TX1 MicroTip™ through a 3mm incision near a tendon or soft tissue injury site (i.e., lateral or medial epicondyle, patellar tendon, rotator cuff, plantar fascia or Achilles tendon) under ultrasonic guidance. The probe ultrasonically emulsifies and removes tendon scar tissue, thereby reportedly alleviating tendon pain.	CPT Codes 20999 <sup>†</sup> , 23929 <sup>†</sup> , 24999 <sup>†</sup> , 27599 <sup>†</sup> , 27899 <sup>†</sup> and 28899 <sup>†</sup>  <sup>†</sup> When unlisted procedure-musculoskeletal system, general (20999), unlisted procedure, shoulder (23929), unlisted procedure, humerus or elbow (24999), unlisted procedure, femur or knee (27599), unlisted procedure, leg or ankle (27899) or unlisted procedure, foot or toes (28899) is determined to be focused aspiration of scar tissue.	12/10/2024
2014-A	Non-Surgical Treatments for OSA	Many non-surgical treatments are available for obstructive sleep apnea.  Oral pressure therapy (e.g., Attune Sleep Apnea System, iNAP One Sleep Therapy System, Winx Sleep Therapy System)	HCPCS A7002 <sup>†</sup> , A7047 <sup>†</sup> , E0600 <sup>†</sup> , E0490, E0491, E0492, E0493, E0530	02/01/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.



# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
		<p>involves the use of an intraoral negative pressure gradient device intended to improve airflow by increasing airway size for the treatment of obstructive sleep apnea.</p> <p>Daytime neuromuscular electrical stimulation therapy is another treatment option that uses a device (e.g. eXciteOSA) to deliver electrical stimulation through a mouthpiece that is placed around the tongue. The stimulation is thought to improve tongue muscle tone and endurance to prevent upper airway collapse and obstructive sleep apnea during the night.</p> <p>Devices for treatment of positional obstructive sleep apnea (POSA) can be worn around the neck or chest prompting the user with soft vibrations to shift to a nonsupine position (e.g. <i>Night Shift</i>).</p>	<p>†When tubing used with suction pump, each (A7002) or oral interface used with respiratory suction pump, each (A7047) or respiratory suction pump, home model, portable or stationary, electric (E0600) is determined to be oral pressure therapy for treatment of obstructive sleep apnea.</p>	
2016-B	Myoelectric Orthotic Devices- Upper Extremity	<p>Myoelectric orthotic mobility systems (e.g., MyoPro®, Myomo e100, IpsiHand) are designed to provide limb and joint support as well as powered range of motion. These systems are intended to compensate for muscle weakness and disability resulting from cerebrovascular disease, neuromuscular disorders and injuries. Myoelectric orthotic mobility systems may help weak or paralyzed individuals to regain function and perform activities of daily living.</p> <p><b>NOTE: The Company considers myoelectric prosthesis medically necessary when criteria are met in MCG Guideline A-0701.</b></p>	<p>HCPCS A9300†, E0738, E0739, E1399†, L3904, L3999†, L7499†, L8701, and L8702</p> <p>†When exercise equipment (A9300), durable medical equipment, miscellaneous (E1399), upper limb orthosis, not otherwise specified (L3999); or upper extremity prosthesis, not otherwise specified (L7499) is determined to be myoelectric upper limb orthotic devices</p>	12/19/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
2017-B	Leadless Cardiac Pacemaker Systems (i.e., Micra™ Transcatheter Pacemaker System, Aveir VR Leadless System)	<p>Leadless cardiac pacemaker systems are miniaturized, full featured single or dual chamber pacemakers that are implanted directly in the right ventricle and right atrium in the case of dual chamber pacemakers. They are thought to provide treatment options for patients with Class I or Class II indication for bradycardia pacing therapy without the increased risk for infection.</p> <p>For Medicare Advantage members only: approval may be permitted if the member is participating in an FDA-approved post approval trial that is registered.</p>	<p>CPT Codes 33274, 33275, 0795T, 0796T, 0797T, 0798T, 0799T, 0800T, 0801T, 0802T, 0803T, 0804T, 0823T, 0824T, 0825T, and 0826T</p> <p>HCPCS Code C1605</p>	07/01/2024
2018-C	Actigraphy as a Standalone Procedure	Actigraphy involves monitoring motor activity with a portable device over an extended period of time. Devices include a small accelerometer that is typically worn on the wrist to record movement during sleep and may be used in a facility-based laboratory or in the home setting. Actigraphy has been proposed as a useful technique in combination with, or in place of, polysomnography to detect sleep disorders such as obstructive sleep apnea.	CPT Code 95803	12/10/2024
201913	Investigational Treatments for Benign Prostatic Hypertrophy	Benign prostatic hypertrophy (BPH) is a condition in which the prostate gland and surrounding tissues are enlarged which can impair the flow of urine from the urethra. Although not cancerous, the growth can cause uncomfortable urinary symptoms such as bladder, urinary and kidney problems. There are now several non-surgical treatments for BPH. These treatments are intended for men whose symptoms are refractory to medical	<p>CPT codes 37241<sup>†</sup>, 37242<sup>†</sup>, 37243<sup>†</sup>, 53855</p> <p><sup>†</sup>When vascular embolization or occlusion; venous, other than hemorrhage (37241), vascular embolization or occlusion; arterial, other than hemorrhage or tumor (37242), vascular embolization or occlusion; for</p>	05/11/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.



# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
		<p>therapy and/or who are inappropriate candidates for more invasive procedures or who do not wish to undergo these procedures.</p> <p>Several treatments for benign prostatic hypertrophy, including Urolift, Rezum and Aquablation are covered procedures and are found in CMP 201913.</p> <p>Based upon our findings, the Company considers the following treatments for benign prostatic hypertrophy investigational:</p> <ul style="list-style-type: none"> <li>• Temporary prostatic urethral stents (e.g. Spanner Prostatic Stent, iTind)</li> </ul> <p>Prostatic artery embolization</p>	<p><i>tumors, organ ischemia, or infarction (37243) is found to be prostatic artery embolization</i></p>	
2019-B	Subchondroplasty® (SCP®) with AccuFill® Bone Substitute Material (BSM)	<p>The Subchondroplasty® Procedure (SCP®) is a minimally invasive, fluoroscopically assisted procedure in which subchondral bone defects are filled with AccuFill® Bone Substitute Material (BSM), a calcium phosphate compound. Inside the subchondral defects AccuFill forms a hard, nanocrystalline scaffold that is replaced with new bone over time. This procedure is typically performed arthroscopically.</p>	<p>CPT Codes 0707T, 0869T, 29855<sup>†</sup>, 29856<sup>†</sup>, 29892<sup>†</sup></p> <p><sup>†</sup>When arthroscopically aided treatment of tibial fracture, proximal (plateau); unicondylar (29855), arthroscopically aided treatment of tibial fracture, proximal (plateau); bicondylar (29856), or arthroscopically aided repair of large osteochondritis dissecans lesion, talar dome fracture, or tibial plafond fracture (29892), or any other code is determined to be Subchondroplasty® (SCP®) with AccuFill® Bone Substitute Material (BSM); this includes but is not limited to hips and knees.</p> <p><b>NOTE:</b> This list of applicable codes is</p>	04/08/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
			not all-inclusive. The Company reserves the right to apply this policy to the procedure performed regardless of how the procedure was coded by the provider.	
2019-F	Allogeneic, xenographic, synthetic, and composite nerve grafts and conduits	Peripheral nerve injuries or defects may compromise sensory and/or motor function and can profoundly impact quality of life as well as autonomy. Autologous nerve transplantation is the standard surgical treatment but has significant limitations, such as a need for a secondary surgery and an associated risk for surgical donor site morbidity. Nerve allografts comprise another approach, but some allogeneic nerve transplants may require concurrent immunosuppression. Tissue-engineered, decellularized nerve grafts and nerve conduits, as well as grafts and conduits from other sources, are intended to treat peripheral nerve injuries or defects while minimizing the potential for adverse events that are common to current treatments.	CPT Codes 64910, 64912, 64913, 64999 <sup>†</sup> , HCPCS Codes C9352, C9353, C9355, C9361, Q4170  <sup>†</sup> When <i>unlisted procedure, nervous system</i> (CPT 64999) is determined to be allogeneic, xenographic, synthetic, or composite nerve grafts and/or conduits.	05/09/2024
2019-G	Investigational Spinal Procedures  • Minimally invasive spinal fusion approaches using only indirect	There are many investigational spinal procedures that lack the clinical evidence for efficacy compared to other more standard procedures. Many of these include minimally invasive procedures for spinal fusion, discectomy and disc decompression. They are intended to increase stability of vertebral bones and joints and/or relieve any pressure being applied to the nerves and to thus alleviate	CPT 22586, 27278, 62287 <sup>†</sup> , 62380 <sup>†</sup> , 63020 <sup>†</sup> , 63030 <sup>†</sup> , 63035 <sup>†</sup> , and 64999 <sup>†</sup>  Category III 0274T and 0275T  HCPCS C1821, S2348	03/11/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
	<p>visualization (e.g. endoscopic fusion)</p> <ul style="list-style-type: none"> <li>• Spinal fusion with a pre-sacral interbody approach (e.g. AxiaLIF)</li> <li>• Automated Percutaneous Lumbar Discectomy</li> <li>• Endoscopic Disc Decompression</li> <li>• Laser Disc Decompression</li> <li>• Minimally Invasive Lumbar Decompression (mild®)*</li> <li>• Nucleoplasty Disc Decompression</li> <li>• LinQ sacroiliac joint stabilization system</li> </ul> <p>*Approval for mild® may be</p>	<p>chronic numbness, stiffness, and pain of the back.</p> <p>NOTE: Minimally invasive spinal fusion approaches such as XLIF and DLIF, when performed with direct visualization, are approvable based on MCG criteria (S-820).</p> <p>See also MCG™ Care Guideline® A-0494: Spinal Distraction Devices.</p>	<p>† When aspiration of nucleus pulposus of intervertebral disk, lumbar (62287), laminotomy/decompression nerve root(s); one interspace/cervical (63020), endoscopic decompression of spinal cord, nerve root(s), including laminotomy, partial facetectomy, foraminotomy, discectomy and/or excision of herniated intervertebral disc, 1 interspace, lumbar (62380), laminotomy/decompression nerve root(s); one interspace, lumbar (63030); laminotomy with decompression of nerve root(s);each addl. (63035); or unlisted procedure, nervous system (64999) is determined to be minimally-invasive disc decompression procedures.</p>	

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
	permitted for a Medicare Advantage member if they are enrolled in an approved clinical study that meets criteria put forth by the Centers for Medicare & Medicaid Services (CMS). This information may be available through the CMS website.			
202009	Dry Needling	Dry needling, also known as intramuscular stimulation, involves the use of solid ‘noninjection’ needles which are used to penetrate the skin and stimulate specific triggerpoints, muscles and connective tissue. Dry needling is intended to reduce pain and improve range of motion, however more studies are needed to demonstrate its safety and effectiveness.	CPT Codes 20560, 20561	05/21/2025
202011	Microsurgical Treatments for Lymphedema – Lymphatic Bypass Procedures	Lymphedema refers to the accumulation of fluid in tissues with inadequate lymphatic drainage, which often results from breast cancer surgery, mastectomy, or radiation treatments. Microsurgical treatments for lymphedema aim to increase the capacity of the lymphatic system by creating new channels for lymphatic fluid to travel. There are several methods of lymphatic bypass, including (but not limited to)	CPT Codes 15756†, 35206†, 35226†, 35236†, 35266†, 37799†, 38308†, 38790†, 38999†, 49906†, 76499†  †When free muscle or myocutaneous flap with microvascular anastomosis (15756),	06/10/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
		lymphovenous bypass, lymphaticovenular anastomosis, and lymphatic-capsular-venous anastomosis.	repair blood vessel, direct; upper extremity (35206), repair blood vessel, direct; lower extremity (35226), repair blood vessel with vein graft; upper extremity (35236), repair blood vessel with graft other than vein; upper extremity (36266), unlisted procedure, vascular surgery (37799), lymphangiectomy or other operations on lymphatic channels (38308), unlisted procedure, hemic or lymphatic system (38999), free omental flap with microvascular anastomosis (49906), or unlisted diagnostic radiographic procedure (76499) is determined to be microsurgical treatments for lymphedema.	
202015	Irreversible Electroporation (IRE)	Irreversible electroporation (IRE) is a nonthermal ablative technique that induces cell death by directly delivering multiple pulses of high-voltage electrical current to a targeted area. The electrical current permanently changes cell	CPT Codes 0600T, 0601T, 47399†  ICD 10 Procedure Codes 0F500ZF-0F504ZF, 0F510ZF-	09/03/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
		permeability by causing tiny holes to open in the cell membrane. This technique preferentially impacts cells, thereby causing less damage to surrounding tissues than with thermal ablative techniques	0F514ZF, 0F520ZF-0F524ZF, 0F5G0ZF-0F5G4ZF  †When <i>unlisted procedure, liver</i> (47399) is determined to be irreversible electroporation	
202016	Cryotherapy or radiofrequency therapy ablation for Allergic and Non-Allergic Rhinitis (ClariFix and RhinAer)	Cryoablation involves the use of extreme cold to destroy tissue. The ClariFix device is a hand-held, disposable device used to destroy tissue during surgical procedures, including in adults with chronic allergic and non-allergic rhinitis.  Radiofrequency ablation involves the use of heat generated by radiofrequency waves to destroy tissue. RhinAer uses low temperature energy to ablate the nerve that causes chronic allergic and non-allergic rhinitis.	CPT Codes 31242, 31243	10/08/2024
202202	Peripheral Electrical Stimulation to Reduce Tremor (e.g. Cala Trio)	Cala Trio is a device worn on the wrist that provides non-invasive electrical stimulation to the median and radial nerves. This type of stimulation therapy is called transcutaneous afferent patterned stimulation (TAPS) and is intended to reduce tremor in the targeted arm.	HCPCS Codes A4542, E0734	09/07/2024
202203	Non- pneumatic compression devices	Non-pneumatic compression devices (e.g., Koya Dayspring System) are wearable systems that provide sequential gradient compression for the treatment and management of lymphedema. These devices are intended to promote lymph flow while allowing patients to maintain mobility during treatment.	HCPCS Codes E0677, E0678, E0679, E0680, E0681, E0682, E0683	12/10/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.



# Medical Policy

<b>POLICY NUMBER</b>	<b>TITLE</b>	<b>DESCRIPTION</b>	<b>APPLICABLE CODE(S)</b>	<b>EFFECTIVE/REVISED DATES</b>
202204	Intravascular Lithotripsy (IVL)	Intravascular lithotripsy (IVL) is a procedure used to open narrow or blocked coronary or peripheral arteries due to calcification prior to stent implantation. The procedure is administered with a device (e.g. Shockwave Intravascular Lithotripsy System) that consists of a catheter which delivers localized pressure waves to the lesion. These pressure waves are intended to break up the calcification that is restricting blood flow.	CPT Code 92972 and HCPCS Codes C9764, C9765, C9766, C9767, C9772, C9773, C9774, C9775, C1761	02/11/2025
202205	Cardiac Contractility Modulation Therapy	Cardiac Contractility Modulation (CCM) therapy (e.g. Optimizer Smart System, Impulse Dynamics) is a proposed treatment for heart failure in patients who are not eligible for cardiac resynchronization therapy. It involves the implantation of a pulse generator into the right pectoral region of the heart. The generator then delivers CCM signals, which are biphasic and relatively high voltage, to the right ventricular septum which is thought to increase the contractile strength of cardiac muscle.	CPT Codes 0408T, 0409T, 0410T, 0411T, 0412T, 0413T, 0414T, 0415T, 0416T, 0417T, 0418T  HCPCS Code K1030	04/05/2024
202304	Arthroscopy-Shoulder-Surgical subacromial spacer	Subacromial- balloon spacer (InSpace – Stryker) is a biodegradable implant designed to restore the subacromial space in rotator cuff injury. This is reported to be a less invasive solution compared to other surgical treatment options that require fixation devices or grafts in the presence of rotator cuff injury, includes debridement (e.g., limited, or extensive), subacromial decompression, acromioplasty, and biceps tenodesis when performed.	HCPCS Code C9781	02/11/2025
202501	Medial Knee Implanted Shock Absorber	The MISHA Knee System (Moximed Inc.) is an implantable shock absorber that is intended to treat knee osteoarthritis.	CPT Code 27599 <sup>†</sup> HCPCS Code C1776 <sup>†</sup>	02/11/2025

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
	(MISHA Knee System)	The MISHA consists of an implant that is placed outside of the knee joint, where it is connected to the proximal tibia and distal femur. The implant is designed to offload the medial knee joint while supporting natural movement.	<sup>†</sup> When 27599 (unlisted procedure, femur or knee) or C1776 (joint device (implantable)) is found to be medial knee implanted shock absorber.	
A-0242	Electromagnetic Therapy  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Pulsed electromagnetic field therapy is a noninvasive, adjunctive therapy utilized to accelerate improvement and stimulate healing in chronic, nonhealing dermal ulcers unresponsive to conventional wound therapy.	HCPCS E0761, E0769, G0295, G0329	12/10/2024
A-0289	MRI-Guided Focused Ultrasound Surgery, Uterus  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Magnetic resonance imaging-guided high-intensity focused ultrasound ablation is a noninvasive procedure developed to ablate uterine fibroid tissue.	CPT Codes 0071T, 0072T	12/10/2024
A-0494	Spinal Distraction Devices  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Interspinous distraction devices, such as the Wallis, X-Stop, Coflex, DIAM, Aperius, and Superion devices, are spacers placed between vertebral levels to limit extension without affecting flexion, axial rotation, or lateral bending. They reduce intradiskal pressure and facet load, and they prevent narrowing of the spinal canal and neural foramen. Proposed applications include relief of discogenic low back pain and neurogenic claudication due to spinal stenosis.	CPT Codes 22867, 22868, 22869, 22870  HCPCS: C1821	12/10/2024
A-0567	Ovarian and Internal Iliac Vein Embolization	Pelvic congestion syndrome (PCS) is characterized by chronic pelvic pain that is unexplained by other etiologies. PCS may develop due to varicosities and/or valvular incompetence within the pelvic veins.	CPT Codes 37241, 75894, 75898	12/10/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

<b>POLICY NUMBER</b>	<b>TITLE</b>	<b>DESCRIPTION</b>	<b>APPLICABLE CODE(S)</b>	<b>EFFECTIVE/REVISED DATES</b>
	MCG™ Care Guideline® 28 <sup>th</sup> Edition	Embolization of the ovarian vein and/or internal iliac vein is a treatment approach that involves the use of embolic agents to reroute blood flow, aiming to reduce pressure within the targeted veins.		
A-0578	Migraine Headache, Surgical Treatment  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Migraine, cluster and other headache syndromes are common, often debilitating, primary headache disorders. Surgical interventions have been proposed for the prevention, reduction or elimination of these headache types. Similar therapies have been proposed for tension-type headaches and occipital neuralgia. Examples of these procedures include: resection or manipulation of facial muscles or soft tissue from the forehead, periorbital, occipital or other facial or scalp areas; resection of the trigeminal nerve or its branches; surgical modification of the sinuses; and patent foramen ovale closure.	CPT Codes 15824, 15826, 21299, 30130, 30140, 30520, 30801, 30802, 31200, 31201, 31205, 31254, 31255, 64732, 64734, 64744, 67900, 93580  (or any codes found to be for services listed)	12/10/2024
A-0634	Bronchial Thermoplasty  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Bronchial thermoplasty (Alair® Bronchial Thermoplasty System, Boston Scientific, Sunnyvale, CA) is a procedure purported to weaken and partially destroy the airway smooth muscle responsible for the bronchoconstriction associated with asthma attacks. A course of bronchial thermoplasty usually consists of several treatment sessions performed under moderate sedation by a pulmonologist for adults with severe persistent asthma that has not been well controlled by conventional medical therapy, including optimal doses of long-acting bronchodilators and glucocorticoids.	CPT Codes 31660 and 31661	12/10/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
A-0667	Bioimpedance Spectroscopy  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Bioimpedance spectroscopy (BIS) is a noninvasive technique utilized in the measurement of extracellular fluid volume differences between the arms and has been reported to aid in detection of unilateral arm lymphedema in women. A small electrical current is passed through electrodes attached to the wrists to measure resistance (impedance) to current. A device is utilized to record impedance at varying frequencies (e.g., ImpediMED L-Dex U400 BIS Extra Cellular Fluid Analyzer, ImpediMed Limited, Queensland Australia; San Diego, CA). Results are analyzed to determine if more fluid exists as compared to the contralateral limb. This technique has been proposed as an alternative to circumferential measurements and water immersion methods to indicate trends toward the potential development of lymphedema.	CPT Codes 0358T, 93702	12/10/2024
A-0718	Radiofrequency Ablation of Tumor  - Benign thyroid nodules  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Radiofrequency ablation (RFA) uses high frequency alternating current to induce thermal injury and cell death in a targeted area of tissue. It may be performed percutaneously or surgically via laparoscopy or laparotomy, and CT, MRI, or ultrasound may be used for guidance. For RFA of benign thyroid nodules, evidence is insufficient, conflicting, or poor and demonstrates an incomplete assessment of net benefit vs harm; additional research is recommended.	CPT Codes 20982 <sup>†</sup> , 32998 <sup>†</sup> , 47370 <sup>†</sup> , 47380 <sup>†</sup> , 47382 <sup>†</sup> , 50592 <sup>†</sup> , 58674 <sup>†</sup>  HCPCS Code C1886 <sup>†</sup>  <sup>†</sup> When codes listed above are used to describe radiofrequency ablation of benign thyroid nodules.	12/10/2024
A-0727	Intrapulmonary Percussive	Intrapulmonary percussive ventilation (IPV) is a breathing system that attempts to loosen mucus by internally percussing	HCPCS Code E0481	12/10/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
	Ventilation (IPV)  MCG™ Care Guideline® 28 <sup>th</sup> Edition	the airways through the delivery of high-frequency, high-flow, low-pressure bursts of gas in an oscillating fashion to a spontaneously breathing patient via mask, mouthpiece, or tracheostomy; it is most commonly used in patients on mechanical ventilation. Aerosolized bronchodilators or other medications can be delivered in these bursts of gas. Airway clearance is thought to result from improved lung expansion and creation of vibrations within the airways that loosen mucus and secretions.		
A-0998	Vagus Nerve Stimulation, Transcutaneous  MCG™ Care Guideline® 28 <sup>th</sup> Edition	A transcutaneous vagus nerve stimulator is a portable, battery-powered device that is either placed directly on the skin of the neck or connected to an electrode that is placed in the left ear. Preprogrammed, intermittent electrical pulses are transmitted to the brain via the various branches of the vagus nerve.	HCPCS Codes E0735 and E1399 <sup>†</sup>  <sup>†</sup> When <i>durable medical equipment, miscellaneous</i> (E1399) is used to describe transcutaneous vagus nerve stimulation.	12/10/2024
A-1025	Saphenous Vein Ablation, Mechanical Occlusion Chemical Ablation (MOCA)  MCG™ Care Guideline® 28 <sup>th</sup> Edition	Mechanical occlusion chemical ablation (MOCA) of the saphenous vein is a nonthermal technique that combines mechanical epithelial injury via a catheter-directed rotating wire with concomitant chemical ablation via simultaneous administration of a sclerosing agent (e.g., sodium tetradecyl sulfate, polidocanol) over the rotating wire. Ultrasonography is used to continuously guide the procedure. For saphenous vein incompetence, evidence is insufficient, conflicting, or poor and demonstrates an incomplete assessment of net benefit vs harm; additional research is recommended.	CPT Codes 36473, 36474	12/10/2024

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.

# Medical Policy

POLICY NUMBER	TITLE	DESCRIPTION	APPLICABLE CODE(S)	EFFECTIVE/REVISED DATES
A-1050	EEG, Quantitative (Brain Mapping)  <b>MCG™ Care Guideline® 28<sup>th</sup> Edition</b>	A quantitative electroencephalogram (qEEG) involves the recording and processing of EEG signals to yield a visual (topographic) representation of EEG-derived data mapped across the brain. The data derived from qEEG can be used to assess cortical connectivity, coherence, ratio, power, and distribution.	CPT Codes 95812 <sup>†</sup> , 95813 <sup>†</sup> , 95816 <sup>†</sup> , 95819 <sup>†</sup> , 95957 <sup>†</sup> , 95961 <sup>†</sup> , 95962 <sup>†</sup> , 95999 <sup>†</sup>  HCPCS Code S8040  <sup>†</sup> When codes listed above are used to describe quantitative electroencephalogram.	12/10/2024
B-821-T	Vagus Nerve Stimulation, Implantable: Behavioral Health Care  <b>MCG™ Care Guideline® 28<sup>th</sup> Edition</b>	Vagus nerve stimulation (VNS) involves the use of a pulse generator which is implanted subcutaneously within the chest wall. Thin, flexible wires are tunneled beneath the skin to the lower neck region and attached to the left vagus nerve. Preprogrammed, intermittent electrical pulses are transmitted to the brain via the vagus nerve.	CPT Codes 61885 <sup>†</sup> , 61888 <sup>†</sup> , 64553 <sup>†</sup> , 64568 <sup>†</sup> , 64569 <sup>†</sup> , 64570 <sup>†</sup> , 95970 <sup>†</sup> , 95976 <sup>†</sup> , 95977 <sup>†</sup>  HCPCS Codes C1767 <sup>†</sup> , C1778 <sup>†</sup> , C1820 <sup>†</sup> , C1826 <sup>†</sup> , C1827 <sup>†</sup> , L8679 <sup>†</sup> , L8680 <sup>†</sup> , L8685 <sup>†</sup> , L8686 <sup>†</sup> , L8687 <sup>†</sup> , L8688 <sup>†</sup>  <sup>†</sup> When these codes are used to describe vagus nerve stimulation for behavioral health conditions.	12/10/2024

## Documentation Requirements

The Company reserves the right to request additional documentation as part of its coverage determination process. The Company may deny reimbursement when it has determined that the services performed were not medically necessary, investigational or experimental, not within the scope of benefits afforded to the member, and/or a pattern of billing or other practice has been found to be either inappropriate or excessive. Additional documentation supporting medical necessity for the services provided must be made available upon request to the Company. Documentation requested may include patient records, test results, and/or credentials of the provider ordering or performing a service. The Company also



# Medical Policy

reserves the right to modify, revise, change, apply, and interpret this policy at its sole discretion, and the exercise of this discretion shall be final and binding.

**NOTE: After reviewing the relevant documentation, the Company reserves the right to apply this policy to the service, or procedure, supply, product, or accommodation performed or furnished regardless of how the service, or procedure, supply, product, or accommodation was coded by the Provider.**

*Approval or clearance by the U.S. Food and Drug Administration alone is not a basis for coverage.*

# Medical Policy

## Sources of Information:

- American Medical Association, Current Procedural Terminology (CPT®) and associated publications and services. Available at: <https://www.ama-assn.org/amaone/cpt-current-procedural-terminology>. Accessed December 10, 2024.
- Centers for Medicare and Medicaid Services, CMS Manual System and other CMS publications and services. Available at: <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals>. Accessed December 10, 2024.
- Centers for Medicare and Medicaid Services, Healthcare Common Procedure Coding System, HCPCS Release and Code Sets. Available at: <https://www.cms.gov/medicare/coding-billing/healthcare-common-procedure-system/quarterly-update>. Accessed December 10, 2024.
- Hayes, a symplr Offering. Available at: <https://www.hayesinc.com/>. Accessed December 10, 2024.
- Medical Mutual Healthcare Technology Assessment Program Description. Available at: <https://www.medmutual.com/-/media/908301A8044D420BB377375914643593.ashx>. Accessed December 11, 2024.
- National Comprehensive Cancer Network. Available at: <https://www.nccn.org/>. Accessed December 11, 2024.
- PubMed, National Library of Medicine. Available at: <https://pubmed.ncbi.nlm.nih.gov/>. Accessed December 11, 2024.
- UpToDate. Available at: <https://www.uptodate.com/>. Accessed December 10, 2024.
- U.S. Preventive Services Task Force. Available at: <https://www.uspreventiveservicestaskforce.org/uspstf/>. Accessed December 10, 2024.

# Medical Policy

<b>Applicable Code(s):</b>	
<b>CPT:</b>	<b>See above.</b>
<b>HCPCS:</b>	<b>See above.</b>
<b>ICD10 Procedure Codes:</b>	<b>See above.</b>

**Revised:**  
12/12/2024: Policy created. Policies from previous IE list copied over.

This document is subject to the disclaimer found at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>. If printed, this document is subject to change. Always verify with the most current version of the official document at <https://www.medmutual.com/For-Providers/Policies-and-Standards/CorporateMedicalDisclaimer.aspx>.