

Medical Policy

Policy: CMP 202305

Initial Effective Date: 03/23/2023

SUBJECT: Eustachian Tube Dilation

Annual Review Date:

Last Revised Date:

Prior approval is required for all procedure codes listed in this Corporate Medical Policy.

Definition: Balloon dilation of the eustachian tube (BDET) The eustachian balloon is guided through the nasal passageway until it reaches the eustachian tube. The balloon is then inserted into the eustachian tube and inflated to dilate the dysfunctional or inflamed eustachian tube cartilage. When patency is restored, the balloon is deflated and removed from the eustachian tube. In the case that both eustachian tubes are affected, the procedure may be performed bilaterally.

Medical Necessity

The Company considers balloon dilation of the eustachian tube (BDET) medically necessary for the treatment eustachian tube dysfunction, once per lifetime, and eligible for reimbursement providing that **all** of the following criteria are met:

- Age 18 years or older
- Eustachian tube dysfunction refractory to conservative conventional medical therapy.
- Minimum four weeks of a nasal steroid spray
- Long-term ETD \geq three months with exam findings of significant tympanic membrane retraction or chronic fluid, and prior evaluation with nasal endoscopy otoscopy, audiometry, and nasal endoscopy.
- Prior to BDET, two abnormal tympanograms (Type B or C)
- Patient has a history of tympanostomy tube placement, and symptoms of eustachian tube obstruction improvement while tubes were patent/free of obstruction.
- Absence of a co-morbid condition that would be contraindicated for balloon dilation including but not limited to:
 - Carotid abnormalities (skull)
 - Nasopharyngeal or skull base neoplasm
 - Untreated allergic rhinitis, rhinosinusitis
 - Untreated laryngopharyngeal reflux
- A physician or trained technologist conducts procedure.

The Company considers balloon eustachian tube dilation (BDET) for the treatment eustachian tube dysfunction **investigational and experimental** for the following :

- After initially successful BDET
- After unsuccessful BDET

Medical Policy

- With tympanoplasty or other middle ear surgery
- MMO considers trans-tympanic balloon dilatation of the eustachian tube experimental for the treatment of chronic ear disease because the effectiveness of this approach has not been established.

Frequency limitations: The frequency of eustachian tube dilation is limited to one procedure per lifetime for ages 18 and over by an ear, nose, and throat physician or trained technologist. For patients with deformities of the eustachian tube with conditions refractory to the initial one per lifetime BDET is considered **not medically necessary** and **not** eligible for reimbursement.

Notes: The Company considers balloon eustachian tube dilation (BDET) for treatment of clinical conditions not listed above **Not Medically Necessary** and **not** eligible for reimbursement.

Benefits requiring prior authorization services are subject to each specific benefit plan.

Documentation Requirements:

The Company reserves the right to request additional documentation as part of its coverage determination process. The Company may deny reimbursement when it has determined that the services performed were not medically necessary, investigational or experimental, not within the scope of benefits afforded to the member, and/or a pattern of billing or other practice has been found to be either inappropriate or excessive. Additional documentation supporting medical necessity for the services provided must be made available upon request to the Company. Documentation requested may include patient records, test results, and/or credentials of the provider ordering or performing a service. The Company also reserves the right to modify, revise, change, apply, and interpret this policy at its sole discretion, and the exercise of this discretion shall be final and binding.

NOTE: After reviewing the relevant documentation, the Company reserves the right to apply this policy to the service, or procedure, supply, product, or accommodation performed or furnished regardless of how the service, or procedure, supply, product, or accommodation was coded by the Provider.

Approval or clearance by the U.S. Food and Drug Administration alone is not a basis for coverage.

Coverage may differ for Medicare Advantage plan members; please see any applicable national and/or local coverage determinations for details. This information may be available at the Centers for Medicare & Medicaid Services (CMS) website.

Medical Policy

Sources of Information:

- Anand V, Poe D, Dean M, et al. (2019) Balloon Dilation of the Eustachian Tube: 12-Month Follow-up of the Randomized Controlled Trial Treatment Group. *Otolaryngol Head Neck Surg.* 2019;160(4):687-694.
- [American Academy of Asthma Allergy and Immunology](#) Anju T. Peters, MD; Sheldon Spector, MD; Joy Hsu, (2014) Diagnosis and management of rhinosinusitis: a practice parameter update accessed 01/23/2023
- [American Academy of Otolaryngology Head and Neck Surgery \(Tucci et al., 2020\) Clinical Consensus Statement: Balloon Dilation of the Eustachian Tube](#) accessed online 01/27/2023
- Anand V, Poe D, Dean M, et al. Balloon Dilation of the Eustachian Tube: 12-Month Follow-up of the Randomized Controlled Trial Treatment Group.(2019) *Otolaryngol Head Neck Surg.* 2019;160(4):687-694.
- Ashry Y, Kawai K, Poe D.(2017) Utility of Adjunctive Procedures With Balloon Dilation of the Eustachian Tube. *Laryngoscope Invest Otolaryngol.* 2017 Nov 30;2(6):337-343.
- Centers for Medicare and Medicaid services, Antigens Prepared for Sublingual Administration NCD 110.9 11/17/1996 Allergy immunotherapy LCD L6408 10.01.2021 accessed 01/18/2023
- Cutler JL, Meyer TA, Nguyen SA, O'Malley EM, Thackeray L, Slater PW.(2019) Long-term Outcomes of Balloon Dilation for Persistent Eustachian Tube Dysfunction. *Otol Neurotol.* 2019;40(10):1322-1325.
- Durkiewicz D, Bień D, Szczygielski K, Kantor I. (2013) Clinical evaluation of balloon dilation Eustachian tuboplasty in the Eustachian tube dysfunction. *Eur Arch Otorhinolaryngol.* 2013 Mar;270(3):1157-60.
- Froehlich MH, Le PT, Nguyen SA, McRackan TR, Rizk HG, Meyer TA. Eustachian Tube Balloon Dilation: A Systematic Review and Meta-analysis of Treatment Outcomes. *Otolaryngol Head Neck Surg.* 2020;163(5):870-882.
- Goulioumis AK, Gkorpa M, Athanasopoulos M, Athanasopoulos I, Gyftopoulos K. (2022) The Eustachian Tube Dysfunction in Children: Anatomical Considerations and Current Trends in Invasive Therapeutic Approaches. *Cureus.* 2022;14(7):e27193. Published 2022 Jul 24.
- [Hayes Eustachian Tube Balloon Dilation for the Treatment of Chronic Eustachian Tube Dysfunction in Adults](#) February 16 2021 accessed 01/30/2023
- Hwang SY, Kok S, Walton J. (2016) Balloon dilation for eustachian tube dysfunction: systematic review. *J Laryngol Otol.* 2016;130 Suppl 4:S2-S6.
- Magro I, Pastel D, Hilton J, Miller M, Saunders J, Noonan K.(2021) Developmental Anatomy of the Eustachian Tube: Implications for Balloon Dilation. *Otolaryngol Head Neck Surg.* 2021;165(6):862-867.
- Miller BJ, Elhassan HA. (2013) Balloon dilatation of the Eustachian tube: an evidence-based review of case series for those considering its use. *Clin Otolaryngol.* 2013;38(6):525-532.
- [Mount Sinai statement Eustachian Tube Balloon Dilation](#) accessed online <https://www.mountsinai.org/care/ent/services/nasal-sinus-allergy/eustachian-tube#:~:text=As%20with%20any%20surgical%20procedure,and%20lack%20of%20symptom%20improvement> accessed 01/23/2023
- Norman G, Llewellyn A, Harden M, et al. Systematic review of the limited evidence base for treatments of Eustachian tube dysfunction: a health technology assessment. *Clin Otolaryngol.* 2014;39(1):6-21.
- *Otolaryngol Head Neck Surg.* (2019) Clinical Consensus Statement: Balloon Dilation of the Eustachian Tube. Tucci DL, McCoul ED, Rosenfeld RM, et al. *Otolaryngol Head Neck Surg.* 2019;161(1):6-17.
- Poe D, Corrales C., M.D., Eustachian tube dysfunction (2022) UpToDate accessed 01/18/2023

Medical Policy

- Poe D, Anand V, Dean M, et al. (2018) Balloon dilation of the eustachian tube for dilatory dysfunction: A randomized controlled trial. *Laryngoscope*. 2018;128(5):1200-1206.
- Randrup TS, Ovesen T. (2015) Balloon eustachian tuboplasty: a systematic review. *Otolaryngol Head Neck Surg*. 2015;152(3):383-392.
- Saniasiaya J, Kulasegarah J, Narayanan P. (2022) Outcome of Eustachian Tube Balloon Dilation in Children: A Systematic Review. *Ann Otol Rhinol Laryngol*. 2022;131(7):797-804.
- Siow JK, Tan JL.(2020) Indications for Eustachian tube dilation. *Curr Opin Otolaryngol Head Neck Surg*. 2020;28(1):31-35.
- Tucci DL, McCoul ED, Rosenfeld RM, et al. Clinical Consensus Statement: Balloon Dilation of the Eustachian Tube. *Otolaryngol Head Neck Surg*. 2019;161(1):6-17.
- Toivonen J, Kawai K, Gurberg J, Poe D. (2021) Balloon Dilation for Obstructive Eustachian Tube Dysfunction in Children. *Otol Neurotol*. 2021;42(4):566-572.

Applicable Code(s):	
CPT:	30999,69705, 69706, 69799
HCPCS:	
ICD10 Procedure Codes:	